# Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Research Service
Plant Quarantine Division
Federal Center Building
Hyattsville, Maryland 20782

LIST OF INTERCEPTED PLANT PESTS, 1965

(Pests Recorded From July 1, 1964, Through June 30, 1965)

Compiled by
Bessie C. Mumford
Plant Quarantine Aid

### INTRODUCTION

This report of the 52nd year of plant quarantine work in the United States summarizes the records of plant pests found in, on, or with plants, plant products, and carriers (1) imported into or entering the United States or the offshore possessions, (2) offered for entry but refused, (3) in quarters or stores of planes and ships, (4) entered for immediate transportation and exportation in bond, (5) in domestic shipments to the mainland from the States of Alaska and Hawaii, the American Virgin Islands, the Commonwealth of Puerto Rico, Guam, and other possessions, or (6) in preclearance inspection in the Bahamas and Bermuda.

Insects, mites, and snails are included in the first tabulation; bacteria, fungi, and nematodes are in the second. The pests listed are of known or potential importance to agriculture and not reported or widely distributed in the United States. Some common organisms are included if they are new to the country of origin or the host plant.

Records were made from identifications received during the fiscal year 1965 and include some interceptions from previous years that were not determined until this year. Most insect and mite identifications are made by specialists of the Entomology Research Division and Plant Quarantine Division (both of the U.S. Department of Agriculture) and the Department of Entomology of the U.S. National Museum of the Smithsonian Institution.

However, many pests intercepted in California are identified by collaborating State officials. Snail identifications are made by workers in the Plant Quarantine Division and the Division of Mollusks of the Smithsonian Institution. Disease, nematode, and host identifications are made by personnel of the Plant Quarantine Division and the Crops Research Division.

Scientific names of insects and diseases are reviewed by specialists of the Plant Quarantine Division who assist in compiling the list. Nematode names are checked in Nematology Investigations and host names in the New Crops Research Branch. Common names of hosts are generally those shown in <u>Standardized Plant Names</u>. Every effort is made to conform to the International Rules of Nomenclature.

Family names of insects, mites, and snails are given in the tabulation and orders are shown in the host list. Classes of diseases are included in the disease host list.

# NOTES ON PESTS INTERCEPTED

The total number of interceptions submitted during the fiscal year 1965 was 32,572. Of those identified during the year, 8,001 were considered important enough to be tabulated, as compared with 6,564 the previous year. This number does not include the incompletely determined pests, of which 407 fruit flies, 3,075 other insects, 439 diseases, and 466 nematodes, or a total of 4,387 interceptions were indexed for the files but were not added to the figures in the summary.

### FRUIT FLIES

There were 747 fruit fly interceptions identified to species as follows: Anastrepha fraterculus(?)(once) in mango in air baggage from Peru.

Anastrepha insulae (once) in giant granadilla in air baggage from the Dominican Republic. This is the first record of any host for this species.

Anastrepha ludens, the Mexican fruit fly (221 times), 220 times from Mexico and once from an unknown origin. Hosts were <u>Citrus</u> sp., grapefruit, lime, mango, mombin, peach, pear, quince, sour orange, and sweet orange. <u>A. ludens(?)(twice)</u> in mango in air baggage and quince in baggage from Mexico.

Anastrepha mombinpraeoptans, the West Indian fruit fly (92 times), in mango, sapodilla, sweet orange, and yellow mombin. Countries of origin were Barbados, Brazil, Costa Rica, Dominican Republic, El Salvador, Guatemala, Haiti, Honduras, Jamaica, Mexico, Nicaragua, Panama, Puerto Rico, St. Kitts, and Tortola.

Anastrepha serpentina (?) (twice) in mango in air baggage from Guatemala and Mexico.

Anastrepha striata(?)(once) in guava in air baggage from Nicaragua.

Ceratitis capitata, the Mediterranean fruit fly (184 times), at large in trunk of automobile and in American avocado, apple, apricot, Arabian coffee berry, common persimmon, common pricklypear, date, eugenia fruit, fig, grapefruit, common guava, kaki persimmon, lemon, loquat, lychee nut, mandarin orange, mango, myrobalan plum, Natalplum carissa, Ochrosia elliptica fruit, papaya, passionfruit, peach, pear, pepper, plum, pomegranate, quince, sour lime, sweet orange, tropical almond, and western pricklypear. Countries of origin were Algeria, Azores, Brazil, Cyprus, Europe [country(?)], France, Greece, Guinea, Hawaii, Israel, Italy, Jordan, Liberia, Madeira Islands, Morocco, Portugal, Senegal, South Africa, Spain, United Arab Republic, and an unknown origin. C. capitata(?)(12 times) in Arabian coffee berry, fig, grape, pepper, quince, and sweet orange from Brazil, Ghana, Italy, Madagascar, Morocco, Peru, and South Africa.

<u>Ceratitis colae</u>(?)(twice) in Sudan colanut in air baggage from Cameroon and Nigeria.

<u>Dacus cucurbitae</u>, the melon fly (4 times), in balsampear in baggage, and in tomato and zucchini squash in stores from Hawaii.

<u>Dacus dorsalis</u>, the oriental fruit fly (67 times), adults in baggage and with cargo, and larvae in American avocado, banana, Cattley guava, common ginger, dwarf banana, common guava, Indiapoon beautyleaf fruit, mango, ohia, and tropical almond from Hawaii. <u>D. dorsalis(?)(17 times)</u> in banana, Cattley guava, dwarf banana, common guava, Indiapoon beautyleaf fruit, mango, ohia, palm seed, papaya, and <u>Pteralyxia macrocarpa(?)</u> fruit from American Samoa and Hawaii.

<u>Dacus oleae</u>, the olive fruit fly (36 times), in olive from Greece, Italy, Jordan, and Lebanon.

Euleia heraclei(?)(once) in lettuce in stores from Germany.

Rhagoletis cerasi, the European cherry fruit fly (104 times), in Bing, Mazzard, Prunus sp., and sour cherries from Austria, Czechoslovakia, Denmark, England, Europe [country(?)], France, Germany, Hungary, Iceland, Italy, Netherlands(?), Poland, Portugal, Rumania, Spain, Switzerland, Turkey, and an unknown origin.

# INSECTS OTHER THAN FRUIT FLIES

Other insects of special interest were:

Acrolepia assectella (Yponomeutidae), the leek moth, in green onion in stores from France and in leek in air baggage from Switzerland and stores from France, Germany, Greece, Italy, and Netherlands.

Aleurocanthus woglumi (Aleyrodidae), the citrus blackfly (8 times), on Citrus sp. leaf in air baggage from Nicaragua and Panama and baggage from Mexico.

Ardis brunniventris (Tenthredinidae) in rose stem in air baggage from Germany and Hungary.

<u>Carposina niponensis</u> (Carposinidae), oriental fruit borer, in apple in air baggage, air stores, and stores and in peach in air stores from Japan.

Coptotermes formosanus (Rhinotermitidae) in household van in cargo from Formosa.

<u>Diaprepes</u> <u>abbreviatus</u> (Curculionidae) in trailer with pineapples and with vegetables in cargo from Puerto Rico.

<u>Dichocrocis punctiferalis</u> (Pyraustidae), yellow peach moth, in dwarf Japanese white pine tree and 5-needle pine tree in cargo from Japan.

Epinotia aporema (Olethreutidae) in string bean in stores from Venezuela.

<u>Epiphyas postvittana</u> (Tortricidae) in strawberry in aircargo from New Zealand, and in apple in air stores from Australia and cargo from Australia and New Zealand.

Ernobius abietis (Anobiidae) in spruce cone in air baggage from Germany and cargo from Italy.

<u>Gnorimoschema ocellatella</u> (Gelechiidae) in beet in stores from the United Arab Republic (Egypt).

<u>Harmolita ips</u> (Eurytomidae) in wheat straw packing in mail from Morocco.

<u>Laspeyresia strobilella</u> (Olethreutidae) in spruce cone in cargo from Italy.

<u>Leucinodes orbonalis</u> (Pyraustidae) in eggplant in stores from Angola.

<u>Matsumuraeses phaseoli</u> (Olethreutidae) in string bean in stores from Japan.

Oulema melanopa (Chrysomelidae) in shrub-althea seed in cargo from Italy and in soil with unidentified plants in air baggage from Germany.

Phalonia zephyrana (Phaloniidae) in carrot in stores from France and Italy.

<u>Pityogenes</u> chalcographus (Scolytidae) in pine bark on crate in cargo from Sweden.

<u>Plemeliella</u> <u>abietina</u> (Cecidomyiidae) in Norway spruce seed in cargo from Austria, Denmark, France, and Poland and mail from Germany and Italy; in Serbian spruce seed in mail from Austria; and in white spruce seed in cargo from Denmark and mail from Austria and Italy.

<u>Taeniothrips eucharii</u> (Thripidae)(21 times) in several species of lycoris bulbs and on leaf of white lycoris plant in cargo from Japan.

<u>Tetranychus viennensis</u> (Tetranychidae), a fruit tree spider mite, on apple in air baggage from Korea and in quarters and stores from Japan; and on pear in air stores from Japan.

Tortrix excessana (Tortricidae) in apple in cargo from New Zealand.

Trogoderma granarium (Dermestidae), the khapra beetle (462 times), with anatto-tree seed, bagging (including new and used burlap, mail sacks, and wrappers on various products in cargo), barley, bean, cacao bean, cardboard, cargo, in cargo hold of ship, with celery seed, chickpea, chili pepper, Cordia sp. dried fruit, coriander seed, cottonseed, cumin seed,

debris, flour, grain residue, guar gum, gum arabic, gum ghatti, gum hashabi, gum karaya, gum talha, gum tragacanth, lentil, myrobalan, pea, peanut debris, pigeonpea, in quarters of ship, rice, seed as bird feed, sesame seed, soybean, stores, tamarind seed powder, watermelon seed, and wheat debris. Countries of origin of the hosts were Australia, Belgium, Borneo, Ceylon, England, Ethiopia, Formosa, Germany, Greece, Hong Kong, India, Indonesia, Iran, Iraq, Italy, Ivory Coast, Japan, Korea, Lebanon, Malaysia, Morocco, Netherlands, Pakistan, Philippines, Rwanda, Saudi Arabia, Singapore, South Africa, Sudan, Sumatra, Syria, Thailand, United Arab Republic(?), and an unknown origin.

# **SNAILS**

The following snail interceptions were of importance:

Achatina fulica, the giant African snail (14 times), at large in airplane and with baggage, mail parcel, and seed from Guam, Hawaii, and Okinawa.

Cochlicella barbara (40 times) with cabbage, cargo, carnations, Cedar-of-Lebanon tree, chicory, chrysanthemums, parsley, radish seed, soil with Dianthus sp., jasmine plants, and sod, swiss chard, and trailer. Countries of origin were Belgium, Crete, Cyprus, England, France, Greece, Ireland, Israel, Italy, Lebanon, Libya, Morocco, Spain, and an unknown origin.

<u>Cochlicella conoidea</u> (4 times) in baggage as food, with cargo, and in soil with pear plant from İtaly and Spain.

Sixteen species of <u>Helicella</u> were intercepted a total of 175 times with cargo and various plant materials from Austria, Belgium, Cyprus, Denmark, England, Europe [country(?)], France, Greece, India(?), Ireland, Israel, Italy, Lebanon(?), Libya, Netherlands, Spain, Sweden, Switzerland, Turkey, United Arab Republic, and an unknown origin.

Monacha cantiana (3 times) with aircargo from Turkey and with lettuce in stores from France.

Monacha carthusiana (6 times) with artichoke, gladiolus flowers, Italian clematis seed, lettuce, parsley, and soil with cedar tree from France, Italy, and Lebanon.

Monacha olivieri (once) with hawksbeard seed in mail from Yugoslavia. Theba pisana, the Mediterranean land snail (163 times), at large in airplane and automobile, in baggage as food, with beet, cabbage, calla lilies, and cargo, in cargo hold, with carnation plant, carrot, cauliflower, Cedarof-Lebanon tree, chicory, common four o'clock seed, endive, Euphorbia terracina seed, hides, Japanese hop seed, leek, lettuce, lilies, Marguerite chrysanthemums, miscellaneous dry stores, mixed flowers, parsley, in quarters of ship, with roses, snapdragons, squash, straw with horse equipment, sweet orange, swiss chard, and trailer. Countries of origin were the Azores, Cyprus, Denmark, France, Germany, Greece, Israel, Italy, Lebanon, Libya, Morocco, Netherlands, Portugal, Spain, Turkey, United Arab Republic, and an unknown origin.

Disease interceptions of special interest were:

Chaconia ingae on inga seed pod in air baggage from Ecuador. Elsinoe australis, the sweet orange scab (299 times), 185 from Brazil, 69 from Argentina, 21 from an unknown origin, 14 from South America [country(?)], 9 from Uruguay, and 1 from Paraguay. Hosts were grapefruit, lemon, lime, mandarin orange, Satsuma orange, and sweet orange.

Elsinoe piri on apple in stores from Spain.

Guignardia citricarpa (Phoma stage), the black spot of citrus (571 times), 203 from South Africa, 160 from Hong Kong, 72 from Japan, 55 from Australia, 25 from an unknown origin, 22 from Formosa, 13 from China, 6 from Viet-Nam, 4 from the Philippines, 2 each from Malaysia, Mozambique, and Thailand, and leach from Brazil, New Zealand, Okinawa, Singapore(?), and Tahiti(?). Hosts were Citrus paradisi X C. sinensis, Citrus sp., grapefruit, lemon, lime, mandarin orange, pummelo, Satsuma orange, sweet orange, and tangelo.

Marssonina panattoniana on lettuce in stores from Brazil.

Phakopsora pachyrhizi on West Indies yambean root in air baggage from the Philippines.

Phyllostictina cordylines on dracena leaf in cargo from Mexico.

Phyllostictina mangiferae on mango leaf in baggage from Mexico.

Phyllostictina musarum on banana in air baggage from the Philippines and air stores from Okinawa, Philippines, and the West Pacific.

Physopella lenticularis on tibisee grass in aircargo from Mexico.

Puccinia bupleuri on thorowax stem in air baggage from Greece.

<u>Puccinia melampodii</u> on zinnia flower in air baggage from the American Virgin Islands.

Puccinia miscanthi on Chinese silvergrass in mail from the Philippines.

<u>Puccinia psidii</u> on guava leaf in air baggage and allspice pimenta in air baggage and air quarters from Jamaica.

Puccinia vaga on crownbeard leaf in baggage from Mexico.

Skierka holwayi on Thouinia sp. leaf in stores from Guatemala.

<u>Uredo coccolobae</u> on common seagrape leaf in air baggage from the Bahamas.

Uredo fuchsiae on leaf of fuchsia plant in aircargo from England.

Uredo tillandsiae on tillandsia leaf in aircargo from Guatemala.

<u>Xanthomonas citri</u>, citrus canker (245 times), 160 from Japan, 44 from Hong Kong, 14 from an unknown origin, 12 from India, 6 from Formosa, 2 each from China, Indonesia, and Thailand, and 1 each from the Philippines, Viet-Nam, and the West Pacific. Hosts were <u>Citrus aurantium</u> hybrid, <u>C. aurantium X C. sinensis</u>, <u>Citrus sp.</u>, grapefruit, lemon, lime, mandarin orange, pummelo, Satsuma orange, sour orange, sweet orange, and tangor.

<u>Xanthomonas</u> sp. (Cancrosis B)(11 times), 10 from Argentina and 1 from South America [country(?)] on lemon and sweet orange.

### NEMATODES

Of particular interest among the nematode interceptions were:

Aphelenchoides fragariae in tree peony in cargo from Japan.

<u>Criconemoides xenoplax</u> in dwarf pyramid Chinese juniper in aircargo from Japan.

Ditylenchus dipsaci in narcissus bulb in mail from Ireland.

Helicotylenchus erythrinae in common camellia in mail from Japan (first time from there).

Heterodera avenae, the oat nematode (42 times), in soil with automobile, clay pot, conex box, and tractor, and soil with garlic, plant propagative material, and potato from Belgium, Denmark, England, Europe [country(?)], Finland (first time), Germany, Israel, and Italy.

Heterodera cruciferae in soil with rutabaga in stores from the Netherlands and shamrock seed in mail from England (first time from there).

Heterodera fici in soil with common fig plant in air baggage and mail from Italy and India-rubber fig plant in air baggage from Germany.

Heterodera rostochiensis, the golden nematode (101 times), in soil in mail from Ireland; soil with automobile, automotive equipment, bagging, conex box, and tractor in cargo from England, Germany, and Italy (first time); soil with horseradish in airmail and stores from England and an unknown origin; soil with potato in air baggage, cargo, and stores from England, France, Germany, Italy, Netherlands, Peru, Scotland, Sweden, and an unknown origin; soil with propagative material in air baggage, airmail, air quarters, baggage, and cargo from England, Finland, France, Germany, Ireland, Italy, Poland, Portugal, Scotland, Sweden, and an unknown origin; soil with shamrock in air baggage, aircargo, and mail from Ireland; and soil with stores from England and Germany.

Rootknot nematodes, <u>Meloidogyne arenaria</u>, <u>M. hapla</u>, <u>M. incognita acrita</u> (first time from West Africa), <u>M. incognita incognita</u> (first time from Guatemala, Hawaii, Hong Kong, and Indonesia), and <u>M. javanica javanica</u> (first time from Formosa), were intercepted a total of 66 times in roots of various plants.

Pratylenchus penetrans in roots of dahlia hybrids in cargo from Japan. Radopholus similis in anthurium roots in mail from Hawaii.

Rotylenchus robustus in soil with cactus plant in air baggage from Switzerland (first time from there).

<u>Scutellonema</u> <u>brachyurum</u> in soil with African-violet and banana root in baggage from Mexico.

Xiphinema brevicolle in bulb of the lily family in air baggage from Japan (first interception).

Xiphinema index in soil with fig plant in air baggage from Yugoslavia (first interception).

Country	Insect	Disease	Country	Insect	Disease
AFRICA:			AUSTRALASIA Continued		
Africa [country(?)]	1	0	Hawaii	872	16
Algeria	2	0	Johnston Island	2	0
Angola	2	0	Kwajalein	8	0
Cameroon	1	0	Mariana Islands	2	0
Cape Verde Islands	1	0	New Zealand	15	9
Eritrea	2	0	Norfolk Island	0	1
Ethiopia	4	0	Okinawa	5	2
GabonGhana	1		Okinawa(?)	62	0 17
Guinea		0	Philippines	1	0
Ivory Coast	8	0	South Pacific	7	0
Kenya	2	1	Sumatra	3	0
Liberia	2	0	Tahiti	27	0
Libya	42	0	Tahiti(?)	0	1
Madagascar	1	1	Wake Island	7	0
Mauritius Island	1	0	Wake Island(?)	5	0
Morocco	13	1	West Pacific	57	2
Mozambique	0	2	EUROPE:		
Nigeria	2	0	Austria	17	4
Nigeria(?)	1 1	0	Azores	17	l 1
Rwanda Senegal	l	0	Belgium	26	0
South Africa	27	229	Crete	4	0
Sudan	56	0	Denmark	12	3
Tanzania	0	1	England	61	108
United Arab Republic	8	0	England(?)	4	0
United Arab Republic(?)	1	0	Europe [country(?)]	17	8
West Africa	1	0	Finland	2	2
Zambia	0	1	France	133	20
ASIA:	_	0	France(?)	1	1
China	5	0	Germany	68	44
China	14	0	Greece	87	6
Formosa	35	31	Greece(?) Hungary	1 5	0
Hong Kong	24	208	Ireland	23	33
Hong Kong(?)	1	0	Italy	484	38
India	115	26	Madeira Islands	1	0
India(?)	1	0	Monaco	1	0
Indonesia	12	6	Netherlands	50	14
Iran	15	0	Netherlands(?)	3	0
Iraq	11	0	Northern Ireland	1	0
Israel	39	1	Norway	3	0
Japan	879	1,005	Poland	24	1
Japan(?)	3	0	Portugal	40	4
Korea	9	2	Rumania	1 9	0 5
Lebanon	16	0	Spain	160	3
Lebanon(?)	1	0	Sweden	7	5
Malaysia	4	4	Switzerland	9	27
Nepal	1	0	Yugoslavia	9	1
Pakistan	27	0	NORTH AMERICA:		
Saudi Arabia	1	0	Bermuda	8	2
Singapore	9	1	Canada	2	0
Singapore(?)	1		Central America:		
Syria	11 22	0 7	British Honduras	6	2
Turkey	51	1 1	Canal Zone	19 20	8
Viet-Nam (South)	12	7	Costa Rica(?)	20	
Viet-Nam (South)(?)	9	0	El Salvador	16	5
AUSTRALASIA:			Guatemala	48	28
American Samoa	11	3	Guatemala(?)	1	0
Australia	18	66	Honduras	17	10
Australia(?)	2	0	Nicaragua	13	7
Borneo	2	0	Nicaragua(?)	1	0
Cook Islands Fiji	0	1 2	Panama	48	6
H 1 1 1	34	2	Iceland	2	0
Guam	12	0	Mexico	464	83

Country	Insect	Disease	Country	Insect	Disease
NORTH AMERICA Continued			SOUTH AMERICA Continued		
West Indies:			Bolivia	2	1
American Virgin Islands	3	2	Brazil	65	192
Antigua	2	0	Brazil(?)	7	0
Bahamas	12	7	British Guiana	3	0
Bahamas(?)	1	0	Chile	15	14
Barbados	3	0	Colombia	16	24
British West Indies		ļ į	Colombia(?)	2	0
[island(?)]	1	1	Ecuador	26	5
Cayman Islands	1	1	Paraguay	0	1
Cuba	6	1	Peru	13	11
Curacao	1	0	South America [country(?)]	1	15
Dominica	1	0	Surinam	5	0
Dominican Republic	49	9	Uruguay	0	9
Dominican Republic(?)	1	0	Venezuela	15	2
Grenada	1	0			
Guadeloupe	0	1	TOTALS:		
Haiti	6	13	AFRICA	183	236
Jamaica	56	33	ASIA	1,348	1,315
Jamaica(?)	8	0	AUSTRALASIA	1,154	120
Montserrat	1	0	EUROPE	1,285	335
Puerto Rico	25	1	NORTH AMERICA	856	222
St. Kitts	2	0	SOUTH AMERICA	177	357
Tortola	1	0	UNKNOWN	342	71
Trinidad	6	1			
West Indies [island(?)]	1	0	Total insect interceptions	5,345	
SOUTH AMERICA:			Total disease interceptions		2,656
Argentina	5	83			
Argentina(?)	2	0	GRAND TOTAL		8,001

#### CHANGES IN NOMENCLATURE

```
Insects:
```

```
Abgrallaspis degenerata (Leon.) - [=Aspidiotus degeneratus (Leon.), =Hemiberlesia degeneratus ·---
   (Leon.)]
Acutaspis albopicta (Ckll.) - [=Chrysomphalus albopictus (Ckll.)] -
A. tingi McKenzie - [=Chrysomphalus tingi (McKenzie)]
A. umbonifera (Newst.) - [=Chrysomphalus umboniferus (Newst.)]
Ardis brunniventris (Hartig) - [=A. sulcata (Cam.)]
Aspidiella <u>hartii</u> (Ckll.) - [ =''<u>Targionia</u>'' <u>hartii</u> (Ckll.)]
Leptopharsa elata (Champ.) - [ = Leptostyla elata Champ.]
Melanaspis aliena (Newst.) - [=Chrysomphalus alienus (Newst.), =Pseudischnaspis alienus (Newst.)]
Mycetaspis personata (Comst.) - [=Chrysomphalus personatus Comst.]
Nomis albopedalis (Motsch.) - [=Pionea albopedalis (Motsch.)]
Ochrostomus moa (Barber) - [=Lygaeus moa Barber]
Oeobia ferrugalis (Guen.) - [=Phlyctaenia ferrugalis (Hbn.), =Udea ferrugalis (Hbn.)]
Palmicultor oceanicus (Tak.) - [=Palmicola oceanicus (Tak.), =Pseudococcus oceanicus Tak.]
P. palmarum (Ehrh.) - [=Pseudococcus palmarum (Ehrh.), =Ripersia palmarum Ehrh.] -
Planococcus lilacinus (Ckll.) - [=Pseudococcus lilacinus Ckll.]
Pseudococcus fragilis Brain - [=P. gahani Green]
Saccharicoccus sacchari (Ckll.) - [=Trionymus sacchari (Ckll.)]
Temnaspidiotus excisus (Green) - [=Aspidiotus excisus Green]
Thysanofiorinia nephelii (Mask.) - [=Fiorinia nephelii Mask.]
```

### Diseases:

```
Oligostroma proteae Syd. - [Syn.: Mycosphaerella proteae (Syd.) Arx]

Sphaeropsis henriquesii Thuem. - [Syn.: Coniothyrium henriquesii (Thuem.) Tassi]

Uredo phaji Racib. - [Syn.: Hemileia phaji Rac.]
```

#### Hosts:

Areca catechu (betel palm) - [A. cathecu used formerly]

Canavalia cathartica (mauna loa) - [C. microcarpa used formerly]

Correction: A host of <u>Puccinia</u> <u>sessilis</u> shown in the 1964 List as <u>Hosta</u> sp. was later identified as <u>Polygonatum</u> sp.

		INT	NUMBER ERCEPTI IN		
PEST AND HOST	COUNTRY OF . ORIGIN	CONSUMPTION	NONENTR≺	PROPAGATION	COLLECTED IN
Abgrallaspis degenerata (Leon.)(Diaspididae):					
Camellia sp. (leaf)	Japan	••••	1	••••	Wash.
	Venezuela		1		Fla.
Cajanus cajan (pigeonpea)	Canal Zone, Venezuela.	4			Fla.
Acanthoscelides oblongoguttatus (Fahraeus) (Bruchidae):					
Acacia cornigera (bullhorn acacia) seed					
Acacia sp. (seed)					
Seed (herbarium specimen)				• • • • •	
Litchi chinensis (lychee) leaf	Hong Kong	1	• • • • •	• • • • •	Hawaii.
Baggage	Unknown	1		• • • •	N. Y.
Flowers (mixed)					Hawaii.
Airplane					Hawaii.
Baggage				• • • • •	
Mail (package)					Wash.
Seed (pod)	Hawaii	1		• • • • •	Hawaii.
Allium cepa (onion)	France		1		N. Y.
A. porrum (leek)			9		Fla., Mich.,
***************************************	Greece, Italy,				N.Y., Ohio,
·	Netherlands, Switzerland.				Pa.
Actinella arridens Lowe (Helicidae):	_				
Cargo (household goods)	Azores	1	• • • • •		S. C.
Citrus reticulata (mandarin orange)	Mexico		1		Calif.
Diospyros sp. (persimmon)					Calif.
Persea americana (American avocado) leaf					Tex.
Yucca sp. (leaf of cutting)				1	Tex.
Bromeliad (plant)				1	Calif.
Cocos nucifera (coconut)  Dendrobium sp. (orchid) leaf					Calif. Wash.
Orchid (plant)				1 2	Calif., N.Y.
	Philippines.			_	Gairri, IVI I
Phalaenopsis sp. (mothorchid) leaf Acutaspis umbonifera (Newst.)(Diaspididae):				1	Wash.
Epidendrum sp. (orchid) leaf				1	Fla.
Orchid				1	Calif.
Vriesia sp. (bromeliad)				1	Calif.
Airplane Adoretus sinicus Burm. (Scarabaeidae):			1	• • • • •	
Airplane		1	1		
Anthurium sp. (flower)		1	• • • • •		Hawaii.
Baggage			• • • • •		Hawaii.
Flowers (mixed)					
Mail (package)					Hawaii.
1	1	1			

		ТИТ			
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NON ENTRY	PROPAGATION	COLLECTED IN
Aegithus meridionalis var. cardinalis Crotch (Erotylidae):					
Chamaedorea sp. (palm) frond		Ì			
Airplane					
Airplane					
Cassia fistula (goldenshower senna) pod  C. grandis (pinkshower senna) pod  Aglossa caprealis (Hbn.)(Pyralidae):					Fla. Fla.
Iris sp. (bulb)					
Musa sp. (banana)	Ecuador	1	• • • •		Fla.
Cargo (boxes)	Australia	1			Hawaii.
Airplane	Philippines		1		Hawaii.
Succulent (plant)			• • • • •	1	N. Y.
<u>Citrus</u> sp. (leaf)	Mexico, Nicaragua, Panama.	8	• • • • •		Fla., Tex.
Aleuroglandulus emmae Rsl. (Aleyrodidae):  Oncidium sp. (orchid) leaf	Mexico			1	Hawaii.
(Aleyrodidae):  Nephelium sp. (leaf)	Singapore			1	Hawaii.
Orchid (plant)	Honduras			1	Fla.
Orchid (plant)	Canal Zone			1	Fla.
Cordia sp. (?)(seed)	Peru			1	Hawaii.
Cactus (plant)	Mexico			1	Tex.
Airplane	France		1		N. Y.
Airplane	Unknown		1		Hawaii.
Mangifera indica (mango)	Peru	1			Calif.
	Dominican Republic.	1			P. R.
Citrus aurantifolia (lime)		10	1		Calif., Tex.
C. paradisi (grapefruit)	do	8 86			
			1		La., N.Y., Tex.
Cydonia oblonga (quince)	Mexico		2		
Prunus persica (peach)		1			Ill., N.Y., Tex.
Pyrus communis (pear)	do	3	1		Calif., Tex. Fla.

		INT	NUMBER ERCEPTI IN		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
Anastrepha ludens (Loew)(?)(Tephritidae):  Cydonia oblonga (quince)	Mexico	1			Tex.
Mangifera indica (mango)	Guatemala,	1 2			Calif. Calif.
Citrus sinensis (sweet orange)	Mexico. Brazil		1		N. Y.
Mangifera indica (mango)	Barbados, Costa Rica, Dominican Republic, El Salvador, Guate- mala, Haiti, Jamaica, Mexico, Nicaragua, Panama, Puerto Rico, St. Kitts,	79	2		Am. V.I., Calif., Fla., Ill., N.Y., P.R., Tex.
Spondias mombin (yellow mombin)	Tortola. Costa Rica, El Salvador, Guate- mala, Honduras.	6	2		Calif., Fla.
Anastrepha serpentina (Wied.)(?)(Tephritidae):  Mangifera indica (mango)	Guatemala, Mexico	2	• • • •		Calif.
Anastrepha striata (Schin.)(?)(Tephritidae):  Psidium guajava (guava)	Nicaragua	1			Calif.
Andricus furnessae (Weld)(Cynipidae):  Quercus sp. (oak) stem gall	Mexico	1			Ariz.
Andricus ostrea (Hartig)(Cynipidae):  Quercus sp., prob. robur (English oak) gall.	Italy		1		Mass.
Anisolabis caraibea Heb. (Labiduridae):  Cattleya sp. (orchid) plant					Fla. Fla.
Anomala orientalis Waterh. (Scarabaeidae):  Airplane	Japan		l		Alaska.
Antestia orbitalis (Westwood)(Pentatomidae):  Protea sp. (leaf)	South Africa	l			N. Y.
Antheua servula (Drury)(Notodontidae):  Airplane	Viet-Nam(?)		1		Calif.
Anticarsia irrorata (F.)(Noctuidae):  Airplane Antiteuchus mixtus (Fab.)(Pentatomidae):	Wake Island		1		Hawaii.
Airplane  Antonina phragmitis Marchal (Pseudococcidae):	Venezuela		1		Fìa.
Phragmites communis (common reed) screen.	Germany	1			Ala.
Anuraphis cynarae (Theob.)(Aphididae):  Cynara scolymus (artichoke)	Italy, Spain	1	1		N. Y.
Anuraphis schwartzi Borner (Aphididae):  Prunus persica (peach) inside pit cavity  Aonidia banksiae (Fuller)(?)(Diaspididae):	Italy		1		Mass.
Banksia sp. (dried plant)	Australia	1			Pa.
Aonidiella inornata McKenzie (Diaspididae): <u>Citrus aurantifolia</u> (sour lime)					Calif.
C. mitis(?)(calamondin orange)					Wash.
Cocos nucifera (coconut) leaf					Calif., Hawaii. Wash.
Plumeria sp. (cutting)	_				Wasn. Calif.
Aphalara exilis Web. & Mohr. (Psyllidae):					
Calluna vulgaris (heather) plant	Europe [coun- try(?)].		••••	1	N. Y.
Aphis abietina Wlk. (Aphididae):  Abies sp. (fir) cutting	Germany	1			N. Y.

~		INT	NUMBER ERCEPTI		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONEN1R4	PROPAGATION	COLLECTED IN
Aphis callunae Theob. (Aphididae):					
Calluna vulgaris (heather)		1			N. Y.
Wood (board on van)	Thailand	1			Md.
Leucaena leucocephala (whitepopinac lead-tree) pod.	Hawaii	3			Hawaii.
Mail (package)	do	1			Hawaii.
Rosa sp. (rose) stem	Germany, Hungary	3	••••		N. Y.
Ficus carica (fig)		1 2			N. Y. N. Y.
Arianta arbustorum (L.)(Helicidae):  Lactuca sativa (lettuce)					Del.
Plants (assorted)	Switzerland				Pa.
Airplane	Jamaica(?)		1		Fla.
	Brazil	30	1 2		
	Philippines.	30	2	••••	Caiii., Ilawaii.
Aspidiella sacchari (Ckll.)(Diaspididae):  Saccharum officinarum (sugarcane) stalk	Cuba, Guatemala, Haiti.	2		1	Calif., Fla.
Aspidiotus destructor Sign. (Diaspididae):  Citrus sinensis (sweet orange)	Japan		1		
Cocos nucifera (coconut)	dor, Hawaii,	5	5		Calif., Fla.
	Jamaica, Japan, Mexico, Philippines.				
Euphorbia pulcherrima (common poinsettia) Garcinia mangostana (mangosteen) calyx	Philippines				Hawaii. Wash.
Musa sp. (banana)	Ecuador	1			Calif.
Nepenthes sp. (nepenthes) leaf of plant  Piper betle (betel pepper)	Guam	1			Calif.
Polypodium sp. (polypody fern) leaf  Asteriza flavicornis (Oliv.)(Chrysomelidae):					Hawaii.
Orchid (plant) stem	Republic.			1	Fla.
Asterobemisia carpini (Koch)(Aleyrodidae):  Rubus sp. (raspberry) leaf	France, unknown .		12		Alaska, Calif., Mass., N.Y., Va.
<u>Asterolecanium epidendri</u> (Bouché) (Asterolecaniidae):					
Orchid (leaf of plant)	Brazil, Canal Zone, Costa Rica, Ecuador, Jamaica, Peru.			7	Calif., Fla., N.Y.
Asterolecanium stentae Brain (Asterolecaniidae):  Euphorbia ingens (euphorbia) stem  Aulacaspis tubercularis Newst. (Diaspididae):	South Africa			1	Hawaii.
Mangifera indica (mango)	Philippines	4			Wash.
Cargo hold (of ship)	Unknown		1		N. Y.
Baggage	Mexico	1			Tex.

		INT	NUMBER ERCEPTI IN		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
Azeta versicolor (F.)(Noctuidae):	Canta Pias		1		F31-
Airplane	Costa Rica		1		Fla.
Agave shawii (leaf of plant)Bemisia citricola Gomez-Menor (Aleyrodidae):	Mexico		••••	4	Calif.
Citrus sp. (leaf)	France	1	• • • • •		N. Y.
Spiraea sp. (spirea) leaf	Japan		2		Hawaii.
Annona muricata (soursop) seed	Colombia, Panama	2			Fla.
Prosopis sp. (mesquite) pod	Hawaii	1			Hawaii.
Blennocampa pusilla (Klug)(Tenthredinidae):  Rosa sp. (rose) flower	Unknown		1		N. Y.
Bolitophila dupla Garr. (Mycetophilidae): Airplane	do	:	1		Alaska.
Brachycerus albidentatus Gyll. (Curculionidae): Allium sativum (garlic)	Italy	3			N. Y.
Brachycerus algirus (F.)(Curculionidae):  Allium sativum (garlic)	Italy, Spain	11			N. Y. , P. R.
Bradybaena similaris (Fer.)(Bradybaenidae):	Hawaii				Hawaii.
Automobile (in trunk)		3			Hawaii.
Baggage (as specimens)		1			Bermuda.
Cargo (trunk)	Hawaii	1			Hawaii.
Cocos nucifera (coconut) seed	do	1		1	Hawaii.
Codiaeum variegatum (variegated croton)		2			Hawaii.
Cordyline terminalis (common dracena or ti).		2			Hawaii.
Dracaena sp. (dracaena) cutting					Tex.
Flowers	l .				
Heliconia sp					Hawaii. Hawaii.
Orchid (flower and plant)					Hawaii, Tex.
Plantunidentified (leaf and root)	Hong Kong,				Hawaii, N. Y.
Soil with potted plant	Singapore.			1	Va.
Vanda 'Miss Joachim' (orchid) flower					
Brevipalpus chilensis Baker (Tenuipalpidae):					
Citrus limon (lemon)  Bruchidius gilvus (Gyll.)(Bruchidae):					
Punica granatum (pomegranate) Bruchus affinis Froel. (Bruchidae):	Italy	1	• • • • •		N. Y.
Lathyrus latifolius (perennial pea) seed  Bruchus ervi Froel. (Bruchidae):	Germany			1	111.
Lens culinaris (lentil)	Greece, Italy, Lebanon.	1	1	2	D. C., Ga., N. Y.
Bruchus lentis Froel. (Bruchidae):	Commercial	2	1.2	,	Ala D.C. El
Lens culinaris (lentil)	Israel, Italy, Jordan, Niger- ia(?), Spain, unknown.	3	12	1	Ala., D.C., Fla., Ga., Ill., La., Mass., Mich., N.C., Pa., Tex.
Bruchus rufipes Hbst. (Bruchidae):					
Baggage (with <u>Castanea</u> sp.)					
Vicia nissoliana (seed)			• • • • •		D. C.
V. villosa (hairy vetch) seed Vicia sp. (pod, seed, and straw jacket)					Tex. Mass.
Bruchus signaticornis Gyll. (Bruchidae):	Azores		• • • • •		IVI.d. 5 5 .
Cajanus cajan (pigeonpea)	Jamaica	1			N Y.
				-	

	NUMBER INTERCEPTIONS IN		1		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
Bruchus signaticornisContinued					
Lens culinaris (lentil)	Italy, Portugal	6			Ill., Mass., N.Y.
Vicia faba (broadbean)	Greece	1			N. Y.
Bruchus tristiculus Fahr. (Bruchidae):  Lathyrus odoratus (sweetpea) seed	A 70705			1	N V
L. sativus (grass peavine) seed					N. J.
Bruchus tristis Boh. (Bruchidae):					
Lathyrus sativus (grass peavine) seed Vicia sp. (vetch)					
Bruchus viciae Oliv. (Bruchidae):	do	1		• • • • •	111.
Lathyrus sp. (peavine) seed	Germany			1	N. Y.
Bungalotis astylos (Cramer)(Hesperiidae):					
Cecropia sp. (pumpwood) leaf	British Guiana				N. Y.
Cargo (with bale of wool)	Iraq	1			Va.
Ficus carica (fig) dried	_				
<u>Cahya variabilis</u> (DeL.)(Cicadellidae):					
Airplane	Nicaragua, Venezuela.				Fla.
Callidium rufipenne Motsch. (Cerambycidae):					
Wood (dunnage)	Japan, unknown		5		Fla., Ill., Pa.
Callosobruchus ademptus (Sharp)(Bruchidae):	T	İ		,	W- ah
Pueraria sp. (kudzubean) seed	Japan			1	Wash.
Cicer arietinum (chickpea)					Ala., Ill., Wash.
Lens culinaris (lentil)					
Phaseolus aureus (mung bean)					
Pisum sativum (pea) Stores (in dry storeroom)	India(?). Japan(?)		2		N.C. Wash.
Calyptocephala gerstaeckeri Boh.					
(Chrysomelidae):					*11
Chamaedorea sp. (palm) foliage	Mexico	1			111.
Vitis sp. (grape)	South Africa	1			N. Y.
Carineta rufescens (F.)(Cicadidae):					
Cargo (with tropical fish)	Colombia	1			Fla.
Artocarpus altilis (breadfruit) seed	Ecuador	1			Fla.
Pimenta dioica (allspice pimenta)	Guatemala	1			N. Y.
<u>Carposina niponensis</u> Wlsm. (Carposinidae):	_		1.0		C 316 TI 11
Malus sylvestris (apple)	Japan	3	10	•	Calif., Hawaii, La., N. C., Oreg.,
					Tex., Wash.
Prunus persica (peach)	do		2		Hawaii.
Cassida circumdata Hbst. (Chrysomelidae):  Airplane	Wake Island(2)		2		Hawaii
Cepaea hortensis (Müller)(Helicidae):	wake Island(: j		_		iiawaii.
Cargo	France	1			Del.
<u>Dianthus</u> sp., prob. <u>deltoides</u> (maiden pink)	England			1	
Cephaloleia pretiosa Baly (Chrysomelidae):  Zingiber sp. (ginger) leaf	Panama	1			Fla.
Cephonodes hylas virescens Wller. (Sphingidae):					
Luculia sp. (luculia) plant	Nepal			1	D. C.
Ceratitis capitata (Wied.)(Tephritidae):	Hawaii	,			Hawaii
Automobile (in trunk)	Guinea, Liberia	2			N. Y.
Carica papaya (papaya)	Hawaii	1			Hawaii.
Carissa grandiflora (Natalplum carissa) fruit.					Hawaii.

		INT	NUMBER ERCEPT IN	-	
	COUNTRY	7		z	
PEST AND HOST	OF	CONSUMPTION	<b>\</b>	9 5	COLLECTED IN
	ORIGIN	Σ	<u> </u>	Q A	
		inst	NON ENTRY	P A	
		Ő	Öz	PROPAGATION	
Ceratitis capitata Continued Citrus aurantifolia (lime)	Uomaii	1			Uoweii
C. limon (lemon)	· ·	$\begin{vmatrix} 1 \\ 1 \end{vmatrix}$	1		Hawaii. Md., N.Y.
C. paradisi (grapefruit)	-	1	2		l
C. reticulata (mandarin orange)		6	1		1
	Italy.				N. Y.
C. sinensis (sweet orange)		1	12		Ala., Fla., Ill.,
	[country(?)],				La., N.Y., Pa.
	Greece, Spain,				
	United Arab Republic, unknown.				
Coffea arabica (Arabian coffee) berry	1 -	50		1	Calif., Hawaii, N.Y.
Cydonia oblonga (quince)		6			
	Italy, South				
	Africa.				
Diospyros kaki (kaki persimmon)		1			
D. virginiana (common persimmon)		1			N. Y.
Eriobotrya japonica (loquat)		1	• • • • •		
Eugenia sp. (eugenia) fruit		2 5	• • • • •		Hawaii.
Ficus carica (fig)  Litchi chinensis (lychee) nut		1			Mass., N.Y. Hawaii.
Malus sylvestris (apple)	1	2		l .	Ala., Mass.
Mangifera indica (mango)	_	16.			Hawaii, Ill., N.Y.
	Arab Republic.				
Ochrosia elliptica (fruit)		1			Hawaii.
Opuntia humifusa (common pricklypear)		8		1	N. Y., Ohio.
O. occidentalis (western pricklypear)	do	1	• • • • •		
Passiflora sp. (passionfruit)  Persea americana (American avocado)		2		1	Hawaii. Hawaii.
Phoenix dactylifera (date)		1			
Prunus armeniaca (apricot)		1	1		
P. cerasifera (myrobalan plum)		1			Hawaii.
P. domestica (garden plum)	i	1		• • • • •	Mass.
<u>P</u> . <u>persica</u> (peach)		10	18*		Fla., Ga., Ill.,
	Israel, Italy,				Mass., N.Y.,
	Morocco, Portu-				P.R.
	gal, Spain, unknown.				
Psidium guajava (guava)		10			Hawaii.
Punica granatum (pomegranate)		1			
Pyrus communis (pear)	Jordan, Madeira	3			Mass., N.Y.
	Islands, South				
The mine in a 11 mine of the 12 mine in a 12	Africa.	,			**
Terminalia catappa (tropical almond)	Hawaii	6			Hawaii.
Ceratitis capitata (Wied.)(?)(Tephritidae):  Capsicum annuum (pepper)	Ghana	1			NV
Citrus sinensis (sweet orange)		 	3		Ga., Md., Pa
	Morocco, Peru.				, , , , , , , , , , , , , , , , , , , ,
Coffea arabica (Arabian coffee) berry	Brazil, Hawaii	4			Calif., Hawaii, N. Y
Cydonia oblonga (quince)	•	1		• • • • •	
Ficus nota (fig)	1	1			
Vitis sp. (grape)  Ceratitis colae (Silv.)(?)(Tephritidae):	South Airica	2		• • • • • •	IN. Y.
Cola a cuminata (Sudan colanut) nut pod	Cameroon	2			Mass., N.Y.
	Nigeria.			• • • • •	1120001 ; 11. 1.
Cerconota anonella (Sepp)(Stenomidae):					
Annona muricata (soursop)	Colombia, Guate-	3			Fla., Tex.
2	mala, Venezuela.				
Ceresium unicolor (F.)(Cerambycidae):	Uii	,			TT
Vanda sp. (orchid) flower	паwa11	1 1	• • • • •	• • • • • • •	Hawaii.

		INT	NUMBER ERCEPTI		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
Ceroplastes japonica Green (Coccidae):  Laurus nobilis (Grecian laurel) leaf	Italy	1			Calif.
Ceroplastes rubens Mask. (Coccidae):  Alyxia olivaeformis (maile alyxia) leaf  Fern (leaf)					Hawaii. Hawaii.
Ceroplastes rusci (L.)(Coccidae):  Ficus carica (fig) stem	Yugoslavia		• • • •	1	Calif.
Airplane	Republic.		1		Fla.
Chaetococcus bambusae (Mask.)(Pseudococcidae):  Bambusa multiplex (hedge bamboo) plant  Chalciope hyppasia (Cram.)(Noctuidae):		• • • •	• • • •	1	D. C.
Airplane					
Airplane					
Packing material (with <u>Cucumis melo</u> ) <u>Chilo suppressalis</u> (Wlk.)(Crambidae):					
Oryza sativa (rice) rope, stem, and straw	Formosa, Hong Kong, Japan, Korea, Okinawa.	11	24		Calif., Hawaii, N.J., N.Y., Tex.
Chlorophorus annularis (F.)(?)(Cerambycidae):  Bamboo (pole with rug)	Japan	1	• • • • •	• • • • •	N. C.
(Cicadellidae): Airplane	Colombia		1		Fla.
Airplane	Jamaica(?)	• • • • •	1	• • • •	Fla.
Airplane					Hawaii.
Airplane	Hawaii			1	Hawaii.
Vanda 'Miss Joachim' (orchid) flower Chrysolina americana (L.)(Chrysomelidae):	do	1			Hawaii.
Cargo					N.C. Mass., N.Y.
Plantunidentified					
Cladius pectinicornis (Fourc.)(Tenthredinidae):	Turkey, unknown .  Europe [coun-	1 5			N. Y. III. , N. Y.
	try(?)], France, Germany, Ire- land, Italy, Northern Ireland, unknown.				
Clavaspis herculeana (Doane & Hadden) (Diaspididae):  Spondias mombin (yellow mombin)	Costa Rica	1	• • • •		Calif.
Coccus viridis (Green)(Coccidae):  Alpinia sp. (galangal) flower  Coffea arabica (Arabian coffee)  Echinodorus sp. (burhead) leaf of plant  Gardenia jasminoides (cape-jasmine) leaf	Peru Cuba, Hawaii,	1		1	Hawaii. Hawaii. Fla. Calif., Fla.,
	Philippines.				Hawaii.

		INT	NUMBER ERCEPTI		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTR4	PROPAGATION	COLLECTED IN
Coccus viridis Continued					
Gardenia taitensis (flower)					
Ixora sp. (ixora) leaf and stem  Plumeria sp. (frangipani) cutting					Hawaii. Calif.
Cochlicella barbara (L.)(Helicellidae):		• • • • •	••••	1	Calli,
Beta vulgaris var. cicla (swiss chard)	-				
Brassica oleracea var. capitata (cabbage)					Tex.
Cargo	Greece, Libya, Morocco, Spain.	20	••••		Del., La., Mass., N.C., N.Y., Va.
Cedrus libani (Cedar-of-Lebanon) tree				1	N. Y.
Chrysanthemum sp. (leaf)					
Cichorium intybus (chicory)  Dianthus caryophyllus (carnation) flower				• • • • •	N.Y. Mass.
	Israel				
(parsley).					
Raphanus sativus (radish) seed			ľ		Mass.
Soil and soil with plant material ( <u>Dianthus</u> sp. flowers, <u>Jasminum</u> sp., and sod).	France, Ireland, Italy, Spain, unknown.	1	7	2	Mass., N.Y.
Trailer		1			Va.
Cochlicella conoidea (Drap.)(Helicellidae):	T4 - 1	7			N7 N7
Baggage (for food)					N. Y. N. C., Va.
Soil with Pyrus sp. (pear) plant					N. Y.
Coelonertus nigrirostris Solari (Curculionidae):					
Chamaedorea elegans (palm) frond	1				
Chamaedorea sp. (frond)	αο	2			Tex.
Airplane	Venezuela		l		Fla.
Conoderus exsul (Sharp)(Elateridae):	II:	,			TT!!
Leafunidentified (foliage with flowers) Conoderus rufangulus (Gyll.)(Elateridae):	Hawaii	1	* * * * *		Hawaii.
Cargo					
Cucumis melo (melon) · · · · · · · · · · · · · · · · · · ·					
Ship (at large)	do	• • • • •	1		N. Y.
Capsicum annuum (pepper)	Mexico	1			Ariz.
Chrysanthemum sp. (flower)	1				Tex.
Cordyline terminalis (common dracena or ti).	t .				Hawaii.
Flowers	Guam, Hawaii,	7	1		Hawaii.
Gardenia jasminoides (cape-jasmine) flower		4			Hawaii.
Lilium sp. (lily) bulb	Mexico			1	Tex.
Medicago sativa (alfalfa)					Tex.
Orchid (lei)		1 1			Hawaii. Hawaii
Plumeria rubra (Mexican frangipani) flower		3			
Vanda 'Miss Joachim' (orchid) flower	do	13		1	
Vanda sp. (flower and seed)		4			
Zantedeschia aethiopica (calla lily) flower  Zingiber sp. (ginger) leaf		1 1			
Conotrachelus aguacatae Barber (Curculionidae):		1			
Persea americana (American avocado) seed		8			
avocado).	do	2	• • • • •		Calif., Tex.
Conotrachelus perseae Barber (Curculionidae):  Persea americana (American avocado)	Honduras	1			Fla.

		INT	NUMBER ERCEPTI			
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTR≺	PROPAGATION	COLLECTED IN	
Coptotermes formosanus Shiraki (Rhinotermitidae):						
Cargo (household van)	Formosa	1		• • • • •	Md.	
Aquatic plant	Brazil			1	Fla.	
Airplane	West Pacific		1		Hawaii.	
Airplane	Okinawa		1		Calif.	
Plantsunidentified	Mexico			1	Tex.	
Citrus sinensis (sweet orange)	Europe [coun- try(?)], Greece, Italy, Spain, unknown.	2	17	••••	Alaska, Mass., N.Y., Va.	
Punica granatum (pomegranate)		8	2		Mass., Mich., N.Y., Ohio, Pa.	
Cryptophlebia illepida (Btlr.)(Olethreutidae):  Legume (seed)	Hawaii			1	Hawaii.	
Litchi chinensis (lychee) nut	do	1				
macadamia) seed.	do	7		• • • • •	Hawaii.	
Cryptophlebia onibrodelta (Lower)(Olethreutidae): Cassia sp. (senna) pod		1			Hawaii.	
Cocos nucifera (coconut)					Hawaii.	
Fruitunidentified		1			Hawaii.	
Legume (pod)		1			Hawaii.	
Litchi chinensis (lychee) nut	do				Hawaii. Hawaii.	
Prosopis sp. (mesquite) seed pod  Cryptotermes brevis (Wlk.)(Kalotermitidae):	do	1			Hawaii.	
Airplane					Fla.	
Baggage (personal effects)						
Cardboard (box of fruit cake)		l i				
Paper (book)						
Zingiber officinale (common ginger) root					Hawaii.	
Cryptotermes cavifrons Banks (Kalotermitidae): Driftwood (dried and bleached)	Bahamas	1			Fla.	
Curculio elephas (Gyll.)(Curculionidae):  Castanea sativa (European chestnut)	Italy	1.3			NV	
Castanea sp. (chestnut)					III., N Y.	
Cycnia insulata (Wlk.)(Arctiidae):						
Airplane	Dominican Republic(?).		3		Fia.	
Cylas formicarius (F.)(Curculionidae):	, '.				** !!	
Ipomoea batatas (sweetpotato)	Philippines		• • • • •	1	Hawaii.	
Ipomoea batatas (sweetpotato)	Bahamas, Cuba,	3	3		Am. V.I., Fla.,	
-	Dominican Re- public, Mexico,				Tex.	
Cylas formicarius formicarius (F.)(?) (Curculionidae):	Puerto Rico.		1		Md	
<u>Ipomoea</u> <u>batatas</u> (sweetpotato)	I namand		1 }		wu.	

		INT	NUMBER ERCERTI		
PEST AND HOST	COUNTRY OF ORIGIN	NO!F	γ. Υ.	PROPAGATION	COLLECTED IN
		CONSUMPTION	NONENH	PROPAG	
Dactynotus formosanus (Takah.)(Aphididae):					
Lactuca sativa (lettuce)  Dacus cucurbitae (Coq.)(Tephritidae):			1		
Cucurbita pepo (zucchini squash)			1		Calif.
Lycopersicon esculentum (tomato)  Momordica charantia (balsampear)		1			
Dacus dorsalis Hend. (Tephritidae):					Ü
Baggage	do	2			
<u>Calophyllum</u> <u>inophyllum</u> (Indiapoon beautyleaf) fruit.	do	1			nawaii.
Cargo (with Araucaria sp. tree)	do			1,	
Carica papaya (papaya)	do	6	••••		Hawaii. Hawaii.
Eugenia malaccensis (ohia or Malay-apple)  Mangifera indica (mango)	do	3 32	3		
Musa nana (dwarf banana)	do	1			
Musa sp. (banana)	do	3			
Persea americana (American avocado)	do	3 5			
Psidium guajava (guava)	dodo	1			
Terminalia catappa (tropical almond)	do	5			
Zingiber officinale (common ginger)	do	1			Hawaii.
Dacus dorsalis Hend. (?)(Tephritidae):		,			TT:
Calophyllum inophyllum (Indiapoon beautyleaf)	αο	1			Hawaii.
Carica papaya (papaya)	do	1			Hawaii.
Eugenia malaccensis (ohia or Malay-apple)	do	ŀ			
Mangifera indica (mango)			j		
Musa nana (dwarf banana)  Musa sp. (banana)					Hawaii. Hawaii.
Palm (seed)	American Samoa				Hawaii.
Psidium guajava (guava)	Hawaii	1			Hawaii.
P. littorale (Cattley guava)	do	1			
Pteralyxia macrocarpa(?)(fruit)  Dacus oleae (Gmel.)(Tephritidae):	do	1			Hawaii.
Olea europaea (olive)	Greece, Italy,	36			Ill., Mass.,
	Jordan, Lebanon.				Mich., N.Y.
Dallasiellus murinus (Van Duzee)(Cydnidae):	Mexico			1	Calif.
Cactus (plant)	Mexico			1	Carri.
Airplane	Brazil(?), Costa		3		Fla.
	Rica(?).				
Delphacodes vaccina Caldwell (Delphacidae): Airplane	Guatemala(?)	1	1		Fla.
Deltocephalus (Recilia) distinctus Motsch. (Cicadellidae):					
Airplane	West Pacific		1		Hawaii.
Deltocephalus (Recilia) hospes Kirk.  (Cicadellidae):					
Airplane	do		1		Hawaii.
Deltocephalus maculellus Osborn (Cicadellidae):  Airplane	Unknown		1		Fla.
Dendroctonus frontalis Zimm. (Scolytidae):	TY 1	,			E) a
Pinus sp. (pine) bark  Deroceras caruanae (Pollonera)(Limacidae):	Honduras	1	• • • • •	• • • • •	Fla.
Apium graveolens var. dulce (celery)	Italy		1		Mass.
Cynara scolymus (artichoke)	do	1			N. Y.
Lactuca sativa (lettuce)	England, Italy	· · · · ·	2		Mass.

				ONS		
PEST AND HOST	PEST AND HOST OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN	
Dialeurodes kirkaldyi (Kot.)(Alcyrodidae):						
	Hawaii, Philippines	9	• • • • •		Hawaii.	
G. taitensis (leaf)	Tahiti			1 1	Hawaii. Hawaii.	
Jasminum sambac (Arabian jasmine)	Hawaii			_	Hawaii.	
Leafunidentified	Tahiti				Hawaii.	
Plantunidentified	Formosa	• • • • •	• • • • •	1	Wash.	
<u>Dialeurodes tristylii</u> Takah. (Aleyrodidae): Cleyera japonica (Japanese cleyera)	Japan		1		Wash.	
Diaphania indica (Saund.)(Pyraustidae):			•		Wash	
Herbs (various)	Jamaica	1			N. Y.	
Diaprepes abbreviatus (L.)(Curculionidae):	Duanta Dias	1			D D	
Cargo (in trailer with pineapples)  Vegetables (in van)					P. R. P. R.	
Diaspis miranda (Ckll.)(Diaspididae):						
Orchid (plant)	Mexico			1	Tex.	
Diatraea considerata Hein. (Crambidae):  Saccharum officinarum (sugarcane)	do	16			Ariz., Calif., Tex.	
Dichocrocis punctiferalis (Guen.)(Pyraustidae):	do	10	••••	• • • •	Ariz., Caiii., Tex.	
Pinus parviflora (Japanese white pine) bonsai or dwarf tree.	Japan			2	Wash.	
Pinus sp. (5-needle pine)	do			2	Wash.	
Dictyophara patruelis (Stål)(Dictyopharidae):						
Airplane	Japan(?)		1		Hawaii.	
Dictyoploca japonica (Moore)(Saturniidae):  Quarters (of ship)	do		1		Oreg.	
Dinoderus bifoveolatus (Woll.)(Bostrichidae):					<u> </u>	
Bertholletia excelsa (Brazil nut)						
Wood (crate) Dinoderus japonicus Lesne (Bostrichidae):	India	2			N.Y.	
Bamboo (slats in bales)	do	1			Calif.	
Piper methysticum (kava pepper)	American Samoa	1			Hawaii.	
Diocalandra taitensis (Guer.)(Curculionidae): Airplane	 		1		Hawaii.	
Cocos nucifera (coconut)					Hawaii.	
Diorymerellus laevimargo Champ.						
(Curculionidae):	Contamolo			1.1	Ela Torr	
Orchid (plant)  Doleranus tethys (Van D.)(Cicadellidae):	Guatemaia, Mexico		••••	11	Fla., Tex.	
Airplane	Jamaica(?)		1		Fla.	
Draeculacephala clypeata Osborn (Cicadellidae):	Argontine (2) Conta		1		Fla	
Airplane	Rica, Guatemala.		4	• • • • •	Fid.	
Dynatopechus aureopilosus (Fairm.)(?)						
(Curculionidae):	11:				Calif	
Seed (string of beads)	nawaii	2	• • • • •	• • • • •	Calli.	
Bromeliad (plant)	Mexico			1	Tex.	
Dyspessa ulula (Bkh.)(Cossidae):	Italia Danta 1	8	1		I. N. V	
Allium sativum (garlic)	Spain.		1	• • • • •	La., N.Y., P.R.	
Elytroteinus subtruncatus (Fairm.)(?)	1					
(Curculionidae):	TT-1.'4'		,		TT	
Zingiber officinale (common ginger) root  Endelomyia aethiops (F.)(Tenthredinidae):	laniti		1	• • • • •	nawaii.	
Rosa sp. (rose)	Austria, Germany,	5			N. Y.	
	Hungary, Portu-					
	gal, Sweden.	I				

		INT	NUMBER ERCEPTI		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
Epichorista ionephela (Meyr.)(Tortricidae):  Vitis sp. (grape)	South Africa	2			N. Y.
Epilachna defecta Muls. var. (Coccinellidae):  Baggage (brought for child's collection)  Epilachna nigrocincta Muls. (Coccinellidae):	Colombia	1	• • • •		Fla.
Chamaedorea sp. (palm) frond  Epinotia aporema (Wlsm.)(Olethreutidae):	Mexico	1	••••		Tex.
Phaseolus vulgaris cv. (string bean)  Epiphyas postvittana (Wlk.)(Tortricidae):	Venezuela		1		Pa.
Fragaria sp. (strawberry)	New Zealand	1			Hawaii.
Malus sylvestris (apple)		9			Hawaii, Wash.
Ericeia inangulata (Guen.)(Noctuidae):  Airplane Eriophyes leionotus (Nal.)(Eriophyidae):	Viet-Nam		2		Calif., Hawaii.
Betula sp. (birch) twig  Eriophyes parabuxi Keifer (Eriophyidae):	Finland	1			Mass.
Buxus sempervirens (boxwood) leaf	England, France, Ireland.	2	8		Mass., Wash.
Ernobius abietis (F.)(Anobiidae):  Picea sp. (spruce) cone  Eualana austrina Drake (Tingidae):	Germany, Italy	2	• • • • •		Md., N.Y.
Banksia sp. (dried foliage)	Australia	1			Pa.
Flowers (mixed)	do	1			
Eublemma parva (Hbn.)(Noctuidae): Airplane	West Pacific		1		Hawaii.
Euborellia stali (Dohrn)(Labiduridae):  Sobralia sp. (orchid)	British Honduras .			1	Fla.
Eucalandra setulosa (Gyll.)(Curculionidae):  Bamboo (slats)  Eucheira socialis Westw. (Pieridae):	India	1	• • • • •		Calif.
Arbutus xalapensis(?)(Mexican madrone) leaf.  Eudecatoma biguttata (Swed.)(Eurytomidae):	Mexico	1			Tex.
Quercus sp. (oak) gall  Eulachnus tuberculostemmata (Theob.)  (Aphididae):	Turkey	2			Md.
Pinus sp. (needles used as packing) Euleia heraclei (L.)(?)(Tephritidae):	Iran	1	• • • • •	• • • • •	D. C.
Lactuca sativa (lettuce) Eulepidotis electa Dyar (Noctuidae):					
AirplaneEuphyllura olivina (Costa)(Psyllidae):					
Olea europaea (olive)					
Chrysanthemum sp. (flower)  Eurytoma seyali Risbec (Eurytomidae):  Indigofera sp. (indigo) seed					
Euscepes postfasciatus (Fairm.)(Curculionidae):  Ipomoea batatas (sweetpotato)					
Euxoa bilitura (Guen.)(Noctuidae): Airplane					
Euxoa spinifera (Hbn.)(Noctuidae):	[country(?)].				
Airplane  Evallaspis ampelodesmae (Newst. (Diaspididae):					
Stipa tenacissima (esparto needlegrass)  Evergestis forficalis (L.)(Pyraustidae):					
Brassica oleracea var. botrytis (cauliflower).  B. oleracea var. capitata (cabbage)					
	lands, Spain.				2 (20) 2020, 440

		INT	NUMBER ERCEPTI IN			
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN	
Evergestis forficalisContinued						
Lactuca sativa (lettuce)				• • • •		
Bromeliad (plant)				1	Tex.	
Plantunidentified	do			1 1	Tex. Calif.	
(Pentatomidae): Vitis sp. (grape)	South Africa	1			N. Y.	
Forficula senegalensis Serv. (?) (Forficulidae):  Cassia sp. (senna) seed	do			1	D.C.	
Frankliniella formosae Moulton (Thripidae):  Flowers (Chrysanthemum morifolium,  Dianthus caryophyllus, Gladiolus sp.,  Rosa sp., and mixed flowers).	Japan, unknown	47	47		Alaska, Hawaii, Wash.	
Frankliniella intonsa (Trybom)(Thripidae):  Flowers (Agapanthus sp., Aster sp., Bellis sp., Chrysanthemum sp., Dahlia sp.,  Dianthus sp., Gladiolus sp., Rosa sp., and mixed flowers).	Austria, Belgium, Czechoslovakia, England, Ger- many, Italy,	27	6		Ill., Mass., Mich., N.Y., Wash.	
and mixed nowers).	Netherlands, Poland, Switzer- land, unknown, Yugoslavia.					
Frankliniella lilivora Kurosawa (Thripidae):  Lilium longiflorum 'Takesima' (bulb)  Frankliniella panamensis Hood (Thripidae):	Japan			1	N. Y.	
Gladiolus sp. (flower)	Honduras			1	Fla.	
Ornithogalum sp. (stem)	South Africa	1 1			N. Y. N. Y.	
Frankliniella sulphurea Schmutz (Thripidae):  Flowers (lei)	HawaiiDominican Republic.		1		Calif. P.R.	
Fulvius brevicornis Reuter (Miridae):  Khaya sp. (mahogany) log	West Africa	1			La. Md.	
Fulvius variegatus Poppius (Miridae):  Mangifera indica (mango) slab  Zingiber officinale (common ginger)	Hawaii	1			Hawaii.	
Fundella pellucens (Zell.)(Phycitidae):  Phaseolus vulgaris cv. (string bean)		,				
Furcaspis oceanica Ldgr. (Diaspididae):  Cocos nucifera (coconut)						
Galgula partita Guen. (?) (Noctuidae):  Chamaedorea sp. (palm) frond	Mexico	1			Tex.	
Galgupha punctifer McAtee & Mall. (Cydnidae):  Bromeliad (plant)	Guatemala			1	Fla.	
Galgupha quadrisignata (Stål)(Cydnidae): Orchid (plant)	Panama			1	Fla.	
Calluna vulgaris (heather) leaf	Ireland, Scotland .	2			N. Y.	
(Diaspididae): Orchid (plant)	Hawaii, Indonesia, Philippines.			4	Calif., Hawaii.	
Phalaenopsis sp. (orchid) leaf	Philippines			1 2	Calif.	

		INT	NUMBER ERCEPT IN		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
Geniates panamensis Arrow (Scarabaeidae): Airplane	Panama, unknown.		5		Fla.
Geotornus pygmaeus (Dallas)(Cydnidae):  Flowers (mixed)					Hawaii. Hawaii.
Gesonia obeditalis Wlk. (Noctuidae): Airplane	Unknown, West Pacific.		7	• • • • •	Hawaii.
Glycyphagus ornatus Kramer (Glycyphagidae): Soil with unidentified bulbs	Azores			1	Mass.
Airplane	Japan, West Pacific.		4	• • • •	Hawaii.
(Gelechiidae): <u>Capsicum annuum</u> (pepper)	Guatemala, Mexico.	3	1		Ariz., Fla., N.Y.
Gnorimoschema ocellatella (Boyd)(Gelechiidae):  Beta vulgaris (beet) root	United Arab Republic.		1		Pa.
Gortyna flavago (Schiff.)(Noctuidae):  Cynara scolymus (artichoke)	France, Italy, Spain.		3		N. Y., Tex.
Graminella bipunctella Lnv. (Cicadellidae):  Airplane	Jamaica(?)		1		Fla.
Airplane					
Airplane					
Grammodes geometrica (F.)(Noctuidae):	Jamaica.				
Airplane	Okinawa(?), Philippines, West Pacific.		4		Hawaii.
Graptopsaltria colorata Stål (Cicadidae):  Airplane	Japan		1		Hawaii.
Flowers (mixed)  Leucaena leucocephala (whitepopinac leadtree) seed pod.	Hawaii			1	Hawaii. Hawaii.
Gryllotalpa africana P. de B. (Gryllotalpidae):  Mail (bag)	Korea	1	• • • • •		Wash.
Cargo (with gas cylinders)	Unknown	1			Va.
Cargo (as food for lizard)					
plant). <u>Hapithus tenuicornis</u> (Wlk.)(Gryllidae):					Hawaii, N.Y.
Orchid (plant)					Fla. Tex.
Haplothrips gowdeyi (Franklin)(Phlaeothripidae):  Centaurea sp. (lei)	Hawaii	1			Hawaii.
Chrysanthemum sp. (flower) Flowers (lei)					
Herbs (stems)					

		INT	NUMBER ERCEPTI IN			
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN	
Harmolita ips (Walker)(Eurytomidae):  Triticum aestivum (wheat) straw packing	Morocco	1		• • • • •	N. Y.	
Hartigiola annulipes (Hartig)(?)(Cecidomyiidae):  Fagus sylvatica (European beech) leaf gall  Fagus sp. (beech) leaf gall			2 1		Mass. Wash.	
Helicella candidula (Studer)(Helicellidae):Lactuca sativa (lettuce)Helicella caperata (Montagu)(Helicellidae):			1			
Allium porrum (leek)	France		1 1 1		Fla.	
B. oleracea var. capitata (cabbage) Cargo	Belgium, Spain France, Greece, Italy, Spain.	7	3		Pa., P.R., Tex. Del., La., N.Y.	
Corylus sp. (hazelnut)	Italy	1			N.Y. Va. N.Y.	
Grain (mixed)  Helleborus niger (Christmas-rose) seed	India(?)	1		1 1	Va. N. Y.	
Lactuca sativa var. longifolia (romaine lettuce).	France	• • • • •	1		Oreg. P.R.	
Majorana hortensis (sweet marjoram) dried  Petroselinum crispum var. latifolium  (parsley).	do	• • • • •			Pa.	
Seedunidentified  Soil and soil with <u>Pinus cembra</u> and sod	Cyprus, England(?). France(?), Ire-	1	1		N.C., Wash. Mass., N.Y.	
Helicella conspurcata (Drap.)(Helicellidae):  Brassica oleracea var. capitata (cabbage)	land, Switzerland.		1		Va.	
Cargo (gas cylinders and household goods)  Cucumis sp. (wild cucumber) root	France, Greece, Italy, Spain.	13	1	• • • •	Del., La., N.C., N.Y., Pa., Va.	
Cynara scolymus (artichoke) Euphorbia terracina (seed)	Italy	1		1	III. N. J.	
	Europe [coun- try(?)].	1			Tex.	
Rosmarinus officinalis (rosemary)  Salvia sp. (sage) flower  Seedunidentified	Greece England(?)	1			N.Y. Wash.	
Soil with <u>Bougainvillea</u> sp., flowers, and succulent plant. <u>Helicella cretica</u> (Fer.)(Helicellidae):	Italy, unknown		1	2	Mass.	
Asparagus sp. (cut stems)	Cyprus, Greece, Libya, Turkey.	20				
Cichorium intybus (common chicory) seed  Cucumis sp. (wild cucumber) root  Cuminum cyminum (cumin) seed  Petroselinum crispum var. latifolium	do	1 1			Md.	
(parsley). Soil with <u>Phalaris tuberosa</u> (bulb canarygrass)					D. C.	
Helicella derbentina (Andrz.)(Helicellidae): Cargo (fuel tank, household goods, etc.)	Europe [coun- try(?)], Greece, Libya, Turkey.	28			Ala., Del., La., S.C., Tenn., Va.	
Helicella itala (L.)(Helicellidae):  Cargo (conex box)		2			La.	

		INT	NUMBER ERCEPTI			
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN	
Helicella joppensis Roth. (Helicellidae):						
Cargo (gas cylinder)	Israel					
Petroselinum crispum var. latifolium (parsley).  Helicella larnacensis (Kob.)(Helicellidae):	do		1	• • • • •	Ala.	
Cuminum cyminum (cumin) seed  Helicella maritima (Drap.)(Helicellidae):	France	1			Va.	
Baggage (snails as such)					Mass., N.Y.	
Cargo	France, Greece, Italy, Libya, Spain.	13	• • • •	••••	Ala., Del., La., Mass., N.Y., Pa., Va.	
Carthamus lanatus ("safflower") seed	Greece			1	D.C.	
Lathyrus sativus (grass peavine)  Mollusks (with Helix aspersa, edible snail)	Italy	1	• • • • •		Mass.	
Soil with Rosmarinus officinalis (rosemary)	do	2		1	N. Y. N. Y.	
Helicella neglecta (Drap.)(Helicellidae):						
Cargo (metal stand)					Del.	
Allium porrum (leek)	France		1		N. Y.	
Cichorium intybus (chicory)				• • • • •		
Lens culinaris (lentil) seed			1		N.C.	
Baggage (snails as such)				1		
Cargo	Greece, Italy, Libya, Spain.				Del., La., N.Y., Va.	
Soil with Amaryllis sp., cactus, Pyrus sp., and unidentified plants.	Greece, Italy			5	Mass., N.Y.	
Helicella terrestris (Pennant)(Helicellidae):  Mollusks	Italy	1			N. Y.	
Helicella trochoides (Poiret)(Helicellidae):						
Cargo  Pinus sp. (pine) cone	Europe [coun- try(?)].	1	1		N.C., Va. Tex.	
Helicella variabilis (Drap.)(Helicellidae):	, ( · , )					
Cargo	Spain, Turkey.				Del., N. Y., Va.	
Lactuca sativa (lettuce)						
Orchid (plant)					Fla.	
<pre>Ixora sp. (cutting) Helicina zephyrina Duclos (Helicinidae):</pre>					P.R.	
Bromeliad (plant)					Tex.	
Chamaedorea elegans (palm) leaf	do	1			Tex.	
C. oblongata (palm) leaf	do	2			Tex.	
Chamaedorea sp. (palm) leaf	do	37			Ill., Pa., Tex.	
Orchid (plant)  Tillandsia ionantha (plant)					Fla.	
Helicodonta obvoluta (Müller)(Helicidae):  Soil with Rosa sp. (plant)					Tex.	
Heliophobus reticulata (Vill.)(Noctuidae):			1			
Airplane.  Heliophobus saponariae (Esp.)(Noctuidae):	Ť.					
Airplane	Germany		1		IV. J.	

PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NON ENTRY	PROPAGATION	COLLECTED IN	
Helix aperta Born (Helicidae):						
Apium graveolens var. dulce (celery)						
Baggage (snails as such)	Italy, Nether- lands(?).		2		Ill., Mass., N. Y., Pa. Mass., Tex.	
Cargo (crated)	Azores, Greece	2			Ala., N.Y. Mass., N.Y.	
Hibiscus syriacus (shrub-althea) seed	do	1	1		N.J.	
Lactuca sativa (lettuce)					Mass.	
Malus sylvestris (apple)					La.	
Mentha sp. (mint) plant					Mass.	
Moss.						
Stores	Italy		1		Pa.	
Helix aspersa Müller (Helicidae):  Baggage (snails as such)	Greece Italy	15			III Mass Mich M V	
Beta vulgaris (beet)						
Brassica oleracea var. capitata (cabbage)	Netherlands, Portugal.		3		Fla., S.C.	
Cargo	Azores, France, Germany, Greece.	7			Ala., N.Y., Pa., Va.	
Citrus sinensis (sweet orange)	Crete	1			Tex.	
Citrus sp. (branch)					N. Y.	
Dianthus caryophyllus (carnation)					Mass.	
Erysimum sp. (leaf and stem)					N.Y. Mass., N.Y.	
Herbs (fresh)						
Hibiscus syriacus (shrub-althea) seed	l .				N. J.	
Lactuca sativa (lettuce)			1		Hawaii, N.Y., Ohio.	
Mail (snails as such)						
Malus sylvestris (apple)						
Petroselinum crispum var. latifolium (parsley). Rosa sp. (flower)	Israel, Italy					
Helix pomatia (L.)(Helicidae):						
Baggage (snails as such)						
Lactuca sativa (lettuce)						
Mail						
Hellula undalis (F.)(Pyraustidae):  Brassica rapa (turnip)					Hawaii, Pa.	
Hemiaspidis hemichionaspiformis (Green)	Arab Republic.					
(Diaspididae): <u>Melaleuca</u> sp. (stem of cutting) <u>Hemiceras</u> lepida Schs. (Notodontidae):	Australia			1	Hawaii.	
Airplane	Brazil(?)		1		Fla.	
Hemimene juliana (Curt.)(Olethreutidae):  Castanea sp. (chestnut) seed	Greece, Italy	5	1		Mass., Mich., N.Y.	
Hemitrochus androsi (Dall)(Helminthoglyptidae):  Epidendrum sp. (orchid) plant					Fla.	
Orchid (plant)	do			1	Fla.	
Allium sativum (garlic) bulb						
Cargo hold (of ship)		12	2		Calif., Mass., Md.,	
	Singapore, Thailand.		_		N.C., N.Y., Pa., Tex., Wash.	

		IN-	NUMBER TERCEPT IN		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
Heterogaster urticae (F.)(Lygaeidae):					
<u>Vitis vinifera</u> (European grape)	France	1			Calif.
Driftwood (dried and bleached)  Heterotermes convexinotatus (Snyder)  (Rhinotermitidae):					Fla.
Cardboard (carton)					
Orchid (plant)		1			Fla.
Airplane <u>Hippotion rafflesi</u> (Btlr.)(Sphingidae):					
Airplane  Hyadaphis foeniculi (Pass.)(Aphididae):					
Carum carvi (caraway) seed tops		İ			
Armoracia lapathifolia (horseradish)  Hylurgops palliatus (Gyll.)(Scolytidae):					
Conifer (under bark of wood in dunnage)  Wood (unidentified)	Belgium	1	1		Mich. Mich.
Pinus sp. (bark on crate)	Italy	1			Fla.
Chamaedorea elegans (palm) frond  Iridomyrmex humilis Mayr (Formicidae):	Mexico	1	• • • • •		Tex.
Baggage Bromeliad	France			 1	N. Y.
<u>Citrus reticulata</u> (mandarin orange) leaf	do	1			N. Y.
Dianthus sp. (flower)	Mexico			3	Calif. Tex.
Protea sp. (flower)	South Africa	1			Hawaii.
<u>Vitis</u> sp. (grape)	Azores, South Africa.	2	• • • • •	••••	Mass., N.Y.
Iridomyrmex iniquus nigellus Emery (Formicidae):					
Mangifera indica (mango) Labidostomis taxicornis (F.)(Chrysomelidae):					
Cargo					
AirplaneLamellaxis micra (Orb.)(Achatinidae):					
Orchid (plant)	American Samoa, Mexico.			2	Hawaii, Tex.
Soil with <u>Codiaeum</u> sp. and in planter <u>Laminicoccus giffardi</u> (Ehrh.)(Pseudococcidae):	Hawaii, Mexico	i	}		
Pandanus sp. (screwpine)			ļ		
Canavalia cathartica (mauna loa) lei Pisum sativum (pea)	Japan	2	5		Hawaii.
Sesbania grandiflora (Agati sesbania)  Sutherlandia sp. (balloonpea) leaf	Hawaii	3	]		Hawaii.
Lasiophila confusa Stgr. (Satyridae):			••••	• • • •	Hawaii.
Airplane		• • • • •	1		S. C.
Castanea sativa (European chestnut) Castanea sp. (chestnut)	Greece, Italy	19			
Sastanca sp. (chesthut)	Greece, Hungary, Italy, Monaco,	79	3		Calif., Ill., Mass., Md., Mich., N.Y., P.R., Va., Wash.
	Portugal, Spain, Yugoslavia.				
Quercus sp. (oak) acorn	England, France	1		1	Calif., Mass.

	NUMBER INTERCEPTIONS IN					
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NON ENTRY	PROPAGATION	COLLECTED IN	
Laspeyresia strobiella (L.)(Olethreutidae):						
Picea sp. (spruce) cone	Italy	2			Md.	
Cargo (conex box) Lepidosaphes chinensis Chamb. (Diaspididae):	Eritrea, Ethiopia .	3			N. Y.	
Cymbidium sp. (orchid) leaf Lepidosaphes duponti Green (Diaspididae):	Formosa			1	Wash.	
Lepidosaphes esakii Tak. (Diaspididae):	Philippines	1	• • • • •		Calif.	
Cocos nucifera (coconut) cap	Kwajalein, Philippines.	2	1		Calif., Hawaii.	
Lepidosaphes tokionis (Kuw.)(Diaspididae):  Codiaeum variegatum (variegated croton)		10		3	Hawaii.	
	Hawaii	1			Hawaii.	
Codiaeum sp	Guam, Hawaii, Mariana Islands, Panama.	5	• • • •	2	Calif., Fla., Hawaii.	
Lepidosaphes tubulorum Ferris (Diaspididae):						
Areca catechu (betel palm) nut	Philippines Korea				Hawaii. Hawaii.	
	Guatemala			1	Calif.	
Solanum melongena (eggplant) Limnephilus lunatus Curt.)(Limnephilidae):	Angola		2		N. Y.	
Nasturtium officinale (watercress) leaf Lineodes ochrea Walsingham (Pyraustidae):	England		1		N. Y.	
Solanum virgatum (tuber)	Hawaii	1			Calif.	
AirplaneLiriomyza quadrata (Malloch)(Agromyzidae):						
AirplaneLochmaea crataegi (Forst.)(Chrysomelidae):						
Brassica oleracea var. botrytis (cauliflower) Lophyrotoma analis (Costa)(Pterygophoridae):						
Eucalyptus sp. (leaf) Lorryia formosa Cooreman (Tydeidae):		1				
Citrus limon (lemon) Lorryia mali Oud. (Tydeidae):						
Citrus sinensis (navel orange) Lycorea cleobaea (Godt.)(Danaidae):	}				_	
Orchid (plant)					Tex.	
Wood (board) Lygaeus alboornatus Blanch. (Lygaeidae):						
Cucumis melo (melon)						
Ilex pedunculosa (longstalk holly) seed  Macroglossum stellatarum (L.)(Sphingidae):						
Airplane						
Malocampa satis (Druce)(Notodontidae):  Airplane		1				
Mamestra brassicae (L.)(Noctuidae):  Apium graveolens var. dulce (celery)					Wash.	
Brassica chinensis (pakchoi)			5		N.Y., Wash.	
B. oleracea var. botrytis (cauliflower)					Ala., Fla., Mass., N.Y., Pa., P.R., Va.	
	lands, Sweden.					

		INT	NUMBER TERCEPT IN			
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN	
Mamestra brassicaeContinued  Brassica oleracea var. capitata (cabbage)	Belgium, France, Germany, Netherlands.		15		Fla., Md., Minn., N. Y., Pa., P. R.	
B. oleracea var. gongylodes (kohlrabi) B. pekinensis (petsai) Lactuca sativa (lettuce)	Germany Japan Belgium, Germany.		1	1	Hawaii.	
Stores  Maniola jurtina (L.)(Satyridae):	Unknown		1		Mass.	
Airplane  Marasmia poeyalis Bdv. (Pyraustidae):	try(?)].				N.Y.	
Airplane					Hawaii.	
Airplane	Unknown  Hawaii, Puerto  Rico.	6			Calif. Fla., Hawaii, P.R.	
Canavalia cathartica (mauna loa) lei  Phaseolus vulgaris cv. (string bean)	Hawaii	3 10	3	1	Hawaii. Ala., Fla., Hawaii, Oreg., P.R.	
Stores	Hawaii, Philippines Hong Kong		1		Hawaii. Hawaii.	
Strongylodon lucidus (flower lei)  Matsumuraeses phaseoli (Mats.)(Olethreutidae):  Phaseolus vulgaris cv. (string bean)	Hawaii	2	9		Hawaii. Calif., Oreg., Wash.	
Megacerus alternatus Bridw. (Bruchidae): <u>Ipomoea</u> sp. (morningglory) pod and stem  Megastigmus suspectus pinsapinis Hoffm.	Hawaii	1			Hawaii.	
(Torymidae): <u>Cedrus libani</u> (Cedar-of-Lebanon) seed	Turkey			1	N. J.	
Megischyrus zonalis Lac. (Erotylidae):  Debris	Costa Rica	1	••••		Calif.	
Airplane	•				Alaska. Calif.	
Melete salacia (Godt.)(Pieridae): Orchid (plant)					Fla.	
Mescinia peruella Schaus (Phycitidae):  Gossypium sp. (cotton) boll  Metafruticicola pellita (Fer.)(Helicidae):	Panama	1			Fla.	
Baggage  Metamasius hemipterus carbonarius (Chev.)	Italy	1	• • • • •		N. Y.	
(Curculionidae):  Musa X paradisiaca (banana)  Metamasius hemipterus hemipterus (L.)	Mexico	1			Tex.	
(Curculionidae):  Musa X paradisiaca (banana)  Metamasius hemipterus sericeus (Ol.)	Ecuador	2	••••		Calif.	
(Curculionidae):  Musa X paradisiaca (banana)  Micrapate labialis Lesne (Bostrichidae):	do	7			Calif., Fla.	
Plant material (twig)	Mexico	l			Tex.	
(Termitidae): Orchid (plant)	Trinidad			l	Fla.	
Fagus sp. (beech) leaf gall						
Brassica oleracea var. botrytis (cauliflower).	Norway.		2		Mass., Pa.	

				ONS		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN	
Milax gagatesContinued						
Brassica oleracea var. capitata (cabbage)	Japan, Portugal		4		Fla., Hawaii, P. R., Va.	
Cichorium endivia (endive)	Italy	1			N.Y.	
Fragaria sp. (wild strawberry) plant					Ohio.	
Jasminum sp. (jasmine) plant					N. Y.	
Lactuca sativa (lettuce)						
Mentha sp. (mint)					Tex. N.Y.	
Soil with Dactylis glomerata (orchard grass)					D. C.	
Minthea rugicollis (Wlk.)(Lyctidae):	dicece			1	D. C.	
Bamboo (stalk and whistle)	China, Hong Kong,	2			Ala., Wash.	
Cargo (bronzeware case)						
Paper (wrapping on canned goods)						
Wood (packing cases)	do	2	1		Calif., Tex., Wash.	
Mocis frugalis (F.)(Noctuidae):						
Airplane	Viet-Nam. West Pacific.		3		Hawaii.	
Mocis undata (F.)(Noctuidae):						
Airplane			3		Hawaii.	
Monagha continua (Montaga)/Haligallidae)	West Pacific.					
Monacha cantiana (Montagu)(Helicellidae): Cargo (crate)	Turkey	,			Del	
Lactuca sativa (lettuce)						
Monacha carthusiana (Müller)(Helicellidae):	Trance				11. 1.	
Clematis viticella (Italian clematis) seed	Italy			1	N. J.	
Cynara scolymus (artichoke)						
Gladiolus sp. (flower)						
Lactuca sativa (lettuce)					Mass.	
Petroselinum crispum var. latifolium	France		1		Mass.	
(parsley).	x 1			,	DY 37	
Soil with Cedrus sp. (cedar) tree	Lebanon			1	N. Y.	
Monacha obstructa (Fer.)(Helicellidae):  Cargo (metal containers)	do	,			N. Y.	
Monacha olivieri (Fer.)(Helicellidae):		•			14. 1.	
<u>Crepis</u> sp. (hawksbeard) seed	Yugoslavia			1	D. C.	
Monacha syriaca (Ehrenberg)(Helicellidae):	8					
Cargo (metal container)	Greece	1			Del.	
Moodna bisinuella Hamp. (Phycitidae):						
Zea mays (corn) fresh ear	Mexico	7			Tex.	
Morganella longispina (Morg. )(Diaspididae):						
Citrus grandis (pummelo)	-	2	9		Calif., Hawaii.	
<u>C</u> . <u>limon</u> (lemon)	Pacific, Tahiti.	2			Calif	
C. paradisi (grapefruit)	1	1	1			
C. reticulata (mandarin orange)		2			Calif., Wash.	
S. resteates (mandarin orange)	Japan.		Î			
C. sinensis (sweet orange)		2	7		Calif.	
Leafunidentified			2		Fla., Mass.	
Persea americana (American avocado)  Mycetaspis personata (Comst.)(Diaspididae):	Tahiti		ì			
	Brazil, Mexico	1	2		Calif.	
C. paradisi (grapefruit)	Spain					
C. reticulata (mandarin orange)	Japan					
C. sinensis (sweet orange)	Brazil, China,	4	18		Calif., Oreg.,	
	Guatemala,				Wash.	
	Mexico, Spain,					
Cordyline terminalis (common dracena or ti)	unknown. Hawaii	1			Hawaii.	
Gordyffic terminans (common dracena or ti)	IIIa wall	1				

		NUMBER INTERCEPTIONS IN			
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
Mycetaspis personata Continued					
Diospyros sp. (persimmon)					Calif.
Persea americana (American avocado) Myelois famula Zeller (Phycitidae):	do			1	Tex.
Airplane	Brazil(?)		1		Fla.
Myzaphis turanica Nevsky (Aphididae):	TD - 4 1	,			N. 17
Rosa sp. (rose) flower	Portugal	1			N. Y.
Dalbergia sp. (rosewood) log					Tex.
Orchid (plant)	do			1	Fla.
	Guatemala			1	Fla.
Orchid (plant)	Colombia				Fla.
Wood (cargo crate)	Honduras				Fla. Fla.
Nasutitermes guayanae (Holmgr.)(Termitidae):					
Seedunidentified	Surinam	1			Ala.
	British Honduras, Mexico.			3	Fla.
Schomburgkia sp. (orchid) plant  Neella floridulus (Dist.)(Miridae):	Cayman Islands			1	Fla.
Orchid (plant)	Guatemala			1	Calif.
Neoleucinodes elegantalis (Guen.) (Pyraustidae):  Solanum melongena (eggplant)	Argentina, Brazil.	4			Fla., N.Y.
S. quitoense ("naranjilla")	Costa Rica				
Neolobophora inopinata (Burr)(Forficulidae):  Bromeliad (plant)	Honduras			,	Fla
Neophyllaphis araucariae Takah. (Aphididae):					
<u>Araucaria excelsa</u> (Norfolk-Island-pine) leaf . <u>Neotermes chilensis</u> (Blanchard)(Kalotermitidae):	Hawaii	2		14	Hawaii.
Cucumis melo (melon)  Neotermes connexus Snyder (Kalotermitidae):	Chile	1			N. Y.
Wood (fiberboard box)	Hawaii	1			Hawaii.
Airplane	Europe [coun- try(?)], West Pacific.		5	• • • •	Calif., Hawaii.
	Viet-Nam				
	India				
Nephotettix cincticeps (Uhler)(Cicadellidae): Airplane					
Nephotettix impicticeps Ishihara (Cicadellidae):					Calif., Hawaii.
mi piane	try(?)], Philip- pines, unknown,		3		Caiii, ilawali.
Burlap	West Pacific.	1			Mass.
Neurotmeta viridis (Walker)(Tropiduchidae):  Camellia sinensis (common tea) green bush					Am. V.I.
Nikkoaspis shiranensis Kuw. (Diaspididae):	Korea				
Nipponaclerda biwakoensis (Kuw.)(Aclerdidae): Phragmites communis (common reed) stem	Japan				
Nisia atrovenosa (Leth.)(Meenoplidae):  Airplane					
Nomis albopedalis (Motsch.)(Pyraustidae):  Airplane					
The plane of the control of the cont	vapan, west Facilie		2	• • • • •	IId wall.

	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			
PEST AND HOST		CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
Nyctipao nyctaculis Snell. (Noctuidae):					
Airplane Nymphula fluctuosalis (Zell.)(Pyraustidae):					Hawaii.
Airplane	do		1		Hawaii.
Vanda 'Miss Joachim' (orchid) flower  Obroatis distincta Btlr. (Noctuidae):	Hawaii	5			Hawaii.
Cargo (with tropical fish)	Colombia	1			Fla.
VegetablesOchropepla pallens Stál (Membracidae):	Puerto Rico	1			P. R.
Orchid (leaf of plant)	Mexico			1	Ariz.
Airplane					Fla.
Orchid (plant)Odontostelis bivittata (Cr.)(Megachilidae):	do			1	Fla.
AirplaneOeobia ferrugalis (Guen.)(Pyraustidae):	Jamaica		1		Fla.
Brassica chinensis (pakchoi)			1 1		Oreg. Mass.
Ogdoecosta biannularis (Boh.)(Chrysomelidae): Bromeliad (plant)					Tex.
Olenecamptus octopustulatus formosanus Pic (Cerambycidae):				•	2 0
Airplane	Philippines		1		Hawaii.
Oligonychus coffeae (Nietner) (Tetranychidae):  Camellia japonica (common camellia) Oligonychus perditus Pritchard & Baker	India			1	Calif.
(Tetranychidae): <u>Juniperus</u> sp. (juniper) <u>Ollarianus sexmaculatus</u> Lnv. (Cicadellidae):	Japan			1	Wash.
Airplane	Venezuela		1		Fla.
Airplane	Unknown		1		Hawaii.
Oncochila simplex (HS.)(Tingidae):  Seed (assorted)	Italy	1			Mass.
Opogona sacchari (Boyer)(Tineidae):  Euphorbia sp. (stem of plant)  Saccharum officinarum (sugarcane)	1	•			
Opsiphanes tamarindi corrosus Stich. (Brassolidae):					
Musa X paradisiaca (banana)	Ecuador	1			Fla.
Barringtonia sp. (leaf of plant)					
Citrus aurantifolia (lime)  Pelea sp. (leaf)					
Orchidophilus aterrimus (Waterh.) (Curculionidae):		1			Tawaii.
Alpinia purpurata (leaf)	1				Hawaii. Hawaii.
Cordyline terminalis (common dracena or ti) .	do		1		Hawaii.
Cymbidium sp. (orchid)		1 2			
Dendrobium sp. (orchid)	1	2			
Orchid (flowers and plant)	Hawaii, Philippines	6			
Vanda 'Miss Joachim' (cutting and flowers)	Hawaii			1	
Vanda sp. (orchid)Ortholomus jamaicensis (Dallas)(Lygaeidae):	do	5			Hawaii.
Leafunidentified	Haiti	1			Fla.

COLLECTED IN-OPTION			NUMBER INTERCEPTIONS IN			
Arctium lappa (great burdock) stem   Japan.   Z   Calif.	PEST AND HOST	OF	CONSUMPTION	I L Z W	PAG	COLLECTED IN
Arctium lappa (great burdock) stem   Japan.   Z   Calif.	Ostrinia nubilalis (Hbn.)(Pyraustidae):					
C.   annuum var.   longum (chili peppe)   lialy.   1	Arctium lappa (great burdock) stem			2		Calif.
Chrysanthemum sp. (stem)		1		_	1	
Citrus sinensis (sweet orange)					f I	
Dahlig sp. ([lower]		_		_	1	
Phaseclus vulgaris cv. (string bean)						
Japan						
Sorghum dochna var. technicum (broomcorn)   Hungary. Italy.   Zea mays (corn) cob and dry stalk.   Denmark, Italy   3   Mich. N. Y.	Phaseolus vulgaris cv. (string bean)			6		o o
Zea mays (corn) cob and dry stalk.   Denmark, Italy   3	Sorghum dochna var. technicum (broomcorn).	· -	6			
Canaly var. everta (popcorn)						
Otala   actea   Muller  Helicidae :   Bermuda, Italy   3   Bermuda, Mass   Brassica oleracea var. botrytis   (cauliflower)   Netherlands(7)   1   Mass   Mass   Netherlands(7)   1   N		-	_			
Baggage (snails as such)   Bermuda, Italy   3   Mass.		Italy	1			N. Y.
Brassica oleracea var. botrytis (cauliflower)   Netherlands(?)   1		Bermuda, Italy	3			Bermuda, Mass.
Cargo   Bermuda Morocco   3   3   Aia, N.Y., S.C.		-				
Cargo hold (of ship).			i e	1		
Debris						
Lactuca sativa (lettuce)			i			
(parsley).   Soil with Jasminum sp. (jasmine) plant   do.				_		
Soil with Jasminum sp. (jasmine) plant		Italy		1		Pa.
Stores		do			1	N V
Otala vermiculata (Müller)(Helicidae):   Aplum graveolens var. dulce (celery).   do.						
Baggage (snails as such)						
Brassica oleracea var. capitata (cabbage)   Italy, Netherlands   Cargo (conex box and household goods)   Crete, Greece, Italy, Spain.   Italy, Spain.   Italy, Spain.   N. Y.						
Brassica oleracea var. capitata (cabbage).   Italy, Netherlands   Cargo (conex box and household goods)   Crete, Greece, Italy, Spain.   N. Y.	Baggage (snails as such)	Greece, Italy	15			
Cargo (conex box and household goods).   Crete, Greece, Italy, Spain.   N. Y.	Brassica oleracea var. capitata (cabbage)	Italy, Netherlands		2		
Cupressus sp. (cypress) cone.         France.         1         N. Y.           Iris sp. (bulb).         Italy.         1         N. Y.           Lactuca sativa (lettuce)         France.         1         N. Y.           Mail (parcel).         Italy.         3         Ill.           Oulema melanopa (L.)(Chrysomelidae):         Hibiscus syriacus (shrub-althea) seed.         do.         1         N. J.           Soil with unidentified plants.         Germany.         1         Ill.           Ovatus crataegarius (Wlk.)(Aphididae):         Chile, England, Italy, Jamaica, Netherlands, Spain.         N. Y., Wash.           Soil with unidentified plants.         Azores.         1         Mass.           Oxycarenus hyalinipennis (Costa)(Lygaeidae):         Azores.         1         Mass.           Oxychilus alliarius (Müller)(Zonitidae):         Republic.         D. C.           Oxychilus alliarius (Müller)(Zonitidae):         Belgium.         1         N. Y.           Oxychilus cellarius (Müller)(Zonitidae):         South Africa.         1         N. Y.           Oxychilus cellarius (Müller)(Zonitidae):         South Africa.         1         N. Y.           Oxydema fusiforme         Woll. (Curculionidae):         Canada         1         N. Y.           Flowers (mixe		Crete, Greece,	13			
Italy			,		-	
Lactuca sativa (lettuce)		ł	9			
Oulema melanopa (L.)(Chrysomelidae):         Hibiscus syriacus (shrub-althea) seed         do.         1         N. J.           Soil with unidentified plants.         Germany.         1         Ill.           Ovatus crataegarius (Wlk.)(Aphididae):         Chile, England, Italy, Jamaica, Netherlands, Spain.         3         4         Fla., Mass., Mich., N. Y., Wash.           Soil with unidentified plants.         Azores         1         Mass.           Oxycarenus hyalinipennis (Costa)(Lygaeidae):         Azores         1         D. C.           Althaea rosea (hollyhock) seed         United Arab Republic.         1         D. C.           Oxychilus alliarius (Müller)(Zonitidae):         Belgium         1         N. Y.           Orchid (plant)         Belgium         1         N. Y.           Oxychilus cellarius (Müller)(Zonitidae):         South Africa         1         N. Y.           Oxydema fusiforme Woll. (Curculionidae):         Canada         1         N. Y.           Oxydema fusiforme Woll. (Curculionidae):         Hawaii         1         Hawaii           Piper methysticum (kava pepper) root         American Samoa         1         Hawaii						
Hibiscus syriacus (shrub-althea) seed	Mail (parcel)					
Soil with unidentified plants.   Germany.   1   Ill.		1				7. T
Ovatus crataegarius (Wlk.)(Aphididae):           Mentha         Mentha         Sp. (mint)         Chile, England, Italy, Jamaica, Netherlands, Spain.         Jamaica, Netherlands, Spain.         N. Y., Wash.           Soil with unidentified plants.         Azores         1         Mass.           Oxycarenus hyalinipennis (Costa)(Lygaeidae):         1         D. C.           Althaea rosea (hollyhock) seed         United Arab Republic.         1         D. C.           Oxychilus alliarius (Müller)(Zonitidae):         Belgium         1         N. Y.           Orchid (plant)         Belgium         1         N. Y.           Oxychilus cellarius (Müller)(Zonitidae):         South Africa         1         N. Y.           Orchid (plant)         South Africa         1         N. Y.           Oxydema fusiforme Woll. (Curculionidae):         Hawaii         1         Hawaii           Herbs         do         1         Hawaii           Piper methysticum (kava pepper) root         American Samoa         1         Hawaii						
Mentha sp. (mint)Chile, England, Italy, Jamaica, Netherlands, Spain.34Fla., Mass., Mich., N. Y., Wash.Soil with unidentified plants.Azores1Mass.Oxycarenus hyalinipennis (Costa)(Lygaeidae):United Arab Republic.1D. C.Oxychilus alliarius (Müller)(Zonitidae):Republic.1N. Y.Orchid (plant)Belgium1N. Y.Rhododendron sp. (plant)Ireland1N. Y.Oxychilus cellarius (Müller)(Zonitidae):South Africa1N. Y.Oxydema fusiforme Woll. (Curculionidae):Canada1N. Y.Flowers (mixed)Hawaii1HawaiiHawaiiHerbsdo1HawaiiPiper methysticum (kava pepper) rootAmerican Samoa1Hawaii		Germany			1	1111.
Soil with unidentified plants Azores 1  Oxycarenus hyalinipennis (Costa)(Lygaeidae): Althaea rosea (hollyhock) seed United Arab Orchid (plant) Belgium 1  Rhododendron sp. (plant) Ireland 1  Oxychilus cellarius (Müller)(Zonitidae): Orchid (plant) South Africa 1  Soil Canada 1  Oxydema fusiforme Woll. (Curculionidae):  Flowers (mixed) Hawaii 1  Piper methysticum (kava pepper) root American Samoa 1  I Mass.  D. C.  Mass.  I Mass.  D. C.  South Africa 1  N. Y.  Canada 1  N. Y.  Hawaii Hawaii Hawaii 1  Hawaii Haw		Chile, England,	3		4	Fla., Mass., Mich.,
Spain.  Soil with unidentified plants  Oxycarenus hyalinipennis (Costa)(Lygaeidae):  Althaea rosea (hollyhock) seed  Oxychilus alliarius (Müller)(Zonitidae):  Orchid (plant)  Rhododendron sp. (plant)  Oxychilus cellarius (Müller)(Zonitidae):  Orchid (plant)  Oxychilus cellarius (Müller)(Zonitidae):  Orchid (plant)  Oxydeima fusiforme Woll. (Curculionidae):  Flowers (mixed)  Hawaii  Piper methysticum (kava pepper) root  Azores  l Mass.  D. C.  Belgium  l N. Y.  South Africa  Canada  l N. Y.  Hawaii  Hawaii  Piper methysticum (kava pepper) root  American Samoa  l Hawaii  Hawaii  Hawaii  Hawaii  Hawaii  Hawaii		-				N.Y., Wash.
Soil with unidentified plants. Azores 1 Mass.  Oxycarenus hyalinipennis (Costa)(Lygaeidae): Althaea rosea (hollyhock) seed United Arab Republic.  Oxychilus alliarius (Müller)(Zonitidae): Orchid (plant) Belgium 1 N. Y.  Rhododendron sp. (plant) Ireland 1 N. Y.  Oxychilus cellarius (Müller)(Zonitidae): Orchid (plant) South Africa 1 N. Y.  Soil Canada 1 N. Y.  Oxydema fusiforme Woll. (Curculionidae): Flowers (mixed) Hawaii. Herbs do l Hawaii. Piper methysticum (kava pepper) root American Samoa 1 Hawaii.						
Oxycarenus hyalinipennis (Costa)(Lygaeidae):  Althaea rosea (hollyhock) seed	Soil with unidentified plants	· ·			1	Mass.
Republic.   Republic.	Oxycarenus hyalinipennis (Costa)(Lygaeidae):					
Oxychilus alliarius (Müller)(Zonitidae):         Belgium         1         N. Y.           Oxychilus Rhododendron sp. (plant)         Ireland         1         N. Y.           Oxychilus cellarius (Müller)(Zonitidae):         South Africa         1         N. Y.           Orchid (plant)         South Africa         1         N. Y.           Oxydema fusiforme Woll. (Curculionidae):         Canada         1         N. Y.           Flowers (mixed)         Hawaii         1         Hawaii           Herbs         do         1         Hawaii           Piper methysticum (kava pepper) root         American Samoa         1         Hawaii	Althaea rosea (hollyhock) seed			• • • • •	1	D. C.
Orchid (plant)         Belgium         1         N. Y.           Rhododendron sp. (plant)         Ireland         1         N. Y.           Oxychilus cellarius (Müller)(Zonitidae):         South Africa         1         N. Y.           Soil         Canada         1         N. Y.           Oxydema fusiforme Woll. (Curculionidae):         Hawaii         1         Hawaii           Herbs        do         1         Hawaii           Piper methysticum (kava pepper) root         American Samoa         1         Hawaii	Oxychilus alliarius (Müller)(Zonitidae):	Republic.				
Rhododendron sp. (plant)       Ireland       1       N. Y.         Oxychilus cellarius (Müller)(Zonitidae):       South Africa       1       N. Y.         Orchid (plant)       Canada       1       N. Y.         Oxydema fusiforme Woll. (Curculionidae):       Hawaii       1       Hawaii         Flowers (mixed)       Hawaii       1       Hawaii         Herbs       do       1       Hawaii         Piper methysticum (kava pepper) root       American Samoa       1       Hawaii		Belgium			1	N. Y.
Orchid (plant)         South Africa         1         N. Y.           Soil         Canada         1         N. Y.           Oxydema fusiforme Woll. (Curculionidae):         Hawaii         1         Hawaii           Flowers (mixed)         Hawaii         1         Hawaii           Herbs         Hawaii         Hawaii           Piper methysticum (kava pepper) root         American Samoa         1         Hawaii	Rhododendron sp. (plant)	_		1		N. Y.
Soil						
Oxydema fusiforme Woll. (Curculionidae):         Hawaii.				(	7	
Herbs l Hawaii.  Piper methysticum (kava pepper) root American Samoa l Hawaii.			1			
Piper methysticum (kava pepper) root American Samoa   1   Hawaii.						

		ТИІ	NUMBER ERCEPTI IN			
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTR≺	PROPAGATION	COLLECTED IN	
Oxyodes scrobiculata (F.)(Noctuidae):						
Airplane	Unknown		1		Hawaii.	
Pachnaeus litus (Germ.)(Curculionidae): Airplane	Bahamas		1		Fla.	
Pagiocerus frontalis (F.)(Scolytidae):  Zea mays (corn) dry and fresh ears	  Colombia, Panama,	8			Calif., Fla., N.Y.	
	Peru.				· , · , - · · · · ·	
Palmicultor oceanicus (Tak.)(Pseudococcidae): Cocos nucifera (coconut)	American Samoa, Hawaii.	11	• • • • •	7	Calif., Hawaii, Wash.	
Palmicultor palmarum (Ehrh.)(Pseudococcidae): Cocos nucifera (coconut)	Hawaii	2			Calif., Hawaii.	
Palpita unionalis (Hbn.)(Pyraustidae):						
Jasminum sambac (Arabian jasmine) lei  Jasminum sp. (flower)	Thailand				Hawaii. Hawaii, N.Y.	
Pangaeus aethiops (F.)(Cydnidae):	Italy.					
Airplane						
Chamaedorea sp. (palm) frond	Mexico	1			Tex.	
Orchid (plant)	Nicaragua			1	La.	
Paracinema tricolor (Thunb.)(Acrididae): Cargo (as food for lizard)	Kenya	1			N. Y.	
Paraleyrodes citri Bondar (Aleyrodidae): Citrus sp. (leaf)	Bolivia	1			Fla.	
Parlatoria cinerea Hadden (Diaspididae):						
Citrus aurantifolia (lime)	Tahiti.	2	4		Calif.	
C. grandis (pummelo)	Formosa, South Pacific, Tahiti.	1	3		Calif., Hawaii, Wash.	
<u>C. limon</u> (lemon)	Brazil, France, Israel, Spain, unknown.		9		41 1 0 116	
C. paradisi (grapefruit)	Brazil, Curacao,	1	8		Calif.	
	Guatemala, Israel, Spain, Tahiti, Venezuela.					
C. reticulata (mandarin orange)	Hong Kong, Mexico	2 7	51			
<u>C. sinensis</u> (sweet orange)	Brazil, China, El Salvador, France, Guatemala, Hong Kong, Israel, Italy, Mexico, New Zealand, Panama, South Africa, Spain, Tahiti, unknown.	•	31		Alaska, Calif. Oreg., Wash.	
Parlatoria citri McKenzie (Diaspididae):  Citrus grandis (pummelo)	Formosa, Tahiti		2		Calif., Wash.	
C. paradisi X C. sinensis	Viet-Nam	1			Calif.	
<u>C. sinensis</u> (sweet orange) <u>Parlatoria crypta</u> McKenzie (Diaspididae):	do	1	1		Calif., Wash.	
Citrus sinensis (sweet orange)  Parlatoria zizyphus (Lucas)(Diaspididae):  Baggage (with Laurus sp. leaves)	Japan	1			Hawaii.	
	Argentina, Indo- nesia, Italy, Malaysia, Philip-	8	3		Alaska, Calif., Hawaii, N. Y.	
C. aurantium (sour orange)	pines, Thailand. Philippines		1		Hawaii.	

		INT	NUMBER ERCEPTI		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
Parlatoria zizyphusContinued  Citrus grandis (pummelo)	Hong Kong Japan	1	1 4		Calif. Calif. Calif., Hawaii.
C. mitis (calamondin orange)	Philippines Thailand Formosa, Hawaii, Hong Kong, Indonesia, Japan, Thailand.	1 1 19	5		Hawaii.
C. reticulata 'Satsuma'	Formosa  Algeria, Europe [country(?)], Formosa, Greece, Israel, Italy, Japan, Morocco, Philippines, Spain, Thailand,	11	1 14		Wash. Alaska, Calif., Hawaii, N.Y., Oreg., Wash.
Citrus sp. (dried peel, fruit, and leaf)	unknown, Viet- Nam. Formosa, Hong Kong, Japan, Philippines, Thailand.	8	3	• • • •	Calif., Hawaii, N.Y., Tex., Wash.
Poncirus trifoliata (trifoliate-orange) leaf Parmena balteatus (L.)(Cerambycidae):	Thailand	1	••••		Wash.
Allium sativum (garlic) bulb  Paroecanthus mexicanus Sauss. (Gryllidae):  Musa X paradisiaca (banana) debris	Costa Rica	1			N.Y. Calif.
Pealius hibisci (Kot.)(Aleyrodidae): Gardenia sp. (leaf)	Hawaii	1			Hawaii.
Pectinophora gossypiella (Saund.)(Gelechiidae):  Baggage  Gossypium barbadense (Sea-Island cotton) boll	Dominican Republic	1 1			P.R. Hawaii.
Gossypium sp. (cotton) bale, boll, gin motes, and seed.	American Virgin Islands, Antigua, Argentina, Brazil, British West Indies [island(?)], Cuba, Dominican Republic, Hawaii, Jamaica, Mexico, Montserrat, Thailand, Turkey.			2	Am. V.I., Calif., Fla., Hawaii, N.Y., P.R., Tex.
Hibiscus esculentus (okra) pod	Dominican Republic, Jamaica, Trinidad.	26	3		Fla., N.Y., - Pa., P.R.
H. syriacus (shrub althea) lei	Cuba	1 1 68	2	1	Fla. Hawaii. Fla.
A. speciosa (shellflower galangal)  Anthurium sp. (leaf)	Hawaii		1	1	Hawaii. Fla. Hawaii, P.R.

		NUMBER INTERCEPTIONS IN				
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN	
Pentalonia nigronervosaContinued  Hedychium coronarium (common gingerlily)	Guam, Hawaii, Panama,	1	2	1	Hawaii, N.Y.	
Heliconia sp. (flower)	Philippines. Jamaica Dominican Republic Philippines			1	Ohio. P.R. Hawaii.	
flower).  Zingiber officinale (common ginger) flowers and plants.	Hawaii, Panama, Puerto Rico, Trinidad.	3		2	Calif., Fla., Hawaii, N.Y.	
Perichares phocion (F.)(Hesperiidae):  Airplane Periphyllus aceris (Koch)(Aphididae):						
Acer sp. (maple) leaf  Perkinsiella saccharicida Kirk. (Delphacidae):						
Cordyline sp. (dracena) leaf  Pero anceta (Cram.)(Geometridae):						
Airplane  Peucestes dentatus Stål (Tettigoniidae):						
Cargo (as food for monkey)  Phalonia zephyrana (Treit.)(Phaloniidae):  Daucus carota var. sativa (carrot)						
Pheidole megacephala (F.)(Formicidae):  Airplane						
Cocos nucifera (coconut)  Fern (plant)	Hawaii			1	Calif.	
Flowers (mixed)	Hawaii	1			Hawaii.	
Leafunidentified		• • • •			Hawaii. Calif., Fla., P.R.	
Platycerium sp. (staghorn fern)	Fiji			l	Calif.	
Samanea saman (raintree saman) stem  Seedunidentified		1			Hawaii. Hawaii.	
	Hawaii				Hawaii.	
Stores						
Strongylodon sp. (flower)			• • • • •			
Phelomerus aberrans (Sharp)(Bruchidae):  Cassia sp. (senna) seed pod						
Phlyctinus callosus Boh. (Curculionidae):  Cargo (with Protea sp. flowers)						
Pholus satellitia licaon (Cr.)(Sphingidae):  Airplane						
Phoracantha semipunctata (F.)(Cerambycidae): Flowers (mixed)						
Phyllopertha horticola (L.)(Scarabaeidae): Airplane	Europe [coun-					
Phyllotreta cruciferae (Goeze)(Chrysomelidae):  Alyssum saxatile 'Lemon' (goldentuft	try(?)]. Netherlands		• • • • •	l	Oreg.	
alyssum) seed.  Nasturtium officinale (watercress)  Phylus coryli (L.)(Miridae):	France		1		Mass.	
Flowers (mixed)						
Allium porrum (leek)	Japan		1		Wash.	

		INT	NUMBER ERCEPTI IN		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
Phytobia (Dizygomyza) iridicola (Koizumi)					
(Agromyzidae):  Iris sp. (leaf)	Japan			1	Wash.
Phytoecia rufiventris (Gaut.)(Cerambycidae):					
Chrysanthemum sp. (plant) Pieris brassicae (L.)(Pieridae):				1	Calif.
Baggage Brassica oleracea var. capitata (cabbage)	Poland				N.Y. Pa.
Cargo	Greece, Turkey,				Del., La.,
Pieris melete Men. (Pieridae):	unknown.				N. Y.
Airplane  Pineus harukawai Inouye (Chermidae):	West Pacific		1		Hawaii.
Pinus parviflora (Japanese white pine) Pinnaspis uniloba (Kuw.)(Diaspididae):	Japan			2	Wash.
Eurya sp. (leaf)	do		1		Wash.
Pityogenes chalcographus (L.)(Scolytidae):  Pinus sp. (pine) bark on crate	Sweden	1			Fla.
Planococcus lilacinus (Ckll.)(Pseudococcidae): Gardenia jasminoides (cape-jasmine) leaf	Philippines		1		Hawaii.
Lansium sp. (langsat) stem of fruit  Nephelium lappaceum (rambutan) fruit	Viet-Nam	1			Wash. Hawaii.
Platylomia fuliginosa (Wlk.)(Cicadidae):					
Airplane	Guam(?)		1		Hawaii.
Cedrus sp. (cedar) log	Costa Rica	1			Fla.
Picea abies (Norway spruce) seed	Austria, Denmark, France, Germany,			13	N. J.
	Italy, Poland.				
P. glauca (white spruce) seed	Austria, Denmark, Italy.			9	N. J.
P. omorika (Serbian spruce) seed  Poecilotylus trifasciatus (Wd.)(Micropezidae):	Austria			2	N. J.
Airplane	Nicaragua		1		Fla.
Airplane	Costa Rica(?), Venezuela.		2		Fla.
Polyamia trilobata (Del.)(Cicadellidae):					
Airplane  Polychisme ferruginosus (Stål)(Lygaeidae):		ŧ			
Brachyotum sp. (seed) Polymerus testaceipes (Stal)(Miridae):	Peru			1	Calif.
Airplane	Nicaragua		1		Fla.
Musa sp. (banana) debris	Guatemala	1			Md.
Airplane	Okinawa		1		Hawaii.
Porotermes quadricollis (Rambur) (Hodotermitidae):					
<u>Cucumis melo</u> 'Honeydew' (honeydew melon) <u>Porphyrobaphe iostoma</u> (Sowerby)(Bulimulidae):					
Musa X paradisiaca (banana)  Prays oleellus (F.)(Yponomeutidae):					
Olea europaea (olive)	Italy	2			N. Y.
Musa X paradisiaca (plantain)	Guatemala	1			Fla.

	NUMBER INTERCEPTIONS IN				
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NO NENTRY	PROPAGATION	COLLECTED IN
Prodenia litura (F.)(Noctuidae):					
Airplane	Japan, Okinawa, Philippines, Thai- land, unknown, Viet-Nam(?), West Pacific.		18		Calif., Hawaii.
Prosapia simulans (Wlk.) var. (Cercopidae): Airplane	Nicaragua		1		Fla.
Prostephanus truncatus (Horn)(Bostrichidae): Bromeliad (plant)	Mexico			1	Ariz.
<u>Cucurbita maxima</u> (squash) dried <u>Protaetia fusca</u> (Herbst)(Scarabaeidae):	do	1			Tex.
Orchid (flower)	Hawaii	1			Hawaii.
Airplane  Pseudaonidia trilobitiformis (Green)  (Diaspididae):	Philippines	• • • •	1		Hawaii.
Citrus aurantifolia (lime)	Brazil		1 2		Calif.
C. limon (lemon) Eugenia malaccensis (ohia or Malay-apple)	Canal Zone				Calif. Fla.
leaf of plant. <u>Euphoria longan</u> (longan) leaf of plant					Hawaii.
Mangifera indica (mango)  Pseudischnaspis acephala Ferris	do	1			Wash.
(Diaspididae): <u>Citrus aurantifolia</u> (lime)  Pseudischnaspis longissima (Ckll.)	Nicaragua	1	• • • • •		Calif.
(Diaspididae): <u>Citrus aurantifolia</u> (lime)	do	1			Colif
Pseudococcus fragilis Brain (Pseudococcidae):					
Cactus (leaf) Citrus limon (lemon)					
Pseudococcyx (Evetria) tessulatana (Stdgr.) (Olethreutidae):					
<u>Cupressus</u> sp. (cypress) cone and seed <u>Pseudopachymerina lallemanti</u> (Marseul)	France	1			N. Y.
(Bruchidae): Seedunidentified	Cyprus	1			N. C.
Pseudoparlatoria giffardi Adachi & Full. (Diaspididae):	,,,				
Araucaria sp	Hawaii	1			Hawaii.
Rhododendron sp. (leaf)	Switzerland	2			N. Y.
Brassica oleracea var. botrytis (cauliflower).  B. oleracea var. capitata (cabbage)	Italy		1		Mass.
Ptochoryctis tsugensis Kearf. (Xyloryctidae):					
Pinus parviflora (Japanese white pine)  Puto mexicanus (Ckll.)(Pseudococcidae):	-				Wash.
Tuberunidentified  Puto ulter Ferris (Pseudococcidae):					Tex.
Odontoglossum grande (orchid) plant Rhagoletis cerasi (L.)(Tephritidae):	Guatemala				Calif.
Prunus avium (Mazzard cherry)  P. cerasus (sour cherry)		2 2	4		Calif., N.Y. N.Y., Pa.
	Hungary, Portugal.				
P. cerasus 'Bing' (Bing cherry)		1			Del.

		INT	NUMBER ERCEPT IN			
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN-	
Rhagoletis cerasiContinued Prunus sp. (cherry)	Austria, Czecho- slovakia, Den- mark, England, Europe [coun- try(?)], France, Germany, Iceland, Italy, Nether- lands(?), Poland, Portugal, Ruma- nia, Spain, Swit- zerland, Turkey, unknown.	38	56		Ill., Mass., N.J., N.Y., Pa., P.R., Va.	
Packing material (with melon)	Chile			1	N.Y.	
Rhinocola ericae (Curtis) (Psyllidae):  Calluna vulgaris (heather) leaf	France, Scotland, Spain.	3	• • • • •		N.Y.	
Rhopalosiphoninus chicotei Gomez-Menor (Aphididae):	bpain.					
Mentha sp. (mint) plant				1	Mass.	
Gladiolus sp. (corm)				2	N. Y.	
Pyrus sp. (pear) leaf	Netherlands	1			Wash.	
	Englanddo					
Pisum sativum (pea) split	Belgium		1		Tex.	
Saccharum officinarum (sugarcane) cutting and node.  Samoedes trithyralis Snellen (Pyraustidae):	Argentina, Hawaii, Mexico.	2	••••	2	D.C., Hawaii.	
AirplaneSchneidereria pistaciella Weber (Gelechiidae):	Guam		1		Hawaii.	
Pistacia sp. (pistache) nut	Greece	1			N. Y.	
Airplane	Japan(?), Wake Island(?), West Pacific.		5	••••	Calif., Hawaii.	
Scobicia chevrieri (Villa)(Bostrichidae):  Nectandra sp. (ocotea) stem Scolopostethus decoratus (Hahn)(Lygaeidae):	Netherlands	1	• • • • •		111.	
Calluna vulgaris (heather)Scolytus scolytus (F.)(Scolytidae):						
Ulmus sp. (elm) log						
Cargo (household goods)						
AirplaneSesamia cretica Led. (Noctuidae):						
Sorghum dochna var. technicum (broomcorn) broom.	Italy	1	• • • • •		N. Y.	
Sesamia nonagrioides (Lef.)(Noctuidae):  Zea mays (corn) seed  Simplicia schaldusalis (Wlk.)(Noctuidae):						
Airplane	Japan(?)		1		Hawaii.	

		NUMBER INTERCEPTIONS IN				
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NON EN 1 RY	PROPAGATION	COLLECTED IN	
Sinoxylon anale Lesne (Bostrichidae):			•			
Coffea sp. (coffee)						
Gossypium sp. (cotton) raw		1				
Sinoxylon conigerum Gerst. (Bostrichidae):	do	1	• • • • •		IV. 1.	
Airplane					Hawaii.	
Baggage					1	
Malus sylvestris (apple)	Hawaii	1			Hawaii.	
Samanea saman (raintree saman) slab Ship (at large)			1			
Wood (crate and slat)		14	2			
	Singapore, unknown.				N. C., N. Y.,	
Siphanta acuta (Wlk.)(Flatidae):	unknown.				Tex., Wash.	
Alpinia purpurata (galangal) flower						
Cordyline terminalis (common dracena or ti).  Flowers (mixed)						
Orchid (flower)						
Siphunculina striolata (Wied.)(Chloropidae): Airplane	Unknown Wake		4		Hawaii.	
	Island.		<b>T</b>	••••	IIawaii.	
Sirex juvencus (L.)(Siricidae):  Cargo (case of window samples)	Sweden	2			Pa.	
Sisamnes contractus Dist. (Lygaeidae):	bweden	2		• • • • •	ı a,	
Ananas comosus (pineapple)						
Cargo hold (of ship)	Unknown		1		Mich.	
Musa X paradisiaca (banana) debris  Solenosthedium liligerum (Thunberg)	Ecuador	1	••••		Fla.	
(Pentatomidae):  Protea sp. (leaf)	South Africa	2	• • • • •		N.Y.	
Spatalia argentifera (Wlk.)(Notodontidae):  Airplane	Japan(?)		1		Calif.	
Sphenarches caffer (Zell.)(Pterophoridae):	T	,			NT 37	
Cajanus cajan (pigeonpea) pod						
Strychnos sp. (poisonnut)						
Dalbergia sp. (rosewood) log	Brazil	1			La.	
Airplane	Viet-Nam(?)		1		Calif.	
Spodoptera exempta (Wlk.)(Noctuidae):  Airplane	Wake Island(?)		1		Hawaii.	
Airplane	known, Viet- Nam(?), West		17		Calif., Hawaii.	
Spodoptera mauritia acronyctoides (Guen.)	Pacific.					
Noctuidae): Airplane	Unknown, Wake Island.		3		Hawaii.	
Spodoptera pecten Guen. (Noctuidae):						
Airplane	Hawaii, Japan(?), Johnston Island, unknown, Viet- Nam, Wake Island, West Pacific.		35		Calif., Hawaii.	

		INT	NUMBER ERCEPTI IN		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
Stenoma catenifer Wlsm. (Stenomidae):  Persea americana (American avocado)	Canal Zone, Colombia, Ecuador, El Salvador, Guatemala, Honduras, Mexico, Panama, Peru, Venezuela.	41	4		Ala., Calif., Fla., La., N.Y., P.R., Tex.
P. americana var. drymifolia (Mexican avocado).	Mexico	6			
Persea sp. (fruit)  Stenygrinum quadrinotatum Bates	El Salvador, Guate- mala, Mexico.	4		••••	Calif., Tex.
(Cerambycidae): Airplane	Japan(?), unknown.		2		Hawaii.
Coffea arabica (Arabian coffee)	Brazil, Ivory Coast, Liberia, unknown.	8	1		Fla., Mich., N.Y., S.C.
Sternochetus mangiferae (F.)(Curculionidae):  Mangifera indica (mango) fruit and seed	Ceylon, Guam, Hawaii, India, South Pacific.	92	11	10	Calif., Hawaii, N.Y., Wash.
Stoeberhinus testaceus Butler (Gelechiidae): Airplane	Australia(?), South Pacific, unknown.		4		Hawaii.
BaggageStrymon basilides (Geyer)(Lycaenidae):	Hawaii	1			Hawaii.
Ananas comosus (pineapple) leaf  Succinea horticola Reinhardt (Succineidae):  Jasminum nudiflorum (winter jasmine)		İ		1	Md. Wash.
Sybra alternans (Wied.)(Cerambycidae):  Asparagus plumosus (fern asparagus)					
Carica papaya (papaya) leaf	do				
Leafunidentified (tropical foliage)  Leucaena leucocephala (whitepopinac lead- tree) seed.	1	1 1	-		
Lycopodium sp. (clubmoss) stem  Operculina tuberosa (woods-rose) dried	do	1			Hawaii.
Plant material (dried arrangement)  Syneda confirmans Wlk. (Noctuidae):  Airplane		3			
Syntomis tetragonaria Wlk. (Ctenuchidae): Airplane					Hawaii.
Taeniothrips atratus (Hal.) (Thripidae):  Flowers (Aster sp., Calluna vulgaris, Chrysanthemum sp., Dahlia sp., Dianthus caryophyllus, Gladiolus sp., Lathyrus odoratus, Lavandula sp., Rosa sp., and various mixed flowers).	England, Finland, Germany, Iceland, Ireland, Norway, Poland, Scotland, unknown.	37	12		Ill., Mass., Mich., N.Y., Wash.
Majorana hortensis (sweet marjoram) leaf  Nursery stock	1				
Taeniothrips dianthi Priesner (Thripidae):  Dianthus caryophyllus (carnation)  Rosa sp. (rose) petal	1		t .		
Taeniothrips distalis Karny(?)(Thripidae):  Flowers (mixed)					
Calluna vulgaris (heather)	England, Germany, Ireland, Scotland.				N. Y.

		INT	NUMBER ERCEPT IN			
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NON EN TRY	PROPAGATION	COLLECTED IN	
Taeniothrips ericaeContinued						
Erica sp. (heath) flower			ľ	1		
Flowers (mixed).	England					
Ornithogalum sp	Netherlands	1			N. Y.	
<u>Lycoris</u> spp. ( <u>L. alba, L. aurea, L.</u> <u>radiata, L. sprengeri, L. squamigera</u> ,	Japan			21	Calif., N.C., N.Y., Wash.	
and <u>Lycoris</u> sp.) bulbs. <u>Taeniothrips hawaiiensis</u> (Morg.)(Thripidae):  Flowers (Compositae, <u>Dendrobium</u> sp., <u>Gardenia jasminoides</u> , <u>Plumeria</u> sp.,	Hawaii	133	1		Calif., Hawaii, Wash.	
Polianthes tuberosa, Sesbania grandiflora, Strongylodon sp., and unidentified flowers). Tamarindus indica (tamarind)	Philippines	1	* * * * *		Hawaii.	
Taeniothrips meridionalis Priesner (Thripidae):  Rosa sp. (rose)					N. Y.	
Talponia batesi Hein. (Olethreutidae):  Annona cherimola (cherimoya)					Tex.	
Taosa herbida (Wlk.)(Dictyopharidae): Airplane						
Taylorilygus pallidulus (Blanch.)(Miridae):	Colombia(?).		2		ria.	
Airplane	Mexico(?)		1		Fla.	
Citrus aurantifolia (lime)	Grenada	1 1			Wash. Calif.	
Tenthecoris bicolor Scott (Miridae): Orchid (plant)	Guatemala, Mexico			3	Fla., Tex.	
Orchid (plant)				3	Ariz., Tex.	
Orchid (plant)				2	Fla.	
Diospyros kaki (kaki persimmon)  Tetranychus viennensis Zacher (Tetranychidae):	Japan		3		Wash.	
Malus sylvestris (apple)						
Pyrus communis (common pear)  Theba pisana (Müller)(Helicidae):	Japan		1		Wash.	
Airplane		E i			Hawaii. N. Y.	
Antirrhinum majus (snapdragon) leaf  Automobile		1 1			Va.	
Baggage (brought as food)		9		1	Mass., N.Y.	
Brassica oleracea var. botrytis (cauliflower).	do	1		- 1	N. Y.	
Cargo (general)	France, Greece, Israel, Italy, Lib- ya, Morocco, Spain, Turkey,	107			Ala., Del., Fla., La., Mass., N.C., N.Y., Pa., S.C., Va.	
Cargo hold (of ship)	unknown. Spain		1		Md.	
Cedrus libani (Cedar-of-Lebanon) tree					N. Y.	
Chrysanthemum frutescens (flower)	France	1			N. Y.	
Cichorium endivia (endive)	Italy	1			N.Y.	
Dianthus caryophyllus (carnation) plant  Euphorbia terracina (seed)	Portugal	• • • • •			N. Y. N. J.	
Flowers (mixed)					Mass., N.Y.	
Hides (dry)	Italy	1			Mass.	
Humulus japonicus (Japanese hop) seed					Oreg.	
<u>Lilium</u> sp. (lily) flower					N. Y. Ill.	

		INT	NUMBER ERCEPTI	1		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN	
Theba pisanaContinued						
Quarters (of ship)	Unknown	i .	ì		Fla.	
Rosa sp. (rose) flower and plant  Stores (Allium porrum, Beta vulgaris, B. vulgaris var. cicla, Brassica oleracea var. capitata, Cichorium intybus, Citrus sinensis, Cucurbita sp., Cynara scolymus, Daucus carota var. sativa, Lactuca sativa,	Israel	ľ	26		N.Y. Ala., Fla., Md., N.C., N.Y., Ohio, P.R., S.C., Tex., Va.	
and <u>Petroselinum crispum var. latifolium</u> ).  Straw (with horse equipment)	France	1			N. Y.	
• • •	Spain	1				
Zantedeschia aethiopica (calla lily)	Unknown		1		N. Y.	
Theretra nessus (Drury)(Sphingidae):  Airplane	Philippines		1		Hawaii.	
Theretra silhetensis intersecta (Btlr.)(Sphingidae):  Airplane Thrips angusticeps Uzel (Thripidae):	Unknown		1		Hawaii.	
Cichorium endivia (endive)	Italy		1		Mass.	
Gladiolus sp. (flower)	-			1		
Lactuca sativa (lettuce)	1 -	1	4		Mass., N.Y.	
Thrips major Uzel (Thripidae):  Flowers (Aster sp., Astilbe sp., Dianthus caryophyllus, Lathyrus odoratus, Rosa sp., and various cut flowers).	unknown.  Cyprus, Denmark, England, France, Germany, Ire- land, Netherlands, Poland, Switzer- land.	8	4		Ill., Mass., N.Y., Wash.	
Rhododendron sp. (scion)				1	Wash.	
Thrips pillichi Priesner (Thripidae):  Flowers (Aster sp., Chrysanthemum sp.,  Gladiolus sp., and various cut flowers).  Thysanofiorinia nephelii (Mask.)(Diaspididae):	England, Germany, unknown.	4	3		Ill., Mass., N.Y., Wash.	
Euphoria longan (longan) fruit  Tortrix excessana (Wlk.)(Tortricidae):	Unknown		1		Wash.	
Malus sylvestris (apple)	New Zealand	5			Hawaii, S. C.	
<u>Laurus nobilis</u> (Grecian laurel) leaf <u>Trichencyrtus gahani</u> Gomes (Tanaostigmatidae):	Greece, Italy	2			Calif., N.Y.	
Legume (seed pod)	Bolivia		• • • • •	ı	D. C.	
Seed ( <u>Brassica</u> sp., <u>Clematis viticella</u> , <u>Hibiscus</u> <u>syriacus</u> , and <u>Rhodotypos scandens</u> ).					N. J., N. Y.	
Soil with <u>Rosa</u> sp. (rose) plant					N.J.	
Cargo (general)	Netherlands.					
Dianthus sp. (cutting)	Bermuda, Ireland, Norway.	4			Bermuda, Mass., N.Y.	
Lactuca sativa (lettuce)					N.Y. N.J., N.Y., Oreg., Wash.	
Soil with plants (Mentha sp., Phalaris tuberosa, and Rosa sp.).	Portugal.				D.C., Mass., N.J.	
Trifolium repens cv. (shamrock)	Ireland	. 1			Fla.	
Triticum aestivum (wheat) straw Trichia striolata (Pfeiffer)(Helicellidae):	Italy	1			N. Y.	
Cargo (on wooden crate)	France	1			Del.	

		INI	NUMBER ERCEPT IN			
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN	
Trichia striolata Continued						
Cichorium intybus (chicory)  Corylus sp. (hazelnut)		1	}		N. Y. N. Y.	
Cotinus coggygria (common smoketree) seed .			1 -	1	N. J.	
Lactuca sativa (lettuce)			1		Ohio. N.Y.	
Petroselinum crispum var. latifolium (parsley).	Israel		ì		Ala.	
Spinacia oleracea (spinach) Vanda sp. (orchid) plant			1	1	N.Y. Hawaii.	
Trogoderma granarium (Everts)(Dermestidae):				_	Tia waii.	
Acacia senegal (gum arabic and gum hashabi).		50			Mass., N. Y., Pa.	
Acacia sp. (gum talha)Anogeissus latifolia (gum ghatti)		1			N. Y. N. Y.	
Apium graveolens var. dulce (celery) seed	do	1		1	N.Y., Pa.	
Arachis hypogaea (peanut) debris	Unknown	2				
Astragalus gummifer (gum tragacanth)  Bagging (including new and used burlap, mail	Belgium, Ceylon,	62	3			
sacks, and wrappers on beans, beeswax,	England, India,				La., Md., N.Y.,	
buffalo horns, cacao beans, carpets, coir yarn, crude rubber, Hessian cloth, jute, kapok, karkade flowers, leather, lentils,	Iraq, Ivory Coast, Lebanon, Malay- sia, Netherlands,				Ohio, Oreg., Pa., S.C., Wash.	
rice, root crops, steel products, towels,	Pakistan, Sudan,					
and wool).	Syria, Thailand, unknown.					
Bixa orellana (anatto-tree) seed	India	1			Md.	
Cajanus cajan (pigeonpea)	Australia, Greece (?), India, Paki-	1	13		Calif., Ga., Md., Oreg., Pa., Tex.	
Capsicum annuum var. longum (chili pepper)	stan, Saudi Arabia. Ethiopia	1			Mich.	
Cardboard (dunnage)	Unknown	1	1		Wis.	
Cargo (coffee, cotton piece goods, crude rubber, plywood, steel products, and whetstones).	Belgium, Borneo, Formosa, Ger- many, India, Indo- nesia, Pakistan, Philippines,			• • • •	Ala., La., Md., Mich., Ohio, Oreg. Pa., S.C., Tex.	
Cargo hold (of ship)	Rwanda, Sumatra, unknown. Greece, India,		96		Ala., Fla., Ga., Ill.,	
	Iran(?), Japan, Pakistan, unknown.				La., Md., Mich., N. C., N. Y., Oreg., Pa., P. R., S. C., Tex., Va., Wash.	
Cicer arietinum (chickpea)					Wash.	
Citrullus vulgaris (watermelon) seed  Cordia sp. (dried fruit)		1 1			Md.	
	do		1		Ga.	
Cuminum cyminum (cumin) seed	India, Iran, Morocco, Paki-	14	1		Calif., N.Y., Oreg., Tex.	
Cyamopsis tetragonoloba (guar gum)	stan, Singapore. India, Pakistan, Sudan, unknown.	10	• • • •		N. C., N. Y., S. C., Tex.	
Debris (with cargo, in hold and storeroom of ship, and in truck trailer).	Belgium, Hong Kong, India, Ja- pan, Korea, Paki-	33	22		Ala., Calif., Fla., La., Md., N.Y., Oreg., Pa., Va.	
Flour	stan, unknown. Malaysia, Pakistan		2		Calif., N.Y.	
Glycine max (soybean)	Unknown		1		La.	
Gossypium sp. (cottonseed)	Sudan	1 3	1 3			
Grain (residue)	Indonesia, unknown Unknown	1 3				

		INT	NUMBER ERCEPTI		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
Trogoderma granarium Continued					
Lens culinaris (lentil)	India		1		La.
Oryza sativa (rice)	Formosa, Greece (?), Hong Kong, India, Japan, Malaysia, Paki- stan, Singapore, unknown.	3	27		Calif., Fla., Hawaii, Md., N.Y., Ohio, Pa., S.C., Tex., Wash.
Phaseolus vulgaris (bean)	Netherlands, unknown.	• • • •	3		Calif., La., Tex.
Pisum sativum (pea) split	Italy		1		Fla.
Quarters (of ship)	Unknown		1		N. Y.
Seed (bird feed)	Hong Kong	1			Hawaii.
Sesamum indicum (sesame) seed	Ethiopia, Japan, Sudan, unknown.	3	1		Calif., Md., Tex.
Sterculia urens (gum karaya)	India, Iran	16			
Stores (in storeroom and with dry stores)	Formosa, Hong Kong, India, Japan, Korea, Netherlands, Singapore, United Arab Republic(?), unknown.		35		Ala., Calif., Fla., Ga., Hawaii, La., Mass., Md., Pa., P.R., S.C., Tex., Wash.
	India	1			
Terminalia sp. (myrobalan)	do	4		1	Md., S.C.
Theobroma cacao (cacao) bean	Unknown	3	1	i	Pa. Md., P.R., Va.
Airplane  Turuptiana obliqua Wlk. (Arctiidae):					Fla.
Orchid (plant)					Tex.
Tulipa sp. (tulip) bulb					Calif.
C. aurantium (sour orange)					
<u>C. grandis (pummelo)</u>	į				
C. ichangensis X C. reticulata (ichandarin)					9
C. limon (lemon)					Calif., Hawaii, N. Y., Oreg.
<u>C</u> . <u>medica</u> (citron)			1		Hawaii.
<u>C</u> . <u>paradisi</u> (grapefruit)			12		Calif., Hawaii, Oreg.
<ul><li><u>C. paradisi X C. reticulata</u> (tangelo)</li><li><u>C. reticulata</u> (mandarin orange)</li></ul>		1 40	152	1	Hawaii. Calif., Fla., Hawaii,
C. reticulata 'Satsuma'	_	15	64		N.Y., Oreg., Wash.
C. reticulata var		24	177		Hawaii. Alaska, Calif., Hawaii, N. C., N. Y., Oreg., Wash.
Citrus sp. (fruit)		4	71	• • • •	Hawaii, Wash.
Fortunella sp. (kumquat)	Japan	1			Wash. Hawaii.
Airplane	Jamaica		1		Fla.
Pinus sp. (pine) crate					
Pinus sp. (pine) crate	do	1			Tex.

		NUMBER INTERCEPTIONS IN				
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN	
<u>Utetheisa ornatrix venusta</u> (Dalman)(Arctiidae):						
Airplane	Bermuda		1		Del.	
Airplane  Veronicella moreleti Crosse & Fischer  (Veronicellidae):	Thailand, unknown.		4	• • • •	Hawaii.	
Bromeliad (plant)	Guatemala, Jamaica.			2	Fla.	
Orchid (plant)				1	Fla.	
Vilga divaricata Champ. (Coreidae):  Orchid (plant) Vinsonia stellifera (Westw.)(Coccidae):	Canal Zone			1	Fla.	
Bletia sp. (orchid) leaf	Jamaica			1	Fla.	
Brassia sp. (spiderorchid) leaf	Canal Zone			1	Fla.	
Broughtonia sanguinea (orchid) leaf	Jamaica			1 6	Fla. Fla.	
Broughtonia sp. (orchid) leaf  Doritis taenialis (orchid)	India	1		1	Fla.	
Epidendrum ciliare (orchid) leaf	West Indies [is- land(?)].			1	N. J.	
Epidendrum sp. (orchid) leaf	Jamaica			1	Fla.	
Garcinia sp. (leaf)	Canal Zone American Virgin			1 47	Fla. Calif., Fla.	
	Islands, Antigua, British Guiana, British Honduras, Canal Zone, Costa Rica, Guate- mala, Haiti, Hon- duras, Jamaica, Mauritius Island, Panama, Puerto Rico, Surinam.					
Phalaenopsis sp. (mothorchid)	Philippines Canal Zone			1	Hawaii. Fla.	
Airplane  Xenocassis amoena Boh. (Chrysomelidae):	Guatemala		1		Fla.	
Chamaedorea oblongata (palm) leaf  Xylomeira torquata (F.)(Bostrichidae):	Mexico	1			Tex.	
Airplane	Costa Rica, unknown.		2		Fla.	
Xylothrips flavipes (Ill.)(Bostrichidae):  Cargo (with Hessian cloth)	India	1			Va.	
Swietenia sp. (mahogany)	Unknown					
Wood (crate)	India					
· · · · · · · · · · · · · · · · · · ·	American Samoa	1			Calif.	
· · · · · · · · · · · · · · · · · · ·	Hawaii	1			Hawaii.	
Zeadiatraea lineolata (Wlk.)(Crambidae):  Zea mays (corn) fresh ear	Bahamas	1			Bahamas.	
(Pentatomidae): Wood (plywood)	Korea	1			Calif.	

## Hosts and Insects

ABIES:	ARTOCARPUS:
Aphis abietina (Homoptera)	Carpophilus maculatus (Coleoptera)
ACACIA: Acanthoscelides oblongoguttatus (Coleoptera)	ASPARAGUS:
Trogoderma granarium (Coleoptera)	Helicella cretica (Mollusca)
ACER:	Sybra alternans (Coleoptera) ASTER:
Periphyllus aceris (Homoptera)	Frankliniella intonsa (Thysanoptera)
ACHRAS:	Taeniothrips atratus (Thysanoptera)
Anastrepha mombinpraeoptans (Diptera)	Thrips major (Thysanoptera)
AGAPANTHUS: Frankliniella intonsa (Thysanoptera)	T. pillichi (Thysanoptera)
AGAVE:	ASTILBE:
Batrachedra linaria (Lepidoptera)	Thrips major (Thysanoptera)
AGLAONEMA:	ASTRAGALUS: Trogoderma granarium (Coleoptera)
Pentalonia nigronervosa (Homoptera)	BAMBOO:
ALLIUM CEPA: <u>Acrolepia assectella</u> (Lepidoptera)	Chlorophorus annularis(?)(Coleoptera)
ALLIUM PORRUM:	Dinoderus japonicus (Coleoptera)
Acrolepia assectella (Lepidoptera)	Eucalandra setulosa (Coleoptera)
Helicella caperata (Mollusca)	Minthea rugicollis (Coleoptera)
H. obvia (Mollusca)	Nikkoaspis shiranensis (Homoptera)
Phytobia cepae (Diptera)	BAMBUSA:
Theba pisana (Mollusca)	Chaetococcus bambusae (Homoptera)
ALLIUM SATIVUM:	BANKSIA:
Brachycerus albidentatus (Coleoptera)	Aonidia banksiae(?)(Homoptera)  Eulana austrina (Hemiptera)
B. algirus (Coleoptera)	BARRINGTONIA:
Dyspessa ulula (Lepidoptera)	Orchamoplatus mammaeferus (Homoptera
Heterobostrychus aequalis (Coleoptera)	BELLIS:
Parmena balteatus (Coleoptera)	Frankliniella intonsa (Thysanoptera)
ALLIUM SP.: Pentalonia nigronervosa (Homoptera)	BERTHOLLETIA:
ALPINIA:	Dinoderus bifoveolatus (Coleoptera)
Bradybaena similaris (Mollusca)	BETA: Cochlicella barbara (Mollusca)
Coccus viridis (Homoptera)	Gnorimoschema ocellatella (Lepidoptera)
Orchidophilus aterrimus (Coleoptera)	Helix aspersa (Mollusca)
Pentalonia nigronervosa (Homoptera)	Theba pisana (Mollusca)
Siphanta acuta (Homoptera)	BETULA:
ALTHAEA:	Eriophyes leionotus (Acarina)
Oxycarenus hyalinipennis (Hemiptera) ALYSSUM:	BIXA: Trogoderma granarium (Coleoptera)
Phyllotreta cruciferae (Coleoptera)	BLETIA:
ALYXIA:	Vinsonia stellifera (Homoptera)
Ceroplastes rubens (Homoptera) ANANAS:	BRACHYOTUM: Polychisme ferruginosus (Hemiptera)
Sisamnes contractus (Hemiptera)	BRASSIA:
Strymon basilides (Lepidoptera)	<u>Vinsonia</u> <u>stellifera</u> (Homoptera)
ANNONA:	BRASSICA CHINENSIS:  Mamestra brassicae (Lepidoptera)
Bephrata maculicollis (Hymenoptera)	Oeobia ferrugalis (Lepidoptera)
<u>Cerconota</u> <u>anonella</u> (Lepidoptera)	BRASSICA OLERACEA VAR. BOTRYTIS:
Talponia batesi (Lepidoptera)	Evergestis forficalis (Lepidoptera)
ANOGEISSUS:	Helicella caperata (Mollusca)
Trogoderma granarium (Coleoptera) ANTHURIUM:	Helix aperta (Mollusca)
Adoretus sinicus (Coleoptera)	Lochmaea crataegi (Coleoptera)
Orchidophilus aterrimus (Coleoptera)	Mamestra brassicae (Lepidoptera)
Pentalonia nigronervosa (Homoptera)	Milax gagates (Mollusca)
ANTIRRHINUM:	Otala lactea (Mollusca)
Theba pisana (Mollusca)	Psyllioides chrysocephala (Coleoptera)
APIUM: Deroceras caruanae (Mollusca)	Theba pisana (Mollusca)
Helicella caperata (Mollusca)	BRASSICA OLERACEA VAR. CAPITATA: Cochlicella barbara (Mollusca)
Helix aperta (Mollusca)	Evergestis forficalis (Lepidoptera)
Mamestra brassicae (Lepidoptera)	Helicella caperata (Mollusca)
Otala vermiculata (Mollusca)	H. conspurcata (Mollusca)
Trogoderma granarium (Coleoptera)	Helix aspersa (Mollusca)
ARACHIS:	H. pomatia (Mollusca)
Trogoderma granarium (Coleoptera)	Mamestra brassicae (Lepidoptera)
ARAUCARIA:	Milax gagates (Mollusca)
Neophyllaphis araucariae (Homoptera) Pseudoparlatoria giffardi (Homoptera)	Otala lactea (Mollusca)
ARBUTUS(?):	O. vermiculata (Mollusca)
Eucheira socialis (Lepidoptera)	Pieris brassicae (Lepidoptera)
ARCTIUM:	Psyllioides chrysocephala (Coleoptera)
Ostrinia nubilalis (Lepidoptera)	Theba pisana (Mollusca)
ARECA:	BRASSICA OLERACEA VAR. GONGYLODES: Mamestra brassicae (Lepidoptera)
<u>Lepidosaphes</u> <u>tubulorum</u> (Homoptera) ARMORACIA:	
Hylemya floralis (Diptera)	BRASSICA PEKINENSIS:  Mamestra brassicae (Lepidoptera)

BRASSICA RAPA:	CEDRUS:
Hellula undalis (Lepidoptera)	Cochlicella barbara (Mollusca)
BRASSICA SP.:	
Trichia cinctella (Mollusca)	Megastigmus suspectus pinsapinis (Hymenopter
	Platypus rugulosus (Coleoptera)
T. hispida (Mollusca)	
BROMELIAD:	Theba pisana (Mollusca)
Acutaspis tingi (Homoptera)	CENTAUREA:
	Haplothrips gowdeyi (Thysanoptera)
Dysdercus mimulus (Hemiptera)	
Exptochiomera albomaculata (Hemiptera)	CHAMAEDOREA:
	Aegithus meridionalis var. cardinalis
Galgupha punctifer (Hemiptera)	(Coleoptera)
Helicina zephyrina (Mollusca)	Calyptocephala gerstaeckeri (Coleoptera)
<u>Iridomyrmex</u> <u>humilis</u> (Hymenoptera)	Coelonertus nigrirostris (Coleoptera)
Neolobophora inopinata (Dermaptera)	Epilachna nigrocincta (Coleoptera)
Ogdoecosta biannularis (Coleoptera)	Galgula partita(?)(Lepidoptera)
Prostephanus truncatus (Coleoptera)	
	Helicina zephyrina (Mollusca)
Veronicella moreleti (Mollusca)	Icerya montserratensis (Homoptera)
BROUGHTONIA:	
Vinsonia stellifera (Homoptera)	Pangaeus aethiops (Hemiptera)
vinsonia sterritera (nomoptera)	Xenocassis amoena (Coleoptera)
BUXUS:	CHRYSANTHEMUM:
Eriophyes parabuxi (Acarina)	
	Cochlicella barbara (Mollusca)
CACTUS:	Conotelus mexicanus (Coleoptera)
Amitermes wheeleri (Isoptera)	
Dallasiellus murinus (Hemiptera)	Eurrhypara hortulata(?)(Lepidoptera)
	Frankliniella formosae (Thysanoptera)
Pseudococcus fragilis (Homoptera)	
CAJANUS:	<u>F</u> . <u>intonsa</u> (Thysanoptera)
Acanthoscelides armitagei (Coleoptera)	Haplothrips clarisetis (Thysanoptera)
Bruchus signaticornis (Coleoptera)	<u>H. gowdeyi</u> (Thysanoptera)
Maruca testulalis (Lepidoptera)	Ostrinia nubilalis (Lepidoptera)
Sphenarches caffer (Lepidoptera)	Phytoecia rufiventris (Coleoptera)
Trogoderma granarium (Coleoptera)	Taeniothrips atratus (Thysanoptera)
CALLUNA:	Theba pisana (Mollusca)
· Aphalara exilis (Homoptera)	Thrips pillichi (Thysanoptera)
Aphis callunae (Homoptera)	
	CICER:
Gelechia ericetella (Lepidoptera)	<u>Callosobruchus</u> <u>analis</u> (Coleoptera)
Rhinocola ericae (Homoptera)	Trogoderma granarium (Coleoptera)
Scolopostethus decoratus (Hemiptera)	CICHORIUM:
Taeniothrips atratus (Thysanoptera)	Cochlicella barbara (Mollusca)
	Helicella cretica (Mollusca)
T. ericae (Thysanoptera)	
CALOPHYLLUM:	H. protea (Mollusca)
Dacus dorsalis (Diptera)	Milax gagates (Mollusca)
CAMELLIA:	Theba pisana (Mollusca)
Abgrallaspis degenerata (Homoptera)	Thrips angusticeps (Thysanoptera)
Neurotmeta viridis (Homoptera)	
	Trichia striolata (Mollusca)
Oligonychus coffeae (Acarina)	CITRULLUS:
CANAVALIA:	Trogoderma granarium (Coleoptera)
Lampides boeticus (Lepidoptera)	
	CITRUS AURANTIFOLIA:
Maruca testulalis (Lepidoptera)	Anastrepha ludens (Diptera)
CAPSICUM:	Aonidiella inornata (Homoptera)
Ceratitis capitata (Diptera)	
	Ceratitis capitata (Diptera)
Conotelus mexicanus (Coleoptera)	Mycetaspis personata (Homoptera)
Gnorimoschema gudmannella (Lepidoptera)	
	Orchamoplatus mammaeferus (Homoptera)
Helicina zephyrina (Mollusca)	Parlatoria cinerea (Homoptera)
Ostrinia nubilalis (Lepidoptera)	
	P. zizyphus (Homoptera)
Trogoderma granarium (Coleoptera)	Pseudaonidia trilobitiformis (Homoptera)
CARICA:	Pseudischnaspis acephala (Homoptera)
Ceratitis capitata (Diptera)	
	P. longissima (Homoptera)
Dacus dorsalis (Diptera)	
Sybra alternans (Coleoptera)	Temnaspidiotus excisus (Homoptera)
	Unaspis yanonensis (Homoptera)
CARISSA:	CITRUS AURANTIUM:
<u>Ceratitis capitata</u> (Diptera)	Anastrepha ludens (Diptera)
CARTHAMUS:	
	Parlatoria zizyphus (Homoptera)
<u>Helicella</u> <u>maritima</u> (Mollusca)	Unaspis yanonensis (Homoptera)
CARUM:	
Hyadaphis foeniculi (Homoptera)	CITRUS GRANDIS:
	Morganella longispina (Homoptera)
CASSIA:	Parlatoria cinerea (Homoptera)
Aganactesis indecora (Lepidoptera)	
Cryptophlebia ombrodelta (Lepidoptera)	P. citri (Homoptera)
	P. zizyphus (Homoptera)
Forficula senegalensis(?)(Dermaptera)	
Phelomerus aberrans (Coleoptera)	Temnaspidiotus excisus (Homoptera)
	Unaspis yanonensis (Homoptera)
CASTANEA:	
Curculio elegans (Coleoptera)	CITRUS ICHANGENSIS X C. RETICULATA:
Hemimene juliana (Lepidoptera)	Parlatoria zizyphus (Homoptera)
	Unaspis yanonensis (Homoptera)
Laspeyresia splendana (Lepidoptera)	
CATTLEYA:	CITRUS LIMON:
Anisolabis caraibea (Dermaptera)	Brevipalpus chilensis (Acarina)
	Ceratitis capitata (Diptera)
CECROPIA:	
Bungalotis astylos (Lepidoptera)	Lorryia formosa (Acarina)

CITRUS LIMONContinued	<u>Cryptophlebia</u> <u>ombrodelta</u> (Lepidoptera)
<u>Morganella longispina</u> (Homoptera)	Diocalandra taitensis (Coleoptera)
Parlatoria cinerea (Homoptera)	
	Furcaspis oceanica (Homoptera)
P. zizyphus (Homoptera)	<u>Lepidosaphes</u> <u>duponti</u> (Homoptera)
Pseudaonidia trilobitiformis (Homoptera)	L. esakii (Homoptera)
Pseudococcus fragilis (Homoptera)	
	Palmicultor oceanicus (Homoptera)
<u>Unaspis yanonensis</u> (Homoptera)	P. palmarum (Homoptera)
CITRUS MEDICA:	Pheidole megacephala (Hymenoptera)
Unaspis yanonensis (Homoptera)	
CITRUS MITIS:	CODIAEUM:
	Bradybaena similaris (Mollusca)
Parlatoria zizyphus (Homoptera)	Chrysodeixis chalcites (Lepidoptera)
CITRUS MITIS(?):	
Aonidiella inornata (Homoptera)	<u>Lepidosaphes</u> <u>tokionis</u> (Homoptera)
CITRUS PARADISI:	COFFEA:
Anastrepha ludens (Diptera)	Ceratitis capitata (Diptera)
	Coccus viridis (Homoptera)
Ceratitis capitata (Diptera)	
Morganella longispina (Homoptera)	Sinoxylon anale (Coleoptera)
Mycetaspis personata (Homoptera)	Stephanoderes hampei (Coleoptera)
	COLA:
Parlatoria cinerea (Homoptera)	
P. zizyphus (Homoptera)	<u>Ceratitis</u> <u>colae(?)(Diptera)</u>
	COMPOSITAE:
<u>Unaspis yanonensis</u> (Homoptera)	Taeniothrips hawaiiensis (Thysanoptera
CITRUS PARADISI X C. RETICULATA:	COPAIFERA:
Unaspis yanonensis (Homoptera)	Rhinochenus stigma (Coleoptera)
CITRUS PARADISI X C. SINENSIS:	
CIT ROD FARADIST A C. SINENSIS.	CORDIA:
Parlatoria citri (Homoptera)	Trogoderma granarium (Coleoptera)
CITRUS RETICULATA:	CORDIA(?):
Acutaspis albopicta (Homoptera)	Ambotingis senta (Hemiptera)
Aspidiella <u>hartii</u> (Homoptera)	CORDYLINE:
Ceratitis capitata (Diptera)	<u>Bradybaena similaris</u> (Mollusca)
Iridomyrmex humilis (Hymenoptera)	Chrysodeixis chalcites (Lepidoptera)
Morganella longispina (Homoptera)	Conotelus mexicanus (Coleoptera)
Mycetaspis personata (Homoptera)	Mycetaspis personata (Homoptera)
	Orchidophilus aterrimus (Coleoptera)
Parlatoria cinerea (Homoptera)	
P. zizyphus (Homoptera)	Perkinsiella saccharicida (Homoptera)
Unaspis yanonensis (Homoptera)	Siphanta acuta (Homoptera)
	CORIANDRUM:
CITRUS RETICULATA 'SATSUMA';	Trogoderma granarium (Coleoptera)
Parlatoria zizyphus (Homoptera)	
Unaspis yanonensis (Homoptera)	CORYLUS:
CITRUS RETICULATA VAR.:	<u>Helicella caperata</u> (Mollusca)
	Trichia striolata (Mollusca)
<u>Unaspis yanonensis</u> (Homoptera)	
CITRUS SINENSIS:	COTINUS:
<u>Anastrepha ludens</u> (Diptera)	<u>Trichia</u> <u>hispida</u> (Mollusca)
A. mombinpraeoptans (Diptera)	T. striolata (Mollusca)
	CREPIS:
Aspidiotus destructor (Homoptera)	
Ceratitis capitata (Diptera)	Monacha olivieri (Mollusca)
Cryptoblabes gnidiella (Lepidoptera)	CUCUMIS:
	Chelymorpha varians (Coleoptera)
Helix aspersa (Mollusca)	
Lorryia mali (Acarina)	Conoderus rufangulus (Coleoptera)
	Helicella conspurcata (Mollusca)
Morganella longispina (Homoptera)	H. cretica (Mollusca)
Mycetaspis personata (Homoptera)	
Ostrinia nubilalis (Lepidoptera)	Lygaeus alboornatus (Hemiptera)
	Neotermes chilensis (Isoptera)
Parlatoria cinerea (Homoptera)	Porotermes quadricollis (Isoptera)
P. citri (Homoptera)	
P. crypta (Homoptera)	CUCURBITA:
	Dacus cucurbitae (Diptera)
P. zizyphus (Homoptera)	Prostephanus truncatus (Coleoptera)
Theba pisana (Mollusca)	
	Theba pisana (Mollusca)
<u>Unaspis yanonensis</u> (Homoptera)	CUMINUM:
CITRUS SP.:	Helicella caperata (Mollusca)
Aleurocanthus woglumi (Homoptera)	
	H. cretica(?)(Mollusca)
Anastrepha ludens (Diptera)	H. larnacensis (Mollusca)
Bemisia citricola (Homoptera)	
Helix aspersa (Mollusca)	Trogoderma granarium (Coleoptera)
	CUPRESSUS:
Paraleyrodes citri (Homoptera)	Otala vermiculata (Mollusca)
Parlatoria zizyphus (Homoptera)	
	Pseudococcyx tessulatana (Lepidoptera)
<u>Unaspis</u> <u>yanonensis</u> (Homoptera)	CYAMOPSIS:
CLEMATIS:	Trogoderma granarium (Coleoptera)
Monacha carthusiana (Mollusca)	CYCAS:
Trichia cinctella (Mollusca)	Aonidiella inornata (Homoptera)
	CYDONIA:
CLEYERA:	Anastrepha ludens (Diptera)
<u>Dialeurodes</u> <u>tristylii</u> (Homoptera)	
COCOS:	Ceratitis capitata (Diptera)
Acutaspis tingi (Homoptera)	CYMBIDIUM:
	Lepidosaphes chinensis (Homoptera)
Aonidiella inornata (Homoptera)	Orchidophilus aterrimus (Coleoptera)
Aspidiotus destructor (Homoptera)	
Bradybaena similaris (Mollusca)	CYNARA:
Dradybaena similaris (Mollusca)	Anuraphis cynarae (Homoptera)

Danasana a amana (Mallaga)	Cadra candena (Lepidoptera)
<u>Deroceras</u> <u>caruanae</u> (Mollusca)	Ceratitis capitata (Diptera)
Gortyna flavago (Lepidoptera)	Ceroplastes rusci (Homoptera)
Helicella conspurcata (Mollusca)	FORTUNELLA:
Helix aperta (Mollusca)	Unaspis yanonensis (Homoptera)
Monacha carthusiana (Mollusca)	FRAGARIA:
Theba pisana (Mollusca)	Epiphyas postvittana (Lepidoptera)
DAHLIA:	Milax gagates (Mollusca)
Frankliniella intonsa (Thysanoptera)	GARCINIA:
	Aspidiotus destructor (Homoptera)
Ostrinia nubilalis (Lepidoptera)	
Taeniothrips atratus (Thysanoptera)	Vinsonia stellifera (Homoptera)
DALBERGIA:	GARDENIA:
Nasutitermes corniger (Isoptera)	Adoretus sinicus (Coleoptera)
Spinitermes trispinosus (Isoptera)	Coccus viridis (Homoptera)
	Conotelus mexicanus (Coleoptera)
DAUCUS:	
Phalonia zephyrana (Lepidoptera)	<u>Dialeurodes</u> <u>kirkaldyi</u> (Homoptera)
Theba pisana (Mollusca)	Pealius hibisci (Homoptera)
DENDROBIUM:	Planococcus lilacinus (Homoptera)
Acutaspis tingi (Homoptera)	
	Taeniothrips hawaiiensis (Thysanoptera)
Orchidophilus aterrimus (Coleoptera)	GLADIOLUS:
Taeniothrips hawaiiensis (Thysanoptera)	Frankliniella formosae (Thysanoptera)
DIANTHUS:	F. intonsa (Thysanoptera)
Cepaea hortensis (Mollusca)	
	F. panamensis (Thysanoptera)
Cochlicella barbara (Mollusca)	Monacha carthusiana (Mollusca)
Frankliniella formosae (Thysanoptera)	Ostrinia nubilalis (Lepidoptera)
<u>F</u> . <u>intonsa</u> (Thysanoptera)	
	Rhopalosiphoninus tulipaellus (Homoptera)
Helicella caperata (Mollusca)	Taeniothrips atratus (Thysanoptera)
Helix aspersa (Mollusca)	Thrips angusticeps (Thysanoptera)
<u>Iridomyrmex humilis</u> (Hymenoptera)	
	<u>T</u> . <u>pillichi</u> (Thysanoptera)
Taeniothrips atratus (Thysanoptera)	GLYCINE:
T. dianthi (Thysanoptera)	Trogoderma granarium (Coleoptera)
Theba pisana (Mollusca)	GOSSYPIUM:
	Mescinia peruella (Lepidoptera)
Thrips major (Thysanoptera)	
Trichia hispida (Mollusca)	Pectinophora gossypiella (Lepidoptera)
DIOSPYROS:	Sinoxylon anale (Coleoptera)
Acutaspis albopicta (Homoptera)	Trogoderma granarium (Coleoptera)
	HEDYCHIUM:
Ceratitis capitata (Diptera)	Pentalonia nigronervosa (Homoptera)
Mycetaspis personata (Homoptera)	HELICONIA:
Tenuipalpus japonicus (Acarina)	
DORITIS:	Bradybaena similaris (Mollusca)
	Pentalonia nigronervosa (Homoptera)
<u>Vinsonia</u> <u>stellifera</u> (Homoptera)	HELLEBORUS:
DRACAENA:	Helicella caperata (Mollusca)
Bradybaena similaris (Mollusca)	HIBISCUS:
ECHINODORUS:	Helix aperta (Mollusca)
Coccus viridis (Homoptera)	
EPIDENDRUM:	H. aspersa (Mollusca)
Acutaspis umbonifera (Homoptera)	Oulema melanopa (Coleoptera)
Hemitrochus androsi (Mollusca)	Pectinophora gossypiella (Lepidoptera)
<u>Vinsonia</u> stellifera (Homoptera)	Trichia cinctella (Mollusca)
ERICA:	HORDEUM:
Taeniothrips ericae (Thysanoptera)	Trogoderma granarium (Coleoptera)
ERIOBOTRYA:	HUMULUS:
Ceratitis capitata (Diptera)	Helicella caperata (Mollusca)
	Theba pisana (Mollusca)
ERYSIMUM:	
Helix aspersa (Mollusca)	<u>Trichia</u> <u>hispida</u> (Mollusca)
EUCALYPTUS:	ILEX:
Lophyrotoma analis (Hymenoptera)	Macrodasyceras japonicum (Hymenoptera)
EUGENIA:	INDIGOFERA:
Ceratitis capitata (Diptera)	Eurytoma seyali (Hymenoptera)
	IPOMOEA:
Dacus dorsalis (Diptera)	Cylas formicarius (Coleoptera)
Pseudaonidia trilobitiformis (Homoptera)	
EUPHORBIA:	<u>C. formicarius elegantulus</u> (Coleoptera)
Aspidiotus destructor (Homoptera)	C. formicarius formicarius(?)(Coleoptera
	Euscepes postfasciatus (Coleoptera)
Asterolecanium stentae (Homoptera)	
Helicella conspurcata (Mollusca)	Megacerus alternatus (Coleoptera)
Opogona sacchari (Lepidoptera)	IRIS:
	Aglossa caprealis (Lepidoptera)
Theba pisana (Mollusca)	Otala vermiculata (Mollusca)
EUPHORIA:	Phytobia iridicola (Diptera)
Pseudaonidia trilobitiformis (Homoptera)	
Thysanofiorinia nephelii (Homoptera)	IXORA:
	Coccus viridis (Homoptera)
EURYA: Pinnaspis unilaha (Hamantara)	Helicina dominicensis (Mollusca)
Pinnaspis uniloba (Homoptera)	JASMINUM:
FAGUS:	
Hartigiola annulipes(?)(Diptera)	Dialeurodes kirkaldyi (Homoptera)
Mikiola fagi (Diptera)	Milax gagates (Mollusca)
Mikiola fagi (Diptera)	Milax gagates (Mollusca)
Mikiola fagi (Diptera)  FICUS: Arge ochropus (Hymenoptera)	

JUNIPERUS:
Oligonychus perditus (Acarina) Helicella caperata (Mollusca) KHAYA: Taeniothrips atratus (Thysanoptera) Fulvius brevicornis (Hemiptera) Trichia striolata (Mollusca) LACTUCA: MALUS: Arianta arbustorum (Mollusca) Carposina niponensis (Lepidoptera) Dactynotus formosanus (Homoptera) Ceratitis capitata (Diptera) Deroceras caruanae (Mollusca) Epiphyas postvittana (Lepidoptera) Euleia heraclei(?)(Diptera) Helix aperta (Mollusca) Evergestis forficalis (Lepidoptera) H. aspersa (Mollusca) Helicella candidula (Mollusca) Sinoxylon conigerum (Coleoptera) H. caperata (Mollusca) Tetranychus viennensis (Acarina) H. variabilis (Mollusca) Tortrix excessana (Lepidoptera) Helix aperta (Mollusca) MANGIFERA: H. aspersa (Mollusca) Anastrepha fraterculus(?)(Diptera) H. pomatia (Mollusca) A. ludens (Diptera) A. mombinpraeoptans (Diptera) Mamestra brassicae (Lepidoptera) Milax gagates (Mollusca) A. serpentina(?)(Diptera) Monacha cantiana (Mollusca) Aulacaspis tubercularis (Homoptera) M. carthusiana (Mollusca) Ceratitis capitata (Diptera) Oeobia ferrugalis (Lepidoptera) Dacus dorsalis (Diptera) Otala lactea (Mollusca) Fulvius variegatus (Hemiptera) O. vermiculata (Mollusca) <u>Iridomyrmex iniquus nigellus</u> (Hymenoptera) Theba pisana (Mollusca) Pseudaonidia trilobitiformis (Homoptera) Sternochetus mangiferae (Coleoptera) Thrips angusticeps (Thysanoptera) Trichia hispida (Mollusca) MEDICAGO: Conotelus mexicanus (Coleoptera) T. striolata (Mollusca) MELALEUCA:

Hemiaspidis hemichionaspiformis (Homoptera) LAELIA: Melanaspis aliena (Homoptera) MENTHA:
Helix aperta (Mollusca) LANSIUM: Planococcus lilacinus (Homoptera) Milax gagates (Mollusca) LATHYRUS:
Bruchus affinis (Coleoptera) Ovatus crataegarius (Homoptera) Rhopalosiphoninus chicotei (Homoptera) B. tristiculus (Coleoptera) MIRABILIS:
Theba pisana (Mollusca) B. tristis (Coleoptera) B. viciae (Coleoptera) MOMORDICA: Helicella maritima (Mollusca) Bradybaena similaris (Mollusca) Taeniothrips atratus (Thysanoptera) Dacus cucurbitae (Diptera) Thrips major (Thysanoptera) MUSA: LAURUS:
Ceroplastes japonica (Homoptera) Agriacris octomaculata (Orthoptera) Aspidiotus destructor (Homoptera) Trialeurodes lauri (Homoptera) Dacus dorsalis (Diptera) LAVANDULA: Metamasius hemipterus carbonarius Taeniothrips atratus (Thysanoptera) (Coleoptera)
hemipterus hemipterus (Coleoptera) LENS: Bruchus ervi (Coleoptera) M. hemipterus sericeus (Coleoptera) B. lentis (Coleoptera) Opsiphanes tamarindi corrosus (Lepidoptera) B. signaticornis (Coleoptera) Paroecanthus mexicanus (Orthoptera) Callosobruchus analis (Coleoptera) Pentalonia nigronervosa (Homoptera) Helicella protea (Mollusca) Polytus mellerborgi (Coleoptera) Trogoderma granarium (Coleoptera) Porphyrobaphe iostoma (Mollusca) LEUCAENA: Prepops latipennis (Hemiptera) Araecerus levipennis (Coleoptera) Solaropsis monile (Mollusca) Graptostethus manillensis (Hemiptera) NASTURTIUM: Limnephilus lunatus (Trichoptera) Sybra alternans (Coleoptera) Phyllotreta cruciferae (Coleoptera) Conotelus mexicanus (Coleoptera) NECTANDRA:
Scobicia chevrieri (Coleoptera) Frankliniella lilivora (Thysanoptera) Theba pisana (Mollusca) NEPENTHES:
Aspidiotus destructor (Homoptera) Trichia hispida (Mollusca) NEPHELIUM: Aceria litchii (Acarina) Aleurotuberculatus nephelii(?)(Homoptera) Ceratitis capitata (Diptera) Planococcus lilacinus (Homoptera) Cryptophlebia illepida (Lepidoptera) OCHROSIA: Ceratitis capitata (Diptera) C. ombrodelta (Lepidoptera) ODONTOGLOSSUM:
Puto ulter (Homoptera) LUCULIA: Cephonodes hylas virescens (Lepidoptera) LYCOPERSICON:
Dacus cucurbitae (Diptera) OLEA: Dacus oleae (Diptera) Euphyllura olivina (Homoptera) LYCOPODIUM: Sybra alternans (Coleoptera) Prays oleellus (Lepidoptera) LYCORIS:
Taeniothrips eucharii (Thysanoptera) ONCIDIUM:
Aleuroglandulus emmae (Homoptera) MACADAMIA:
Cryptophlebia illepida (Lepidoptera) Nasutitermes ephratae (Isoptera) OPERCULINA: C. ombrodelta (Lepidoptera) Sybra alternans (Coleoptera)

OPUNTIA: Helicella caperata (Mollusca) Ceratitis capitata (Diptera) H. cretica (Mollusca) Helicella conspurcata (Mollusca) H. joppensis (Mollusca) ORCHID: Helix aspersa (Mollusca) Acutaspis tingi (Homoptera) Monacha carthusiana (Mollusca) A. umbonifera (Homoptera) Otala lactea (Mollusca) Alkindus atratus (Hemiptera) Theba pisana (Mollusca) Amblyrethus ponderosus (Orthoptera) Trichia striolata (Mollusca) Anisolabis caraibea (Dermaptera) PHALAENOPSIS:
Acutaspis tingi (Homoptera) Asteriza flavicornis (Coleoptera) Asterolecanium epidendri (Homoptera) Genaparlatoria pseudaspidiotus (Homoptera) Bradybaena similaris (Mollusca) Conotelus mexicanus (Coleoptera) Vinsonia stellifera (Homoptera) PHASEOLUS: Diaspis miranda (Homoptera) Callosobruchus analis (Coleoptera) Epinotia aporema (Lepidoptera) Diorymerellus laevimargo (Coleoptera) Galgupha quadrisignata (Hemiptera) Fundella pellucens (Lepidoptera) Maruca testulalis (Lepidoptera) Genaparlatoria pseudaspidiotus (Homoptera) Hapithus tenuicornis (Orthoptera) Matsumuraeses phaseoli (Lepidoptera) Ostrinia nubilalis (Lepidoptera) Helicina chrysocheila (Mollusca) Trogoderma granarium (Coleoptera) H. zephyrina (Mollusca) PHOENIX:
Ceratitis capitata (Diptera) Hemitrochus androsi (Mollusca) Heterotermes convexinotatus (Isoptera) PHRAGMITES: Iridomyrmex humilis (Hymenoptera) Antonina phragmitis (Homoptera) Lamellaxis micra (Mollusca) Nipponaclerda biwakoensis (Homoptera) Leptopharsa elata (Hemiptera) PICEA:
Ernobius abietis (Coleoptera) Lycorea cleobaea (Lepidoptera) Melete salacia (Lepidoptera) Laspeyresia strobilella (Lepidoptera) Microcerotermes arboreus (Isoptera) Plemeliella abietina (Diptera) Nasutitermes corniger (Isoptera) N. ephratae (Isoptera) PINUS:
Dendroctonus frontalis (Coleoptera) N. nigriceps (Isoptera) Neella floridulus (Hemiptera) Dichocrocis punctiferalis (Lepidoptera) Ochropepla pallens (Homoptera) Eulachnus tuberculostemmata (Homoptera) Ochrostomus moa (Hemiptera) Helicella conspurcata (Mollusca) Orchidophilus aterrimus (Coleoptera) H. trochoides (Mollusca) Oxychilus alliarius (Mollusca) Hylurgus ligniperda (Coleoptera) O. cellarius (Mollusca) Pineus harukawai (Homoptera) Pangaeus rugiceps (Hemiptera) Pityogenes chalcographus (Coleoptera) Pheidole megacephala (Hymenoptera) Ptochoryctis tsugensis (Lepidoptera) Protaetia fusca (Coleoptera) Siphanta a cuta (Homoptera) Urocerus gigas gigas (Hymenoptera) U. gigas taiganus (Hymenoptera) Tenthecoris bicolor (Hemiptera) PIPER:
Aspidiotus destructor (Homoptera) T. distinctus (Hemiptera) T. distinguendus (Hemiptera) Dinoderus japonicus (Coleoptera) Turuptiana obliqua (Lepidoptera) Oxydema fusiforme (Coleoptera) PISTACIA:
Schneidereria pistaciella (Lepidoptera) Veronicella moreleti (Mollusca) Vilga divaricata (Hemiptera) PISUM: <u>Vinsonia stellifera</u> (Homoptera) Callosobruchus analis (Coleoptera) ORNITHOGALUM:
Frankliniella schultzei (Thysanoptera) Lampides boeticus (Lepidoptera) Rubiconia intermedia (Hemiptera) Taeniothrips ericae (Thysanoptera) ORYZA:
Chilo suppressalis (Lepidoptera) Trogoderma granarium (Coleoptera) PLATYCERIUM:
Pheidole megacephala (Hymenoptera) Trogoderma granarium (Coleoptera) PLUMERIA:
Aonidiella inornata (Homoptera) PALM: Dacus dorsalis(?)(Diptera) Coccus viridis (Homoptera) PANDANUS: Laminicoccus giffardi (Homoptera) Conotelus mexicanus (Coleoptera) PASSIFLORA:
Anastrepha insulae (Diptera) Taeniothrips hawaiiensis (Thysanoptera) POLIANTHES: Ceratitis capitata (Diptera) Taeniothrips hawaiiensis (Thysanoptera) PELEA: POLYPODIUM: Orchamoplatus mammaeferus (Homoptera) Aspidiotus destructor (Homoptera) PONCIRUS: Parlatoria zizyphus (Homoptera) PERSEA: Acutaspis albopicta (Homoptera) Ceratitis capitata (Diptera) PROSOPIS: Blastobasis inana(?)(Lepidoptera) Conotrachelus aguacatae (Coleoptera) Cryptophlebia ombrodelta (Lepidoptera) C. perseae (Coleoptera) Dacus dorsalis (Diptera) Antestia orbitalis (Hemiptera) Morganella longispina (Homoptera) Iridomyrmex humilis (Hymenoptera) Mycetaspis personata (Homoptera) Solenosthedium liligerum (Hemiptera) Stenoma catenifer (Lepidoptera) PETROSELINUM: Cochlicella barbara (Mollusca) PRUNUS ARMENIACA:
Ceratitis capitata (Diptera)

SACCHARUM:

PRUNUS AVIUM:
Rhagoletis cerasi (Diptera) Aspidiella sacchari (Homoptera) PRUNUS CERASIFERA:
Ceratitis capitata (Diptera) Diatraea considerata (Lepidoptera) Opogona sacchari (Lepidoptera) PRUNUS CERASUS: Saccharicoccus sacchari (Homoptera) Rhagoletis cerasi (Diptera) PRUNUS CERASUS 'BING':
Rhagoletis cerasi (Diptera) Helicella conspurcata (Mollusca) SAMANEA:
Pheidole megacephala (Hymenoptera) PRUNUS DOMESTICA: Ceratitis capitata (Diptera) Sinoxylon conigerum (Coleoptera) Unaspis yanonensis (Homoptera) SANSEVIERIA: PRUNUS PERSICA: Milax gagates (Mollusca) Anastrepha ludens (Diptera) SCHOMBURGKIA: Anuraphis schwartzi (Homoptera) Nasutitermes ephratae (Isoptera) Carposina niponensis (Lepidoptera) N. <u>nigriceps</u> (Isoptera) Ceratitis capitata (Diptera) SESAMUM:
Trogoderma granarium (Coleoptera) PRUNUS PERSICA VAR. NECTARINA: Ceratitis capitata (Diptera) SESBANIA: PRUNUS SP. (cherry):
Rhagoletis cerasi (Diptera) Lampides boeticus (Lepidoptera) Maruca testulalis (Lepidoptera) PSIDIUM: Taeniothrips hawaiiensis (Thysanoptera) Anastrepha striata(?)(Diptera) SOBRALIA: Ceratitis capitata (Diptera) Euborellia stali (Dermaptera) Dacus dorsalis (Diptera) SOIL: PTERALYXIA(?):
Dacus dorsalis(?)(Diptera) Bradybaena similaris (Mollusca) Cochlicella barbara (Mollusca) PUERARIA: C. conoidea (Mollusca) Callosobruchus ademptus (Coleoptera) Glycyphagus ornatus (Acarina) PUNICA: Helicella caperata (Mollusca) Bruchidius gilvus (Coleoptera) H. conspurcata (Mollusca) Ceratitis capitata (Diptera) H. cretica (Mollusca) Cryptoblabes gnidiella (Lepidoptera) H. maritima (Mollusca) PYRUS: H. pyramidata (Mollusca) Anastrepha ludens (Diptera) Helicodonta obvoluta (Mollusca) Ceratitis capitata (Diptera) Rhopalosiphum crataegellum (Homoptera) <u>Lamellaxis</u> micra (Mollusca) Tetranychus viennensis (Acarina) Milax gagates (Mollusca) QUERCUS: Monacha carthusiana (Mollusca) Andricus furnessae (Hymenoptera) Otala lactea (Mollusca) A. ostrea (Hymenoptera) Oulema melanopa (Coleoptera) Eudecatoma biguttata (Hymenoptera) Ovatus crataegarius (Homoptera) <u>Laspeyresia</u> <u>splendana</u> (Lepidoptera) Oxychilus cellarius (Mollusca) RAPHANUS: Cochlicella barbara (Mollusca) Trichia cinctella (Mollusca) T. hispida (Mollusca) RHODODENDRON:
Lepidosaphes tubulorum (Homoptera) SOLANUM MELONGENA:
Leucinodes orbonalis (Lepidoptera) Oxychilus alliarius (Mollusca) Neoleucinodes elegantalis (Lepidoptera) Psylla rhododendri (Homoptera) SOLANUM QUITOENSE: Thrips major (Thysanoptera) Neoleucinodes elegantalis (Lepidoptera) RHODOTYPOS: SOLANUM VIRGATUM:
Lineodes ochrea (Lepidoptera) Trichia cinctella (Mollusca) ROSA: SORGHUM: Ardis brunniventris (Hymenoptera) Ostrinia nubilalis (Lepidoptera) Arge ochropus (Hymenoptera) Sesamia cretica (Lepidoptera) Blennocampa pusilla (Hymenoptera) SPATHODEA:
Pheidole megacephala (Hymenoptera) Cladardis elongatula (Hymenoptera) Cladius pectinicornis (Hymenoptera) SPINACIA: Trichia striolata (Mollusca) Endelomyia aethiops (Hymenoptera) SPIRAEA:
Bemisia shinanoensis (Homoptera) Frankliniella formosae (Thysanoptera) F. intonsa (Thysanoptera) SPONDIAS: F. schultzei (Thysanoptera) Anastrepha ludens (Diptera) Helix aspersa (Mollusca) A. mombinpraeoptans (Diptera) Macrosiphum ibarae(?)(Homoptera) Clavaspis herculeana (Homoptera) Myzaphis turanica (Homoptera) STERCULIA: Trogoderma granarium (Coleoptera) Taeniothrips atratus (Thysanoptera) STĪPA:

<u>Evallaspis</u> <u>ampelodesmae</u> (Homoptera) T. dianthi (Thysanoptera) T. meridionalis (Thysanoptera) Theba pisana (Mollusca) Pentalonia nigronervosa (Homoptera) Thrips major (Thysanoptera) STRONGY LODON: Maruca testulalis (Lepidoptera) ROSMARINUS: Chrysolina americana (Coleoptera) Pheidole megacephala (Hymenoptera) Taeniothrips hawaiiensis (Thysanoptera) Helicella conspurcata (Mollusca) RUBUS: STRYCHNOS: Asterobemisia carpini (Homoptera) Spinaspidiotus fissidens (Homoptera)

SUTHERLANDIA:
<u>Lampides boeticus</u> (Lepidoptera)

SWIETENIA:

Xylothrips flavipes (Coleoptera)

TAMARINDUS:

Taeniothrips hawaiiensis (Thysanoptera)

Trogoderma granarium (Coleoptera)

TERMINALIA:

Ceratitis capitata (Diptera) Dacus dorsalis (Diptera)

Trogoderma granarium (Coleoptera)

THEOBROMA:

Trogoderma granarium (Coleoptera)

TILLANDSIA:

Exptochiomera formosa (Hemiptera)

Helicina zephyrana (Mollusca)

TRIFOLIUM:

Trichia hispida (Mollusca)

TRITICUM:

Harmolita ips (Hymenoptera)

Trichia hispida (Mollusca)

Trogoderma granarium (Coleoptera)

TROPAEOLUM:

Trichia hispida (Mollusca)

TULIPA:

Tyrophagus palmarum (Acarina)

ULMUS:

Scolytus scolytus (Coleoptera)

VANDA:

Bradybaena similaris (Mollusca)

Ceresium unicolor (Coleoptera)

Chrysodeixis chalcites (Lepidoptera)

Conotelus mexicanus (Coleoptera)

Genaparlatoria pseudaspidiotus (Homoptera) Geotomus pygmaeus (Hemiptera)

Nysius kinbergi (Hemiptera)

Orchidophilus aterrimus (Coleoptera)

Trichia striolata (Mollusca)

VICIA:

Bruchus rufipes (Coleoptera)

B. signaticornis (Coleoptera)

B. tristis (Coleoptera)

VITIS:

Carbula litigatrix (Hemiptera)

Ceratitis capitata (?) (Diptera)

Epichorista ionephela (Lepidoptera)

Eysarcoris inconspicuus(?)(Hemiptera)

Heterogaster urticae (Hemiptera)

Iridomyrmex humilis (Hymenoptera)

VRIESIA:

Acutaspis umbonifera (Homoptera)

YUCCA:

Acutaspis albopicta (Homoptera)

ZANTEDESCHIA:

Conotelus mexicanus (Coleoptera)

Theba pisana (Mollusca)

ZEA:

Moodna bisinuella (Lepidoptera)

Ostrinia nubilalis (Lepidoptera)

Pagiocerus frontalis (Coleoptera)

Sesamia nonagrioides (Lepidoptera)

Zeadiatraea lineolata (Lepidoptera)

ZINGIBER:

Aspidiella hartii (Homoptera)

Cephaloleia pretiosa (Coleoptera)

Conotelus mexicanus (Coleoptera)

Cryptotermes brevis (Isoptera)

Dacus dorsalis (Diptera)

Elytroteinus subtruncatus(?)(Coleoptera)

Fulvius variegatus (Hemiptera)

Oxydema fusiforme (Coleoptera)

Pentalonia nigronervosa (Homoptera)

Pheidole megacephala (Hymenoptera)

## Hosts Unknown

AIRPLANE:

Acanthoderes circumflexa (Coleoptera)

Achatina fulica (Mollusca)

Acygoniodes hepatizans (Lepidoptera)

Adoretus sinicus (Coleoptera)

Aeneolamia varia (Homoptera)

Aethus indicus (Hemiptera)

Aiolopus tamulus (Orthoptera)

Amphimallon majalis (Coleoptera)

Amyna natalis (Lepidoptera) Anomala orientalis (Coleoptera)

Antheua servula (Lepidoptera)

Anticarsia irrorata (Lepidoptera)

Antiteuchus mixtus (Hemiptera) Arocera splendens (Hemiptera)

Azeta versicolor (Lepidoptera)

Bolitophila dupla (Diptera)

Cahya variabilis (Homoptera)

Cassida circumdata (Coleoptera)

Chabora nealcesalis (Lepidoptera)

Chalciope hyppasia (Lepidoptera)

Chanithus gramineus (Homoptera)

Chlorotettix nigromaculatus (Homoptera)

C. tethys (Homoptera)

Chrysaspidia festata (Lepidoptera)

Chrysodeixis chalcites (Lepidoptera)

Concana lepida (Lepidoptera)

Cosmopsaltria inermis (Homoptera)

Creatonotus gangis (Lepidoptera)

Cryptotermes brevis (Isoptera)

Cycnia insulata (Lepidoptera)

Delphacodes balboae (Homoptera)

D. vaccina (Homoptera)

Deltocephalus distinctus (Homoptera)

D. hospes (Homoptera)

D. maculellus (Homoptera)

Dictyophara patruelis (Homoptera)

Diocalandra taitensis (Coleoptera)

Doleranus tethys (Homoptera) Draeculacephala clypeata (Homoptera)

Ericeia inangulata (Lepidoptera)

Eublemma parva (Lepidoptera)

Eulepidotis electa (Lepidoptera)

Euxoa bilitura (Lepidoptera)

E. spinifera (Lepidoptera)

Frankliniella sulphurea (Thysanoptera)

Geniates panamensis (Coleoptera)

Gesonia obeditalis (Lepidoptera)

Gnaphalocrocis medinalis (Lepidoptera)

Graminella bipunctella (Homoptera)

G. expansa (Homoptera)

G. punctata (Homoptera)

G. striatella (Homoptera)

Grammodes geometrica (Lepidoptera)

Graptopsaltria colorata (Homoptera)

Heliophobus reticulata (Lepidoptera)

H. saponariae (Lepidoptera) Hemiceras lepida (Lepidoptera)

#### Hosts Unknown--Continued

AIRPLANE--Continued
Hippotion echeclus (Lepidoptera) Unerus colonus (Homoptera) Utetheisa ornatrix venusta (Lepidoptera) H. rafflesi (Lepidoptera) Lagoptera certior (Lepidoptera) Lasiophila confusa (Lepidoptera) Liogenys macropelma (Coleoptera) Liriomyza quadrata (Diptera) Macroglossum stellatarum (Lepidoptera) Malocampa satis (Lepidoptera) Maniola jurtina (Lepidoptera) Marasmia poeyalis (Lepidoptera) BAGGAGE: Maruca testulalis (Lepidoptera) Meimuna opalifera(?)(Homoptera) Mocis frugalis (Lepidoptera) M. undata (Lepidoptera) Myelois famula (Lepidoptera) Nephotettix apicalis (Homoptera) N. cincticeps (Homoptera) N. impicticeps (Homoptera) Nisia atrovenosa (Homoptera) Nomis albopedalis (Lepidoptera) Nyctipao nyctaculis (Lepidoptera) Nymphula fluctuosalis (Lepidoptera) Ochrostomus moa (Hemiptera) Odontostelis bivittata (Hymenoptera) Olenecamptus octopustulatus formosanus (Coleoptera) Ollarianus sexmaculatus (Homoptera) Ommatophora fulvastra (Lepidoptera) Oxyodes scrobiculata (Lepidoptera) Pachnaeus litus (Coleoptera) Pangaeus aethiops (Hemiptera) Perichares phocion (Lepidoptera) Pero anceta (Lepidoptera) Pheidole megacephala (Hymenoptera) Pholus satellitia <u>licaon</u> (Lepidoptera) Phyllopertha horticola (Coleoptera) Pieris melete (Lepidoptera) BAGGING: Platylomia fuliginosa (Homoptera) Poecilotylus trifasciatus (Diptera) BURLAP: Poekilloptera phalaenoides (Homoptera) Polyamia trilobata (Homoptera) Polymerus testaceipes (Hemiptera) Popillia lewisi (Coleoptera) <u>Prodenia litura</u> (Lepidoptera) Prosapia simulans var. (Homoptera) CARGO: Psara <u>licarsisalis</u> (Lepidoptera) Samoedes trithyralis (Lepidoptera) Schoenobius incertulas (Lepidoptera) Selenis suero (Lepidoptera) Simplicia schaldusalis (Lepidoptera) Sinoxylon conigerum (Coleoptera) Siphunculina striolata (Diptera) Spatalia argentifera (Lepidoptera) Spodoptera abyssinia (Lepidoptera) S. exempta (Lepidoptera) S. mauritia (Lepidoptera) S. mauritia acronyctoides (Lepidoptera) S. pecten (Lepidoptera) Stenygrinum quadrinotatum (Coleoptera) Stoeberhinus testaceus (Lepidoptera) Syneda confirmans (Lepidoptera) Syntomis tetragonaria (Lepidoptera) Taosa herbida (Homoptera) Taylorilygus pallidulus (Hemiptera) Theba pisana (Mollusca) Theretra nessus (Lepidoptera) T. silhetensis intersecta (Lepidoptera)

Trosia dimas incostata (Lepidoptera)

U. pulchella (Lepidoptera) <u>Vulsirea</u> <u>violacea</u> (Hemiptera) Xylomeira torquata (Coleoptera) AQUATIC PLANT:
Coptotermes testaceus (Isoptera) AUTOMOBILE: Bradybaena similaris (Mollusca) Ceratitis capitata (Diptera) Theba pisana (Mollusca) Achaea catocaloides (Lepidoptera) Achatina fulica (Mollusca) Adoretus sinicus (Coleoptera) Automeris janus metzli (Lepidoptera) Bradybaena similaris (Mollusca) Bruchus rufipes (Coleoptera) Cochlicella conoidea (Mollusca) Cryptotermes brevis (Isoptera) Dacus dorsalis (Diptera) Epilachna defecta var. (Coleoptera) Gynaikothrips ficorum (Thysanoptera) Helicella maritima (Mollusca) H. pyramidata (Mollusca) Helix aperta (Mollusca) H. aspersa (Mollusca)
H. pomatia (Mollusca) Iridomyrmex humilis (Hymenoptera) Metafruticicola pellita (Mollusca) Otala <u>lactea</u> (Mollusca) O. vermiculata (Mollusca) Parlatoria zizyphus (Homoptera) Pectinophora gossypiella (Lepidoptera) Pieris brassicae (Lepidoptera) Sinoxylon conigerum (Coleoptera) Stoeberhinus testaceus (Lepidoptera) Theba pisana (Mollusca) Trogoderma granarium (Coleoptera) Nephotettix impicticeps (Homoptera) CARDBOARD: Cryptotermes brevis (Isoptera) Heterotermes convexinotatus (Isoptera) Trogoderma granarium (Coleoptera) Actinella arridens (Mollusca) Agrotis spina(?)(Lepidoptera) Bradybaena similaris (Mollusca) Cadra calidella (Lepidoptera) Carineta rufescens (Homoptera) Cepaea hortensis (Mollusca) Chrysolina americana (Coleoptera) Cochlicella barbara (Mollusca) C. conoidea (Mollusca) Conoderus rufangulus (Coleoptera) Coptotermes formosanus (Isoptera) Dacus dorsalis (Diptera) Diaprepes abbreviatus (Coleoptera) Gryllus bimaculatus (Orthoptera) Gymnobothrus fallax (Orthoptera) Helicella caperata (Mollusca) H. conspurcata (Mollusca) H. cretica (Mollusca) H. derbentina (Mollusca) H. itala (Mollusca) H. joppensis (Mollusca) H. maritima (Mollusca) H. neglecta (Mollusca)

#### Hosts Unknown -- Continued

CARGO--Continued Phylus coryli (Hemiptera) Helicella protea (Mollusca) Siphanta acuta (Homoptera) H. pyramidata (Mollusca) Sybra alternans (Coleoptera) H. trochoides (Mollusca) Taeniothrips atratus (Thysanoptera) H. variabilis (Mollusca) T. distalis(?)(Thysanoptera) Helix aperta (Mollusca) T. ericae (Thysanoptera) H. aspersa (Mollusca) T. hawaiiensis (Thysanoptera) Labidostomis taxicornis (Coleoptera) Theba pisana (Mollusca) Lejeania darnaudi (Mollusca) Thrips major (Thysanoptera) Minthea rugicollis (Coleoptera) T. pillichi (Thysanoptera) Monacha cantiana (Mollusca) Trichia hispida (Mollusca) FRUIT--UNIDENTIFIED: M. obstructa (Mollusca) M. syriaca (Mollusca) Cryptophlebia ombrodelta (Lepidoptera) Nephotettix apicalis (Homoptera) GRAIN: Obroatis distincta (Lepidoptera) Helicella caperata (Mollusca) Trogoderma granarium (Coleoptera) Otala lactea (Mollusca) HERBS:
Diaphania indica (Lepidoptera) O. vermiculata (Mollusca) Paracinema tricolor (Orthoptera) Haplothrips gowdeyi (Thysanoptera) Peucestes dentatus (Orthoptera) Helix aspersa (Mollusca) Phlyctinus callosus (Coleoptera) Oxydema fusiforme (Coleoptera) Pieris brassicae (Lepidoptera) Sehirus dubius (Hemiptera) Theba pisana (Mollusca) Sirex juvencus (Hymenoptera) LEAF--UNIDENTIFIED: Conoderus exsul (Coleoptera) Theba pisana (Mollusca) Trichia hispida (Mollusca) Dialeurodes kirkaldyi (Homoptera) T. striolata (Mollusca) Morganella longispina (Homoptera) Trogoderma granarium (Coleoptera) Ortholomus jamaicensis (Hemiptera) Xylothrips flavipes (Coleoptera) Pheidole megacephala (Hymenoptera) Rhopalosiphum insertum (Homoptera) CARGO HOLD: Autographa gamma (Lepidoptera) Sybra alternans (Coleoptera) Heterobostrychus aequalis (Coleoptera) LEGUME: Nephotettix apicalis (Homoptera) Cryptophlebia illepida (Lepidoptera) Otala lactea (Mollusca) C. ombrodelta (Lepidoptera) Sinoxylon conigerum (Coleoptera) Trichencyrtus gahani (Hymenoptera) MAIL:
Achatina fulica (Mollusca) Sitona hispidula (Coleoptera) Theba pisana (Mollusca) Adoretus sinicus (Coleoptera) Trogoderma granarium (Coleoptera) Araecerus levipennis (Coleoptera) CLOTHING: Gryllotalpa africana (Orthoptera) Cryptotermes brevis (Isoptera) Helix aspersa (Mollusca) CONIFER: Hylurgops palliatus (Coleoptera) H. pomatia (Mollusca) DEBRIS: Otala vermiculata (Mollusca) Megischyrus zonalis (Coleoptera) MOLLUSKS: Nephotettix apicalis (Homoptera) Helicella maritima (Mollusca) Otala lactea (Mollusca) H. terrestris (Mollusca) Trogoderma granarium (Coleoptera) MOSS: Helix aperta (Mollusca) DRIFTWOOD: Cryptotermes cavifrons (Isoptera) NURSERY STOCK:
Taeniothrips atratus (Thysanoptera) Heterotermes cardini (Isoptera) FERN:
Ceroplastes rubens (Homoptera) PACKING MATERIAL: Chelymorpha varians (Coleoptera) Rhaptus quadricollis (Hemiptera) Pheidole megacephala (Hymenoptera) PAPER: FLOUR: <u>Cryptotermes</u> <u>brevis</u> (Isoptera) Trogoderma granarium (Coleoptera) Minthea rugicollis (Coleoptera) FLOWERS: Achaea janata (Lepidoptera) PLANT - - UNIDENTIFIED: Adoretus sinicus (Coleoptera) Arianta arbustorum (Mollusca) Bradybaena similaris (Mollusca) Bradybaena similaris (Mollusca) "Cicadella" miniaticeps (Homoptera) Conotelus mexicanus (Coleoptera) Cryphula apicata (Hemiptera) Eulana austrina (Hemiptera) Dialeurodes kirkaldyi (Homoptera) Frankliniella formosae (Thysanoptera) Exptochiomera formosa (Hemiptera) F. intonsa (Thysanoptera) Vinsonia stellifera (Homoptera) F. sulphurea (Thysanoptera) PLANT MATERIAL:
Conotelus mexicanus (Coleoptera) Geotomus pygmaeus (Hemiptera) Graptostethus manillensis (Hemiptera) Micrapate labialis (Coleoptera) Haplothrips gowdeyi (Thysanoptera) Sybra alternans (Coleoptera) Helix aspersa (Mollusca) QUARTERS: Orchidophilus aterrimus (Coleoptera) Dictyoploca japonica (Lepidoptera) Oxydema fusiforme (Coleoptera) Rhopalosiphum insertum (Homoptera) Pentalonia nigronervosa (Homoptera) Pheidole megacephala (Hymenoptera) Theba pisana (Mollusca) Phoracantha semipunctata (Coleoptera) Trogoderma granarium (Coleoptera) 57

#### Hosts Unknown -- Continued

SEED--UNIDENTIFIED:

Acanthoscelides oblongoguttatus (Coleoptera)

Achatina fulica (Mollusca)

Dynatopechus aureopilosus(?)(Coleoptera)

Helicella caperata (Mollusca) H. conspurcata (Mollusca)

Nasutitermes guayanae (Isoptera)

Oncochila simplex (Hemiptera)

Pheidole megacephala (Hymenoptera)

Pseudopachymerina lallemanti (Coleoptera)

Trichia hispida (Mollusca)

Trogoderma granarium (Coleoptera)

Conoderus rufangulus (Coleoptera)

Sinoxylon conigerum (Coleoptera)

SPHAGNUM MOSS:
Trichia hispida (Mollusca)

STORES:

Callosobruchus analis (Coleoptera)

Helix aperta (Mollusca)

Mamestra brassicae (Lepidoptera)

Maruca testulalis (Lepidoptera)

Otala lactea (Mollusca)

Pheidole megacephala (Hymenoptera)

Theba pisana (Mollusca)

Trogoderma granarium (Coleoptera)

STRAW:

Aglossa caprealis (Lepidoptera)

Theba pisana (Mollusca)

SUCCULENT:

Aleophagus myersi (Homoptera)

TRAILER:

Cochlicella barbara (Mollusca)

Theba pisana (Mollusca)
TUBER--UNIDENTIFIED:

Puto mexicanus (Homoptera)

VEGETABLES:

Diaprepes abbreviatus (Coleoptera)

Ochrimnus collaris (Hemiptera)

WOOD:

Apoleon edax(?)(Coleoptera)

Callidium rufipenne (Coleoptera)

Dinoderus bifoveolatus (Coleoptera)

Fulvius brevicornis (Hemiptera)

- Heterobostrychus aequalis (Coleoptera)

Hylurgops palliatus (Coleoptera)

Lyctoxylon japonum (Coleoptera)

Minthea rugicollis (Coleoptera)

- <u>Nasutitermes</u> <u>ephratae</u> (Isoptera)

- Neotermes connexus (Isoptera)

Sinoxylon anale (Coleoptera)

S. conigerum (Coleoptera)

- Xylothrips flavipes (Coleoptera)

- X. religiosus (Coleoptera)

Xystrocera globosa (Coleoptera)

Zicrona caerula var. cuprea (Hemiptera)

### Countries of Origin and Insects

AFRICA [country(?)]:
Spinaspidiotus fissidens Heterotermes cardini Ochrostomus moa ALGERIA: Pachnaeus litus Ceratitis capitata Pectinophora gossypiella Parlatoria zizyphus Zeadiatraea lineolata AMERICAN SAMOA:
Aspidiotus destructor BAHAMAS(?): Ceroplastes rubens Graminella striatella BARBADOS: Dacus dorsalis(?) Aganactesis indecora Dinoderus japonicus Anastrepha mombinpraeoptans Lamellaxis micra BELGIUM: Oxydema fusiforme Cochlicella barbara Palmicultor oceanicus Evergestis forficalis Palpita unionalis Frankliniella intonsa Pheidole megacephala Helicella caperata Xylothrips religiosus Hylurgops palliatus AMERICAN VIRGIN ISLANDS: Pectinophora gossypiella Mamestra brassicae Oxychilus alliarius Vinsonia stellifera Rubiconia intermedia ANGOLA: Leucinodes orbonalis Trogoderma granarium BERMUDA: Bradybaena similaris ANTIGUA:
Pectinophora gossypiella
Vinsonia stellifera Morganella longispina Otala lactea ARGENTINA: Neoleucinodes elegantalis Trichia hispida Parlatoria zizyphus Utetheisa ornatrix venusta BOLIVIA: Pectinophora gossypiella Paraleyrodes citri Saccharicoccus sacchari Trichencyrtus gahani ARGENTINA(?):
Draeculacephala clypeata BORNEO: Trogoderma granarium Taosa herbida BRAZIL: Acutaspis umbonifera AUSTRALIA: Agrotis spina(?) Anastrepha mombinpraeoptans Aonidia banksiae(?) Aspidiella hartii Epiphyas postvittana Asterolecanium epidendri Eualana austrina Brevipalpus chilensis Hemiaspidis hemichionaspiformis Ceratitis capitata Lophyrotoma analis Coptotermes testaceus Trogoderma granarium Euscepes postfasciatus Unaspis yanonensis Gynaikothrips ficorum AUSTRALIA(?): Helix aspersa Morganella longispina Stoeberhinus testaceus Mycetaspis personata Nasutitermes corniger AUSTRIA: Endelomyia aethiops Neoleucinodes elegantalis Frankliniella intonsa Parlatoria cinerea Helicella caperata Pectinophora gossypiella Plemeliella abietina Pseudaonidia trilobitiformis Rhagoletis cerasi Rhinochenus stigma AZORES:
Actinella arridens Spinitermes trispinosus Stephanoderes hampei Bruchus rufipes Strymon basilides B. tristiculus BRAZIL(?): Cycnia insulata Ceratitis capitata. Conoderus rufangulus Delphacodes balboae Glycyphagus ornatus Dinoderus bifoveolatus Helix aperta Hemiceras lepida H. aspersa Myelois famula Iridomyrmex humilis Polyamia trilobata BRITISH GUIANA: Bungalotis astylos Ovatus crataegarius Sesamia nonagrioides Vinsonia stellifera Theba pisana BRITISH HONDURAS: Euborellia stali BAHAMAS: Anisolabis caraibea Helicina chrysocheila Cryptotermes cavifrons Nasutitermes nigriceps Cycnia insulata Pheidole megacephala Cylas formicarius elegantulus Vinsonia stellifera Hemitrochus androsi

### Countries of Origin and Insects--Continued

BRITISH WEST INDIES [island(?)]:
Pectinophora gossypiella Pero anceta Phelomerus aberrans CAMEROON: Platypus rugulosus Ceratitis colae(?) Veronicella moreleti CANADA: Oxychilus cellarius Vinsonia stellifera Taeniothrips ericae Xylomeira torquata COSTA RICA(?):
Delphacodes balboae
Poekilloptera phalaenoides CANAL ZONE: Acanthoscelides armitagei Amblyrethus ponderosus CRETE: Asterolecanium epidendri Cochlicella barbara Lasiophila confusa Helix aspersa Peucestes dentatus Lorryia mali Pseudaonidia trilobitiformis Otala vermiculata Parlatoria zizyphus Stenoma catenifer Tenthecoris distinguendus Vilga divaricata CUBA: BA:
Aspidiella sacchari
Coccus viridis
Cylas formicarius elegantulus
Pectinophora gossypiella Vinsonia stellifera CAPE VERDE ISLANDS: Opogona sacchari CAYMAN ISLANDS: CURACAO: Parlatoria cinerea Nasutitermes nigriceps CYPRUS:
Ceratitis capitata
Cochlicella barbara CEYLON: Sternochetus mangiferae Trogoderma granarium CHILE:
Brevipalpus chilensis Helicella caperata H. cretica Chelymorpha varians Pseudopachymerina lallemanti Conoderus rufangulus Taeniothrips meridionalis Lygaeus alboornatus Theba pisana Neotermes chilensis Thrips major CZECHOSLOVAKIA: Frankliniella intonsa Ovatus crataegarius Porotermes quadricollis Rhaptus quadricollis Rhagoletis cerasi CHINA:
Minthea rugicollis DENMARK: Helicella caperata Morganella longispina Mamestra brassicae Mycetaspis personata Ostrinia nubilalis Parlatoria cinerea Plemeliella abietina COLOMBIA: Rhagoletis cerasi Anisolabis caraibea
Bephrata maculicollis
Carineta rufescens Theba pisana Thrips major Trichia hispida Cerconota anonella DOMINICA:
Helicina dominicensis Chlorotettix nigromaculatus Epilachna defecta var DOMINICAN REPUBLIC: Anastrepha insulae Heterotermes convexinotatus Nasutitermes ephratae A. mombinpraeoptans Obroatis distincta Asteriza flavicornis Pagiocerus frontalis Chabora nealcesalis Pheidole megacephala Stenoma catenifer
Trosia dimas incostata
COLOMBIA(?):
Liriomyza quadrata Cylas formicarius elegantulus Frankliniella sulphurea Hapithus tenuicornis Melete salacia Taosa herbida Pectinophora gossypiella COSTA RICA: Acutaspis tingi Pentalonia nigronervosa DOMINICAN REPUBLIC(?): Anastrepha mombinpraeoptans Cycnia insulata Aspidiotus destructor ECUADOR: Agriacris octomaculata Asterolecanium epidendri Aspidiotus destructor Azeta versicolor Asterolecanium epidendri Clavaspis herculeana <u>Carpophilus maculatus</u> <u>Metamasius hemipterus hemipterus</u> Draeculacephala clypeata Lycorea cleobaea M. hemipterus sericeus Megischyrus zonalis Opsiphanes tamarindi corrosus Neoleucinodes elegantalis Pheidole megacephala Porphyrobaphe iostoma Paroecanthus mexicanus

### Countries of Origin and Insects -- Continued

ECUADOR - - Continued Lepidosaphes chinensis Pseudococcus fragilis Lyctoxylon japonum Solaropsis monile Maruca testulalis Stenoma catenifer Ostrinia nubilalis EL SALVADOR: Parlatoria cinerea Acutaspis umbonifera P. citri Anastrepha mombinpraeoptans P. zizyphus Parlatoria cinerea Pheidole megacephala Stenoma catenifer Trogoderma granarium ENGLAND: Unaspis yanonensis Cepaea hortensis FRANCE: Cochlicella barbara Acrolepia assectella Deroceras caruanae Amphiniallon majalis Eriophyes parabuxi Asterobemisia carpini Frankliniella intonsa Bemisia citricola Hartigiola annulipes(?) Cepaea hortensis Helicella candidula Ceratitis capitata Laspeyresia splendana Cladius pectinicornis Limnephilus lunatus Cochlicella barbara Mamestra brassicae Eriophyes parabuxi Ovatus crataegarius Evergestis forficalis Psyllioides chrysocephala Gortyna flavago Rhagoletis cerasi Helicella caperata Rhopalosiphum insertum H. conspurcata Taeniothrips atratus H. larnacensis T. ericae H. maritima Thrips major H. obvia T. pillichi H. variabilis Trichia hispida Helix aperta Trogoderma granarium H. aspersa ENGLAND(?):
Eurrhypara hortulata(?) H. pomatia Heterogaster urticae Helicella caperata Iridomyrmex humilis H. conspurcata Mikiola fagi Laspeyresia splendana Lochmaea crataegi ERITREA: Mamestra brassicae Lejeania darnaudi ETHIOPIA: Milax gagates Lejeania darnaudi Monacha cantiana Sinoxylon anale M. carthusiana Trogoderma granarium Otala vermiculata EUROPE [country(?)];
Aphalara exilis Parlatoria cinerea Periphyllus aceris Ceratitis capitata Phalonia zephyrana Cladius pectinicornis Phyllotreta cruciferae Cryptoblabes gnidiella Phylus coryli Helicella conspurcata Pieris brassicae H. derbentina Plemeliella abietina H. trochoides Pseudococcyx tessulatana Maniola jurtina Rhagoletis cerasi Nephotettix apicalis Rhinocola ericae N. impicticeps Scolytus scolytus Parlatoria zizyphus Taeniothrips dianthi Phyllopertha horticola Theba pisana Rhagoletis cerasi Thrips major FIJI: Trichia hispida Aspidiella hartii T. striolata Morganella longispina FRANCE(?): Helicella itala Pheidole megacephala FINLAND:
Eriophyes leionotus
Taeniothrips atratus GABON: Fulvius brevicornis GERMANY: FORMOSA: Chilo suppressalis Acrolepia assectella Antonina phragmitis Coptotermes formosanus Aphis abietina Dialeurodes kirkaldyi Ardis brunniventris Heterobostrychus aequalis

## Countries of Origin and Insects -- Continued

GERMANY -- Continued Bruchus affinis Aonidiella inornata Aspidiotus destructor B. lentis Conotelus mexicanus B. viciae Genaparlatoria pseudaspidiotus Cladius pectinicornis Lepidosaphes tokionis Endelomyia aethiops Pentalonia nigronervosa Ernobius abietis Samoedes trithyralis Euleia heraclei(?) Sternochetus mangiferae GUAM(?):
Platylomia fuliginosa Evergestis forficalis Frankliniella intonsa GUATEMALA: Acanthoscelides oblongoguttatus Heliophobus saponariae Helix aspersa Anastrepha mombinpraeoptans Hylemya floralis A. serpentina(?) Laspeyresia splendana Aspidiella sacchari Mamestra brassicae Carpophilus maculatus Oulema nielanopa Cerconota anonella Plemeliella abietina Diorymerellus laeviniargo Rhagoletis cerasi Draeculacephala clypeata Taeniothrips atratus Galgupha punctifer T. ericae Gnorimoschema gudmannella Theba pisana Helicina zephyrina Thrips major T. pillichi Leptopharsa elata Mycetaspis personata Trichia hispida Nasutitermes ephratae Trogoderma granarium Neella floridulus Urocerus gigas gigas Parlatoria cinerea U. gigas taiganus Polytus mellerborgi GHANA: Prepops latipennis Ceratitis capitata(?) Puto ulter GREECE: Stenoma catenifer Acrolepia assectella Bruchus ervi Tenthecoris bicolor Veronicella moreleti B. lentis B. signaticornis Vinsonia stellifera Ceratitis capitata Vulsirea violacea GUATEMALA(?):
Delphacodes vaccina Chrysolina americana Cochlicella barbara GUINEA: Ceratitis capitata Cryptoblabes gnidiella Curculio elephas HAITI: Dacus oleae Anastrepha mombinpraeoptans Helicella caperata Aspidiella sacchari H. conspurcata Ortholonius jamaicensis H. cretica Vinsonia stellifera H. derbentina HAWAII: Achaea janata H. maritima H. pyramidata Achatina fulica Adoretus sinicus Helix aperta Araecerus levipennis H. aspersa Aspidiotus destructor Hemimene juliana Laspeyresia splendana Blastobasis inana(?) Bradybaena similaris Milax gagates Ceratitis capitata Monacha syriaca Ceresium unicolor Otala lactea O. vermiculata Ceroplastes rubens Chrysodeixis chalcites Parlatoria zizyphus Pieris brassicae Coccus viridis Conoderus exsul Schneidereria pistaciella Theba pisana Conotelus mexicanus Cryptophlebia illepida Trialeurodes lauri C. ombrodelta Trichia hispida Cryptotermes brevis Trogoderma granarium Dacus cucurbitae GREECE(?): Heterobostrychus aequalis D. dorsalis Dialeurodes kirkaldyi GRENADA: Diocalandra taitensis Temnaspidiotus excisus Dynatopechus aureopilosus(?) GUAM: Frankliniella sulphurea Achatina fulica

## Countries of Origin and Insects -- Continued

HAWAII -- Continued Fulvius variegatus Ardis brunniventris Genaparlatoria pseudaspidiotus Endelomyia aethiops Geotomus pygmaeus Laspeyresia splendana Graptostethus manillensis Ostrinia nubilalis Gynaikothrips ficorum Rhagoletis cerasi ICELAND: Rhagoletis cerasi Haplothrips gowdeyi Hellula undalis Taeniothrips atratus Lamellaxis micra INDIA: Laminicoccus giffardi Callosobruchus analis Lampides boeticus Dinoderus bifoveolatus Lepidosaphes tokionis D. japonicus Lineodes ochrea Eucalandra setulosa Maruca testulalis Heterobostrychus aequalis Megacerus alternatus Minthea rugicollis Morganella longispina Nephotettix apicalis Mycetaspis personata N. impicticeps Neophyllaphis araucariae Oligonychus coffeae Neotermes connexus Sinoxylon anale Nysius kinbergi S. conigerum Orchidophilus aterrimus Sternochetus mangiferae Oxydema fusiforme Trogoderma granarium Palmicultor oceanicus Vinsonia stellifera P. palmarum Xylothrips flavipes Parlatoria zizyphus INDIA(?): Helicella caperata Pealius hibisci INDONESIA: Callosobruchus analis Pectinophora gossypiella Pentalonia nigronervosa Genaparlatoria pseudaspidiotus Perkinsiella saccharicida Parlatoria zizyphus Pheidole megacephala Trogoderma granarium Phoracantha semipunctata IRAN: Protaetia fusca Eulachnus tuberculostemmata Pseudoparlatoria giffardi Trogoderma granarium Saccharicoccus sacchari IRAQ: Cadra calidella Sinoxylon conigerum Siphanta acuta Trogoderma granarium Spodoptera pecten IRELAND: Cladius pectinicornis Sternochetus mangiferae Cochlicella barbara Stoeberhinus testaceus Sybra alternans Eriophyes parabuxi Taeniothrips hawaiiensis Gelechia ericetella Xystrocera globosa Helicella caperata HONDURAS: Helix aspersa Alkindus atratus Oxychilus alliarius Anastrepha mombinpraeoptans Taeniothrips atratus Conotrachelus perseae T. ericae Cryptotermes brevis Thrips major Dendroctonus frontalis Trichia hispida Frankliniella panamensis ISRAEL:
Bruchus lentis Nasutitermes ephratae Neolobophora inopinata Ceratitis capitata Cochlicella barbara Pentalonia nigronervosa Pheidole megacephala Helicella conspurcata H. cretica Stenoma catenifer Vinsonia stellifera H. joppensis HONG KONG: H. protea Aceria litchii Helix aspersa Bradybaena similaris Parlatoria cinerea Chilo suppressalis P. zizyphus Maruca testulalis Theba pisana Minthea rugicollis Trichia striolata Morganella longispina ITALY: Acrolepia assectella Parlatoria cinera P. zizyphus Andricus ostrea Trogoderma granarium Anuraphis cynarae HONG KONG(?):
Helix pomatia A. schwartzi Arge ochropus

## Countries of Origin and Insects -- Continued

ITALY -- Continued
Brachycerus albidentatus Thrips angusticeps Trialeurodes lauri B. algirus Trichia cinctella Bruchidius gilvus T. hispida Bruchus ervi T. striolata B. lentis Trogoderma granarium B. rufipes IVORY COAST: B. signaticornis Stephanoderes hampei B. tristiculus Trogoderma granarium B. tristis JAMAICA: Aganactesis indecora Ceratitis capitata Ceroplastes japonica Anastrepha mombinpraeoptans Chrysolina americana Aspidiotus destructor Cladius pectinicornis Asterolecanium epidendri Cochlicella barbara Bruchus signaticornis C. conoidea Diaphania indica Cryptoblabes gnidiella Graminella expansa Curculio elephas G. striatella Dacus oleae Haplothrips gowdeyi Deroceras caruanae Heterotermes convexinotatus Dyspessa ulula Odontostelis bivittata Ernobius abietis Ovatus crataegarius Euphyllura olivina Pectinophora gossypiella Evallaspis ampelodesmae Pentalonia nigronervosa Frankliniella intonsa Pheidole megacephala Gortyna flavago Sphenarches caffer Helicella caperata Unerus colonus H. conspurcata Veronicella moreleti H. maritima Vinsonia stellifera H. pyramidata JAMAICA(?): H. terrestris Aeneolamia varia H. variabilis Arocera splendens Helicodonta obvoluta Chlorotettix tethys Helix aperta Doleranus tethys H. aspersa Graminella bipunctella H. pomatia G. punctata Hemimene juliana Syneda confirmans Hyadaphis foeniculi JAPAN: Hylurgus ligniperda Abgrallaspis degenerata Labidostomis taxicornis Aglossa caprealis Anomala orientalis Laspeyresia splendana L. strobilella Aonidiella inornata Mamestra brassicae Aspidiotus destructor Metafruticicola pellita Bemisia shinanoensis Mikiola fagi Callidium rufipenne Milax gagates Callosobruchus ademptus Monacha carthusiana Carposina niponensis Oncochila simplex Chilo suppressalis Ostrinia nubilalis Chlorophorus annularis(?) Dactynotus formosanus Otala lactea O. vermiculata Dialeurodes tristylii Oulema melanopa Dichocrocis punctiferalis Ovatus crataegarius Frankliniella formosae Palpita unionalis F. lilivora Parlatoria cinerea Gnaphalocrocis medinalis P. zizyphus Graptopsaltria colorata Parmena balteatus Lampides boeticus Phalonia zephyrana Macrodasyceras japonicum Plemeliella abietina Macrosiphum ibarae(?) Prays oleellus Mamestra brassicae Psyllioides chrysocephala Matsumuraeses phaseoli Rhagoletis cerasi Meimuna opalifera(?) Rhopalosiphoninus tulipaellus Milax gagates Sesamia cretica Morganella longispina Taeniothrips atratus Mycetaspis personata Theba pisana Nephotettix cincticeps

## Countries of Origin and Insects -- Continued

JAPAN--Continued
Nipponaclerda biwakoensis LIBERIA:
Ceratitis capitata Nomis albopedalis Stephanoderes hampei Oeobia ferrugalis LIBYA: Cochlicella barbara Oligonychus perditus Helicella cretica Ostrinia nubilalis H. derbentina Parlatoria crypta H. itala P. zizyphus H. maritima Phytobia cepae H. pyramidata P. iridicola H. trochoides Phytoecia rufiventris Sehirus dubius Pineus harukawai Theba pisana Pinnaspis uniloba MADAGASCAR: Ceratitis capitata(?) Prodenia litura Ptochoryctis tsugensis MADEIRA ISLANDS: Succinea horticola Ceratitis capitata Taeniothrips eucharii MALAYSIA:
Parlatoria zizyphus T. hawaiiensis Trogoderma granarium
MARIANA ISLANDS:
Aonidiella inornata Tenuipalpus japonicus Tetranychus viennensis Trogoderma granarium Lepidosaphes tokionis Tyrophagus palmarum MAURITIUS ISLAND: <u>Unaspis</u> yanonensis Vinsonia stellifera JAPAN(?): Aspidiella hartii MEXICO: Acanthoscelides oblongoguttatus Callosobruchus analis Acutaspis albopicta Dictyophara patruelis A. tingi Dictyoploca japonica A. umbonifera Schoenobius incertulas Aegithus meridionalis var. cardinalis Simplicia schaldusalis Aleurocanthus woglumi Spatalia argentifera Aleuroglandulus emmae Spodoptera pecten Amitermes wheeleri Stenygrinum quadrinotatum Anastrepha ludens Taeniothrips distalis(?) A. mombinpraeoptans JOHNSTON ISLAND: A. serpentina (?) Spodoptera pecten Andricus furnessae JORDAN: Bruchus lentis Aspidiotus destructor Ceratitis capitata Automeris janus metzli Dacus oleae Batrachedra linaria KENYA: Bradybaena similaris Gymnobothrus fallax Calyptocephala gerstaeckeri Paracinema tricolor "Cicadella" miniaticeps KOREA: Chilo suppressalis Coelonertus nigrirostris Conotelus mexicanus Chrysaspidia festata Conotrachelus aguacatae Gryllotalpa africana Cryphula apicata Lepidosaples tubulorum Cylas formicarius elegantulus Nikkoaspis shiranensis Dallasiellus murinus Tetranychus viennensis Diaspis miranda Trogoderma granarium Diatraea considerata Zicrona caerula var. cuprea Diorymerellus laevimargo KWAJALEIN: Dysdercus mimulus Furcaspis oceanica Epilachna nigrocincta Lepidosaphes esakii LEBANON: Eucheira socialis Bruchus ervi Exptochiomera albomaculata Cochlicella barbara E. formosa Cryptoblabes gnidiella Galgula partita(?) Dacus oleae Gnorimoschema gudmannella Euphyllura olivina Haplothrips clarisetis Monacha carthusiana Helicina zephyrina M. obstructa Icerya montserratensis Theba pisana Iridomyrmex humilis Trogoderma granarium Lamellaxis micra LEBANON(?): Metamasius hemipterus carbonarius

Helicella cretica

## Countries of Origin and Insects -- Continued

MEXICO -- Continued NICARAGUA: Micrapate labialis Aleurocanthus woglumi Milax gagates Anastrepha mombinpraeoptans Moodna bisinuella A. striata(?) Mycetaspis personata Cahya variabilis Nasutitermes nigriceps Melanaspis aliena Ochropepla pallens Pangaeus rugiceps Ogdoecosta biannularis Poecilotylus trifasciatus Pangaeus aethiops Polymerus testaceipes Parlatoria cinerea Prosapia simulans var. Pectinophora gossypiella Pseudischnaspis acephala Prostephanus truncatus P. longissima Puto mexicanus NICARAGUA(?): Saccharicoccus sacchari Selenis suero NIGERIA: Sisamnes contractus Ceratitis colae(?) Stenoma catenifer Frankliniella schultzei Talponia batesi NIGERIA(?):
Bruchus lentis Tenthecoris bicolor NORTHERN IRELAND: Cladius pectinicornis T. distinctus Turuptiana obliqua Xenocassis amoena NORWAY: Milax gagates MEXICO(?): Taylorilygus pallidulus Taeniothrips atratus MONACO: Trichia hispida Laspeyresia splendana OKINAWA: MONTSERRAT: Achatina fulica Pectinophora gossypiella Chilo suppressalis MOROCCO: Creatonotus gangis Ceratitis capitata Popillia lewisi Cochlicella barbara Prodenia litura Harmolita ips OKINAWA(?):
Grammodes geometrica Otala lactea Parlatoria zizyphus PAKISTAN: Theba pisana Sinoxylon conigerum Trogoderma granarium Trogoderma granarium NEPAL: PANAMA: Cephonodes hylas virescens Aleurocanthus woglumi NETHERLANDS: Anastrepha mombinpraeoptans Acrolepia assectella Bephrata maculicollis Arge ochropus Cephaloleia pretiosa Arianta arbustorum Galgupha quadrisignata Evergestis forficalis Geniates panamensis Frankliniella intonsa Heterotermes convexinotatus Helicella caperata Lepidosaphes tokionis Helix aspersa Liogenys macropelma Mamestra brassicae Mescinia peruella Milax gagates Pagiocerus frontalis Otala vermiculata Parlatoria cinerea Ovatus crataegarius Pentalonia nigronervosa Phyllotreta cruciferae Pheidole megacephala Rhopalosiphoninus tulipaellus Stenoma catenifer Rhopalosiphum crataegellum Vinsonia stellifera Scobicia chevrieri PERU:
Ambotingis senta Taeniothrips atratus
T. ericae Anastrepha fraterculus(?) Theba pisana Asterolecanium epidendri Thrips major Ceratitis capitata (?) Trichia hispida Coccus viridis Trogoderma granarium Pagiocerus frontalis NETHER LANDS(?): Helix aperta Polychisme ferruginosus Stenoma catenifer Otala lactea PHILIPPINES: Rhagoletis cerasi Acutaspis tingi NEW ZEALAND: Aiolopus tamulus Epiphyas postvittana Aonidiella inornata Parlatoria cinerea Aspidiella hartii Tortrix excessana Aspidiotus destructor Unaspis yanonensis Aulacaspis tubercularis

### Countries of Origin and Insects -- Continued

PHILIPPINES -- Continued RWANDA: Coccus viridis Trogoderma granarium Cylas formicarius SAINT KITTS: Anastrepha mombinpraeoptans Dialeurodes kirkaldyi Neurotmeta viridis Genaparlatoria pseudaspidiotus SAUDI ARABIA: Trogoderma granarium Grammodes geometrica Haplothrips gowdeyi SCOTLAND:
Gelechia ericetella Lepidosaphes duponti L. esakii Rhinocola ericae L. tubulorum Taeniothrips atratus Maruca testulalis T. ericae SENEGAL: Ceratitis capitata Nephotettix impicticeps Olenecamptus octopustulatus formosanus Orchidophilus aterrimus SINGAPORE: Aleurotuberculatus nephelii (?) Parlatoria zizyphus Aspidiotus destructor Pentalonia nigronervosa Bradybaena similaris Planococcus lilacinus Heterobostrychus aequalis Prodenia litura Sinoxylon conigerum Psara licarsisalis Trogoderma granarium Pseudaonidia trilobitiformis SINGAPORE(?): Trichia striolata Spodoptera mauritia Taeniothrips hawaiiensis SOUTH AFRICA: Aleophagus myersi Temnaspidiotus excisus Theretra nessus Antestia orbitalis Trogoderma granarium Asterolecanium stentae Vinsonia stellifera Carbula litigatrix PHILIPPINES(?): Ceratitis capitata Unaspis yanonensis Cryptotermes brevis POLAND: Epichorista ionephela Frankliniella intonsa Eurytoma seyali Pieris brassicae Eysarcoris inconspicuus(?) Plemeliella abietina Forficula senegalensis(?) Rhagoletis cerasi Frankliniella schultzei Taeniothrips atratus Iridomyrmex humilis T. dianthi Opogona sacchari Thrips major Ostrinia nubilalis PORTUGAL: Oxychilus cellarius Aglossa caprealis Parlatoria cinerea Bruchus signaticornis P. zizyphus Ceratitis capitata Phlyctinus callosus Curculio elephas Pseudococcus fragilis Dyspessa ulula Solenosthedium liligerum Endelomyia aethiops Trogoderma granarium Helicella conspurcata SOUTH AMERICA [country(?)]: Euxoa bilitura Helix aspersa Laspeyresia splendana SOUTH PACIFIC: Iridomyrmex iniquus nigellus Milax gagates Myzaphis turanica Morganella longispina Oeobia ferrugalis Parlatoria cinerea Ostrinia nubilalis Sternochetus mangiferae Otala lactea Stoeberhinus testaceus Rhagoletis cerasi Syntomis tetragonaria Rhopalosiphoninus chicotei SPAIN: Anuraphis cynarae Theba pisana Brachycerus algirus Thrips angusticeps Bruchus lentis Trichia hispida B. rufipes PUERTO RICO: Anastrepha mombinpraeoptans Ceratitis capitata Chaetococcus bambusae Chrysolina americana Cylas formicarius elegantulus Cochlicella barbara Diaprepes abbreviatus C. conoidea Maruca testulalis Cryptoblabes gnidiella Ochrimnus collaris Dyspessa ulula Pentalonia nigronervosa Evergestis forficalis Vinsonia stellifera Gortyna flavago RUMANIA: Rhagoletis cerasi Helicella caperata H. conspurcata

### Countries of Origin and Insects -- Continued

SPAIN - - Continued Fundella pellucens Helicella maritima H. pyramidata Microcerotermes arboreus H. trochoides Pectinophora gossypiella Pentalonia nigronervosa H. variabilis TURKEY: Laspeyresia splendana Cladardis elongatula Lorryia formosa Eudecatoma biguttata Milax gagates Helicella cretica Morganella longispina H. derbentina Mycetaspis personata H. neglecta Otala vermiculata H. protea Ovatus crataegarius H. variabilis Parlatoria cinerea Helix aspersa P. zizyphus Megastigmus suspectus pinsapinis Rhagoletis cerasi Monacha cantiana Rhinocola ericae Pectinophora gossypiella Theba pisana Pieris brassicae Thrips angusticeps Rhagoletis cerasi SUDAN: Trogoderma granarium Theba pisana UNITED ARAB REPUBLIC: Ceratitis capitata SUMATRA: Trogoderma granarium SURINAM: Gnorimoschema ocellatella Euscepes postfasciatus <u>Helicella</u> protea Nasutitermes guayanae Hellula undalis Vinsonia stellifera Oxycarenus hyalinipennis SWEDEN: Theba pisana Endelomyia aethiops UNITED ARAB REPUBLIC(?): Trogoderma granarium Helicella caperata Mamestra brassicae UNKNOWN: Pityogenes chalcographus Achaea catocaloides Scolopostethus decoratus Acygoniodes hepatizans Sirex juvencus Aethus indicus SWITZERLAND: Amyna natalis Acrolepia assectella Anastrepha ludens Aphis callunae Asterobemisia carpini Arianta arbustorum Autographa gamma Frankliniella intonsa Blennocampa pusilla Helicella caperata Bolitophila dupla Psylla rhododendri Bruchus lentis Rhagoletis cerasi Callidium rufipenne Thrips major Ceratitis capitata SYRIA: Trogoderma granarium Cladardis elongatula Cladius pectinicornis TAHITI: Dialeurodes kirkaldyi Cochlicella barbara Elytroteinus subtruncatus(?) Conotelus mexicanus Cryptoblabes gnidiella Morganella longispina Deltocephalus maculellus Orchamoplatus mammaeferus Eulepidotis electa Parlatoria cinerea Euxoa spinifera P. citri THAILAND:
Apoleon edax(?) Frankliniella formosae F. intonsa Cylas formicarius formicarius(?) Geniates panamensis Heterobostrychus aequalis Gesonia obeditalis Hippotion echeclus Gryllus bimaculatus H. rafflesi Helicella conspurcata Lepidosaphes tokionis Heliophobus reticulata Minthea rugicollis Hylurgops palliatus Palpita unionalis Lampides boeticus Parlatoria zizyphus Liogenys macropelma Pectinophora gossypiella Macroglossum stellatarum Prodenia litura Malocampa satis Trogoderma granarium Mamestra brassicae Utetheisa pulchella Maruca testulalis TORTOLA: Morganella longispina Anastrepha mombinpraeoptans Mycetaspis personata

### Countries of Origin and Insects -- Continued

UNKNOWN--Continued Nephotettix apicalis N. impicticeps Nisia atrovenosa Nyctipao nyctaculis Nymphula fluctuosalis Ommatophora fulvastra Otala lactea Oxyodes scrobiculata Pangaeus aethiops Parlatoria cinerea P. zizyphus Perichares phocion Pholus satellitia licaon Pieris brassicae Prodenia litura Rhagoletis cerasi Sinoxylon conigerum Siphunculina striolata Sitona hispidula Spodoptera mauritia S. mauritia acronyctoides S. pecten Stenygrinum quadrinotatum Stephanoderes hampei Stoeberhinus testaceus Taeniothrips atratus T. dianthi Theba pisana Theretra silhetensis intersecta Thrips angusticeps T. pillichi Thysanofiorinia nephelii Trogoderma granarium Unaspis yanonensis Utetheisa pulchella Xylomeira torquata Xylothrips flavipes VENEZUELA: Acanthoderes circumflexa Acanthoscelides armitagei Antiteuchus mixtus Cahya variabilis Cerconota anonella Concana lepida Epinotia aporema Ollarianus sexmaculatus Parlatoria cinerea Poekilloptera phalaenoides Stenoma catenifer VIET-NAM: Aspidiotus destructor Ericeia inangulata

Mocis frugalis
Nephotettix apicalis

P. zizyphus Planococcus lilacinus Spodoptera pecten VIET-NAM(?): Antheua servula Lagoptera certior Prodenia litura Spodoptera abyssinia S. mauritia WAKE ISLAND: Anticarsia irrorata Mocis undata Pentalonia nigronervosa Siphunculina striolata Spodoptera mauritia acronyctoides S. pecten WAKE ISLAND(?): Cassida circumdata Schoenobius incertulas Spodoptera exempta WEST AFRICA:
Fulvius brevicornis
WEST INDIES [island(?)]:
Vinsonia stellifera
WEST PACIFIC:
Chalciope hyppasia
Chapithus gramineus Chanithus gramineus Chrysodeixis chalcites Cosmopsaltria inermis Deltocephalus distinctus D. hospes Eublemma parva Gesonia obeditalis Gnaphalocrocis medinalis Grammodes geometrica Marasmia poeyalis Mocis frugalis M. undata Nephotettix apicalis N. impicticeps Nomis albopedalis Pieris melete Prodenia litura Schoenobius incertulas Spodoptera mauritia S. pecten YUGOSLAVIA: Cadra calidella Ceroplastes rusci Curculio elephas Frankliniella intonsa Helix pomatia Laspeyresia splendana Monacha olivieri Ostrinia nubilalis

Parlatoria citri

		ГИІ	NUMBER ERCEPT IN		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
Aecidium hostae Diet.:					
Hosta sp. (plantainlily) leaf	Japan	1	3		Hawaii.
*Alternaria oryzae Hara:  Oryza sativa (rice) seed	do	1			Hawaii.
Christie, 1932: Paeonia suffruticosa (tree peony)	do			7	Calif., Wash.
Aphysa senniana (Sacc.) Doidge:  Protea sp. (leaf)	South Africa		1		Mass.
Citrus aurantium (sour orange)					
C. paradisi (grapefruit)	Africa. Australia, Japan	1	1		Calif.
C. sinensis (sweet orange)		2	1		Calif., Tex.
Cynara scolymus (artichoke) bract Ascochyta oryzae Catt.:	France		1		N. J.
Oryza sativa (rice) straw "horse"	Japan	1			Calif.
Passiflora edulis (purple granadilla) fruit	_	1			N. Y.
P. mollissima (softleaf passionfruit)	lic. Colombia	16			Fla., N.Y.
†Ascochyta siliquastri Pass.: <u>Cercis siliquastrum</u> (Judas tree or redbud)	Italy			1	N. J.
†Botryosphaeria dasylirii (Pk.) Theiss. & Syd.:  Dasylirion sp. (sotol) plant					Tex.
Bubakia erythroxylonis Cumm.:					
Erythroxylum coca (huanuco cocaine tree) leaf .  †Bulgaria inquinans Fr.:					
Pinus sp. (pine) bark	Netherlands		1		Fla.
Acer pseudoplatanus (planetree maple) Cercospora angraeci Feuill. & Roum.:	France		1		Va.
Chysis sp. (orchid) plant					Tex.
Dendrobium sp. (orchid) plant  Odontoglossum hybrid (orchid) plant					Calif. Calif.
Sobralia sp. (orchid) plant					Fla.
† Cercospora bizzozeriana Sacc. & Berl.:  Lepidium sp. (pepperweed)	Dominican Republic	1			Fla.
Cercospora bougainvilleae Muntañola:  Bougainvillea sp. (leaf)	Jamaica, *Venezuela.	1	• • • • •	2	Fla.
†Cercospora cajani P. Henn.:  Cajanus cajan (pigeonpea) pod			1		Fla.
*Cercospora caribaea Chupp & Cif.:  Manihot esculenta (common cassava)	Dominican Republic	1			Fla.
*Cercospora gerberae Chupp & Viegas:  Gerbera jamesonii (flameray gerbera)  *Cercospora henningsii Allesch.:	Cayman Islands			1	Fla.
Manihot esculenta (common cassava)  *Cercospora hyalina Müller & Chupp:	Guatemala	1			Fla.
Rosa sp. (rose) leaf					
Diospyros kaki (kaki persimmon)  †Cercospora lonchocarpi Stevenson:				1	
Gliricidia sepium (leaf)*  *Cercospora longissima Sacc.:					
Lactuca sativa (lettuce)	BrazilGuadeloupe		1 1		P. R. P. R.

<sup>\*</sup>First from country. †First interception.

		INT	NUMBER ERCEPTI		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
*Cercospora malayensis F. L. Stevens & Solh.:				_	
Hibiscus syriacus (shrub-althea)*  *Cercospora odontoglossi Prill. & Del.:				1	Fla.
Anguloa sp. (cradle orchid)*  *Cercospora stachytarphetae Ell. & Ev.:	Colombia			1	Fla.
	Honduras	1			Fla.
†Cercospora stevensonii Chupp:	.D. 1				73
Codiaeum variegatum (variegated croton) *Chaconia ingae (Syd.) Cumm.:					Fla.
Inga sp. (inga) seed pod † Choanephora cucurbitarum (Berk. & Rav.) Thaxt.:	1	1	• • • • •		Fla.
Cucurbita maxima (squash)		• • • •	1		N. Y.
(d By.) Savile:  Rhododendron ferrugineum (rock rhododendron)	try(?)], Italy,	11		• • • • •	Ill., N.Y.
R. kotschyi (Alpine rose)	Switzerland. Austria	1			N. Y.
Rhododendron sp. (leaf)	Austria, Europe [country(?)], Germany, Switzerland.	14	2	3	Ill., N.Y., Wash.
†Cladosporium cladosporioides (Fr.) de Vries: Ullucus tuberosus (tuber ullucus)	Do		1		Ma
†Coccomyces triangularis (Schw.) Sacc. (?):				• • • • •	Md.
Syringa amurensis var. japonica (Japanese lilac) stem with seed.  Coleosporium bletiae Diet.:	Japan		• • • •	1	Calif.
Phaius mishmensis (orchid) leaf and stem P. wallichii (orchid) leaf	l .			1	Wash. Fla.
*Coleosporium campanulae (Pers.) Lév.:				1	
Campanula sp. (bellflower) leaf and stem *Coleosporium plumierae Pat.:	Sweden			1	N. Y.
Plumeria sp. (leaf) †Coniothyrium incrustans Sacc. (?):	Bahamas			1 .	Fla.
Albizzia sp. (stem)*  *Coniothyrium stanhopeae P. Henn.:	Bermuda	1			Mass.
Laelia sp. (orchid) leaf				1	Fla.
Vanda hybrid (orchid) †Coniothyrium tiliae Miyake:				1	Hawaii.
<u>Tilia cordata</u> (littleleaf linden) seed †Corynelia oreophila (Speg.) Starb.:	Austria			1	N. J.
Podocarpus macrophyllus (yew podocarpus) †Coryneum acaciae McAlp. (?):	Mexico			1	Tex.
Acacia lasiocalyx (leaf with seed)	Australia			1	Calif.
Criconemoides xenoplax Raski, 1952:  Juniperus chinensis (pyramid Chinese juniper) dwarf tree.	Japan			1	Calif.
•	New Zealand, Nor- folk Island.		• • • • •	5	Calif., N.Y.
*Curvularia geniculata (Tracy & Earle) Boed.:  Cucumis melo var. cantalupensis (cantaloupe).	El Salvador	1			Fla.
	Japan				Hawaii.
Bamboo (leaf)	Formosa	1			Hawaii.
* <u>Diaporthe arctii</u> (Lasch) Nits.: <u>Salvia splendens</u> (scarlet sage) seed					N. J.
Stevensonia borsigiana (palm) seed	New Zealand			1	Calif.

<sup>\*</sup>First from country. †First interception.

		INT	NUMBER ERCEPT IN		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
†Diaporthe strumella Fckl. (Phomopsis pungens					
stage): <u>Ribes alpinum</u> (Alpine currant) stem <u>Didymellina ornithogali</u> Jacq. ( <u>Heterosporium</u> ornithogali stage):	Netherlands			1	N. J.
Ornithogalum thyrsoides (Cape chinkerichee).  *Didymium squamulosum (Alb. & Schw.) Fr.:	South Africa	8		• • • • •	N. Y.
Chamaedorea sp. (palm) frond	Guatemala	2			Tex.
Magnolia liliflora (lily magnolia)  Diplodia viticola Desm.:	Japan			1	Calif.
Vitis sp. (grape) cutting	Italy			1	N. Y.
Narcissus 'Roseworthy' (bulb)  Elsinoe australis Bitanc. & Jenkins:	Ireland			1	N. J.
	Argentina, Brazil, Argentina, Brazil, South America		25 6		Calif., Fla. Calif., Fla., N.Y., P.R., Tex.
C. paradisi (grapefruit)	[country(?)]. Argentina, Brazil.	2	2		Fla., La., N.Y.
	Argentina, Brazil, South America [country(?)], un- known, Uruguay.	15	18		Fla., La., N.Y., Pa., P.R., Tex.
C. reticulata 'Satsuma' (Satsuma orange)	Unknown		1		
<u>C. sinensis</u> (sweet orange)	Argentina, Brazil, Paraguay, South America [coun- try(?)], unknown, Uruguay.	12	218		Ala., Am. V.I., Calif., Del., Fla., Ga., Hawaii Ill., La., Mass., Md., Mich., N.C., N.Y., Ohio, Pa., P.R.,
Elsinoe lepagei Bitanc. & Jenkins(?):  Calocarpum sapota (sapote)	Mexico	1	••••	• • • • •	S.C., Tex., Va. Tex.
Elsinoe mangiferae Bitanc. & Jenkins:  Mangifera indica (mango)	Brazil, British	65	3		Fla., Ga., S.C.,
Elsinoe piri (Wor.) Jenkins:	Honduras, Colombia, Costa Rica, *Ecuador, El Salvador, *Guate- mala, Haiti, Hon- duras, Jamaica, Mexico, *Nicara- gua, Panama, *Peru, unknown, *Venezuela.				Tex.
Malus sylvestris (apple) Erwinia citrimaculans (Doidge) Magrou:	Spain		1	• • • • •	S.C.
Citrus limon (lemon)  †Gloeosporium arctostaphyli W. B. Cooke & C. G. Shaw(?):	Italy		1		Ņ. Y.
Arctostaphylos sp. (mazanita) berry Graphiola borassi Syd. & Butl.:	Mexico	1			Calif.
Borassus flabellifer (palmyrapalm) leaf Guignardia citricarpa Kiely (Phoma stage):	India	3			Ill., N.Y., Pa.
Citrus aurantifolia (lime)	Australia , Hong Kong.	2	2		Hawaii.
C. grandis (pummelo)	Australia, Formosa	1	1 47		Calif. La. Alaska, Calif., Hawaii, La., Mass., Mich., N. Y., Oreg., Pa., S. C., Tex., Va.

		INT	NUMBER ERCEPTI		
PEST AND HOST .	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
Guignardia citricarpa Continued					
Citrus paradisi (grapefruit)	Australia, Japan, South Africa.		8		Calif., Oreg., Pa., P.R., Wash.
C. paradisi X C. reticulata (tangelo)	Japan		2		Hawaii.
C. paradisi X C. sinensis	Viet-Nam	1			Calif.
C. reticulata (mandarin orange) fruit and peel	China, Formosa, Hong Kong, Japan, Okinawa, Philip- pines, Singa- pore(?), unknown, Viet-Nam.	150	5	• • • •	Ala., Ariz., Calif., Hawaii, Ill., Mass., Mich., N.Y., Wash.
C. reticulata 'Satsuma' (Satsuma orange)	Japan	5	2		Wash.
<u>C. sinensis</u> (sweet orange)	Australia, Brazil, China, Formosa, Hong Kong, Japan, Malaysia, Philip- pines, South Africa, Thailand, un- known, Viet-Nam.	90	209		Ala., Alaska, Bermuda, Calif., Del., Fla., Ga., Hawaii, Ill., La., Mass., Md., Mich., N.C., N.J., N.Y., Oreg., Pa., P.R., S.C., Tex., Va., Wash.
Citrus sp. (fruit and peel)	China, Formosa, Hong Kong, Japan, South Africa, Thailand.	31	14	• • • •	Ariz., Fla., Hawaii, P.R., Tex., Wash.
Juniperus chinensis (pyramid Chinese juniper).  J. pacifica †Hadrotrichum phragmites Fckl.:	Japan, *Korea *Korea			2	Hawaii, Wash. Wash.
	Turkey	1			Del.
*Helicotylenchus erythrinae (Zimmermann, 1904) Golden, 1956:					
Camellia japonica (common camellia)  Heterodera avenae Wollenweber, 1924: Soil		1		1	Calif.
Soil with Allium sativum (garlic) bulb		1			N. Y. N. Y.
Soil with automobile, crate, and tractor		24			Ala., Calif., Md., N. Y., Ohio, Oreg., S. C., Tex., Wash.
Soil with propagative material (Amaryllis sp.,  Armeria maritima, cactus, Cyclamen sp.,  Ficus carica, Rheo sp., Saintpaulia sp.,  Sinningia sp., Thuja sp., and unidentified	-		••••	12	Mass., Md., N.J., N.Y., Va.
plant). Soil with stores ( <u>Solanum</u> <u>tuberosum</u> )	Belgium, Denmark, England, Germany.		4		Calif., La., Va., Wash.
Heterodera cruciferae Franklin, 1945:					
Soil with <u>Brassica napobrassica</u> (rutabaga) Soil with <u>Trifolium repens</u> cv. (shamrock) seed <u>Heterodera fici</u> Kirjanova, 1954:				1	Ohio. Oreg.
Soil with <u>Ficus carica</u> and <u>F. elastica</u> (plants).  Heterodera punctata Thorne, 1928:	Germany, Italy		• • • • •	5	Calif., N.J., N.Y.
Soil (in flower pot)	Mexico	1			Tex.
Soil with automobile, golf shoes, and tractor		13			Ala., Calif., Fla., La., Ohio, Pa., Tex., Va., Wash.
Soil with propagative material ( <u>Calluna</u> vulgaris, <u>Capsicum</u> sp., <u>Chrysanthemum</u> sp., <u>Cineraria</u> sp., <u>Cyclamen indicum</u> , <u>Hydrangea</u> sp., <u>Lilium</u> sp., <u>Mentha</u> sp., <u>Primula</u> sp., <u>Rhododendron</u> sp., <u>Rosa</u> sp.,  and <u>Sinningia</u> sp.).	England, Ireland, Portugal, Scotland.			14	Calif., Mass., Mich., N.J., N.Y., Pa., Va.

<sup>\*</sup>First from country. †First interception.

	T	T			1
		TNI	NUMBER ERCEPT IN		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
Heterodera punctata Continued  Soil with stores (Armoracia lapathifolia, Beta vulgaris, and Solanum tuberosum).	Denmark, England, Germany.		4		Calif., Fla., La.
Soil with <u>Trifolium repens</u> cv. (shamrock) <u>Heterodera rostochiensis</u> Wollenweber, 1923:	Ireland	1		••••	Mich.
Soil	England, unknown. England, Germany, *Italy.	1  25	2	1	Mich. Calif., D.C., Hawaii. Ala., Calif., Fla., Hawaii, Md., Pa., Tex., Wash.
Soil with propagative material (Asparagus sp.,  Begonia sp., cactus, Calluna vulgaris,  Chrysanthemum sp., Cyclamen sp. Dahlia  sp., Dianthus sp., Euphorbia sp., Fragaria  sp., Hedera sp., Ilex sp., Iris germanica,  Lilium sp., Matthiola sp., Mentha sp.,  Paeonia sp., Pelargonium sp. Rhododendron sp., Sinningia sp., and unidentified bulb and plant).	England, Finland, France, Germany, Ireland, *Italy, Poland, Portugal, Scotland, Sweden, unknown.			39	Calif., D.C., Fla., Ill., Mass., Md., N.J., N.Y., Pa., Va.
Soil with Solanum tuberosum (potato)	England, France, Germany, *Italy, Netherlands, Peru, Scotland, Sweden, unknown.	2	14	2	Calif., Fla., Ga., Mass., Mich., N.C., N.Y., Ohio, S.C., Tex.
Soil with stores (Apium graveolens var.  rapaceum, Beta vulgaris, Brassica napobrassica, and miscellaneous vegetables).	England, Germany.		5		Ala., Calif., Fla.
Soil with <u>Trifolium repens</u> cv. (shamrock) <u>Heterodera trifolii</u> Goffart, 1932:		6			Ill., La., Md. N.J., N.Y., Oreg.
Soil with automobile, crate, and tractor	[country(?)], *Germany.	3			Md., Wash.
Soil with <u>Pelargonium</u> sp. (geranium)*  * <u>Heterosporium</u> <u>avenae</u> Oud.:					
<u>Triticum aestivum</u> (wheat) seed and straw jacket. <u>Kuehneola japonica</u> Diet.:	France, Italy		••••		
Rosa sp. (rose) leaf					Hawaii.
Triticum aestivum (wheat) straw	France(?), Ger- many, Guatemala, Italy, Japan.	6	1		Calif.
Leptosphaeria oryzina Sacc.:  Oryza sativa (rice) hull, leaf, seed, and straw.  Leptosphaeria protearum Syd.:	Hong Kong, Japan, Philippines.	5	161		Calif.
Protea sp. (leaf)	South Africa	4			Mass., N.Y.
Araucaria cunninghamii (seed)					Calif. Calif.
Macrophoma cocos Pass.:  Cocos nucifera (coconut)	Australia, Cook Islands, Fiji, Hawaii, Malaysia, Mexico, Nicaragua	16	1		Calif.
† Macrophoma fici Alm. & Camara:  Ficus sp. (fig) leaf	Dominican Republic	1			N. Y.
Musa X paradisiaca (banana) leaf	Philippines	1			Calif.

<sup>\*</sup>First from country. †First interception.

PEST AND HOST	COUNTRY OF ORIGIN		NONENTRY	PROPAGATION	COLLECTED IN	
Marssonina juglandis (Lib.) Magn.:  Juglans regia (Persian walnut)	Greece	1		• • • •	N. Y.	
†Marssonina panattoniana (Berl.) Magn.:  Lactuca sativa (lettuce)  †Melanconium fructicolum Petch(?):	Brazil		1		P.R.	
Punica granatum (pomegranate)  Meloidogyne arenaria (Neal, 1889) Chitwood,  1949:	Mexico	1		• • • •	Tex.	
Roots (Acorus gramineus var. pusillus,  Alpinia purpurata, Amorphophallus bulbi- fer, Caladium sp., Lilium sp., Piper nigrum, Protea cynarioides, Solanum tuberosum, and Zantedeschia sp.).  Meloidogyne hapla Chitwood, 1949:	Belgium, Chile, Cuba, Guatemala, Hawaii, India, Mexico, South Africa, Thailand.		1	9	D.C., Fla., Hawaii, N.C., N.J., N.Y., Tex.	
Roots (Aconitum sp., Centaurea alpina, Chrysanthemum sp., Clematis jackmani, Dahlia sp., Fragaria sp., Iris sp., Olearia sp., Paeonia lutea var., Polianthes tube- rosa, Scopolia carniolica, Solanum tuberosum, and Trollius sp.).	Chile, England, France, Japan, Mexico, Netherlands.		1	16	Ala., Calif., D.C., N.J., N.Y., Tex.	
Meloidogyne incognita acrita Chitwood, 1949:  Roots (Alocasia sp., Beta vulgaris, Cichorium intybus, Crassula sp., Sansevieria sp., Solanum tuberosum, and Strongylodon sp.).	Costa Rica, India, Italy, Mexico, Morocco, *West Africa.	••••	3	9	Calif., Mass., N.Y., S.C., Tex.	
Meloidogyne incognita incognita Chitwood, 1949:  Roots (Allium cepa, Alocasia indica var.  metallica, Alocasia sp., Aloe vera,  Begonia sp., Beta vulgaris, Caladium sp.,  Clidemia hirta, Ficus ribes, Gardenia sp.,  Hydrocotyle sp., Mesembryanthemum  tigrinum, Musa acuminata, Portulaca  grandiflora, Raphanus sativus, succulent  plant, and Yucca sp.).  Meloidogyne javanica javanica (Treub, 1885)  Chitwood, 1949:	*Guatemala, *Ha- waii, *Hong Kong, *Indonesia, Japan, Mexico, South Africa.	3	1	17	Calif., Hawaii, La., N.Y., Tex., Wash.	
Roots (Amorphophallus bulbifer, orchid,  Polianthes sp. (?), Zantedeschia sp., and Zingiber officinale).  †Monilinia cydoniae (Schell.) Whetzel:	Brazil, *Formosa, Greece, India, Italy, Mexico.	1		5	Hawaii, N.J., N.Y., Tex.	
Cydonia oblonga (quince)	Unknown		1		Md.	
Cydonia oblonga (quince)	Greece, Italy Belgium, England, France, Ger- many, Italy, Neth- erlands, Sweden.	3			N.Y. Calif., Md., N.Y.	
Prunus armeniaca (apricot)  P. domestica (plum)	France, Germany,	1			N. Y. N. Y., Pa.	
<u>P</u> . <u>persica</u> (peach)	Italy. Europe [coun- try(?)], France.		4		N.Y., Pa.	
Prunus sp. (cherry)	England, Italy	1 2			Mass., N.Y. Calif., N.Y.	
†Mycosphaerella basicola (Frank) Lind:  Secale cereale (rye) straw bottle jacket  Mycosphaerella cattleyae Cash & Watson:		1			Calif.	
Cattleya sp. (orchid) leaf	Bahamas, Colom- bia, Guatemala.	• • • • •		5	Fla., N.Y.	

<sup>\*</sup>First from country. †First interception.

		INT	NUMBER ERCEPTI IN		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
Mycosphaerella cattleyaeContinued  Epidendrum sp. (orchid) leaf	Canal Zone,			2	Fla.
Orchid (leaf)	Colombia. Guatemala, Mexico El Salvador, Guate- mala, Mexico.			4 4	Ariz., Fla. Fla., Tex.
Mycosphaerella colorata Ell. & Ev. (Phyllosticta kalmicola stage):					
<u>Kalmia latifolia</u> (mountain-laurel kalmia) leaf.  *Mycosphaerella filicum (Desm.) Starb.:	England, Europe [country(?)].		4		Mass., N.Y.
Fern (leaf)	Mexico			1	Tex.
	*Jamaica			1	Fla. Tex.
Cocos nucifera (coconut)	American Samoa	1		• • • •	Hawaii.
Schroet.:  Allium fistulosum (Welsh onion)  A. porrum (leek)			4 15		Ohio, Pa. Calif., Hawaii, Pa.
Allium sp  Neovossia horrida (Tak.) Padw. & A. Khan:		3	1 218		
Oryza sativa (rice) hull and seed Oligostroma proteae Syd.: Protea sp. (leaf)	*Hong Kong, Japan South Africa	2			Calif., Md., Wash. Hawaii.
Ophiodothella orchidearum Cash & Watson:  Cattleya sp. (orchid) leaf	Colombia			1	Fla. Ariz.
†Pericona hispidula (Pers.) Mason & M. B. Ellis(?):					
Gramineae (leaf as packing material)  Phaeoseptoria oryzae Miyake: Oryza sativa (rice) hull			3		Ariz.
Phakopsora gossypii (Arth.) Hirat. f.: Gossypium sp. (cotton) leaf	Bahamas, British	6			Fla., Tex.
	West Indies [is- land(?)],*Colom- bia, Dominican Republic, Haiti.				
Phakopsora jatrophicola Cumm.:  Jatropha curcas (Barbados-nut)  J. gossypiifolia (bellyache nettlespurge) leaf.	_				
†Phakopsora pachyrhizi Syd.:  Pachyrhizus tuberosus (West Indies yambean)  †Phomatospora ribesia Cke. & Mass.(?):	Philippines	1		• • • • •	Calif.
Ribes <u>uva-crispa</u> (European gooseberry) Phomopsis cocoes Petch:					
Cocos nucifera (coconut)  *Phomopsis orchidophila Cash & Watson:	*American Samoa, Hawaii.	2			Calif.
Bulbophyllum sp. (orchid) leaf  †Phycopsis treubii (Hoehn.) Boed.:					Calif.
Epidendrum stamfordianum (orchid)  Gardenia sp  *Phyllachora canafistulae F. L. Stevens &					
Dalbey: Cassia sp. (senna) leaf	Jamaica			1	Fla.

<sup>\*</sup>First from country. †First interception.

		ТИІ	NUMBER ERCEPTI		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY.	PROPAGATION	COLLECTED IN
Phyllachora engleri Speg.:					
	Honduras,			2	Fla.
†Phyllosticta acaciicola P. Henn.:	*Nicaragua.				
Acacia horrida (seed)	South Africa			1	Calif.
*Phyllosticta andromedae West. (?): Pieris japonica (Japanese pieris) cutting	Australia			1	Calif.
*Phyllosticta cajani Rangel: Cajanus cajan (pigeonpea)	Danama	,			Tor
Phyllosticta camelliae West.:					Tex.
Camellia japonica (common camellia) leaf	Japan			1	Calif.
*Phyllosticta cymbidii Verpl.:  Cattleya sp. (orchid)	Guatemala			1	Fla.
Orchid (leaf)	Honduras			1	Fla.
Polyscias sp. (polyscias)	Jamaica	l			Fla.
Phyllosticta hedericola Dur. & Mont.:  Hedera helix (English ivy)	England Incland		2	1	Maga Wash
*Phyllosticta japonica Miy. (?):					Mass., Wash.
Oryza sativa (rice)	India	l		• • • • •	Calif.
Phyllosticta nigro-maculans Sacc.:  Orchid (leaf)	Guatemala			1	Fla.
*Phyllosticta phaseolina Sacc.:					0
Phaseolus vulgaris (bean)* Phyllostictina cordylines (Thuem.) Petr. & Syd.:	Japan		1	• • • •	Oreg.
Dracaena sp. (leaf)	Mexico			1	Tex.
Phyllostictina mangiferae Batista & Vital:  Mangifera indica (mango)	do	. 1			Tex.
Phyllostictina musarum (Cke.) Petr.:  Musa X paradisiaca (banana)	*Okinawa, Philip-	4	3		Calif Hawaii
Musa A paradisiaca (bahaha)	pines, West	4	J		Calif., Hawaii, Wash.
Phyllostictina pyriformis Cash & Watson:	Pacific.				
	American Samoa,		• • • • •	4	
	Australia, Hawaii, Thailand.				Wash.
Orchid (leaf)	India, Mexico,			3	N.Y., Tex.
Saccolabium sp. (orchid) leaf	Thailand. India			1	Fla.
Vanda roxburghii (orchid)					Hawaii.
Physalospora camptospora Sacc.: Orchid (leaf)	Mexico			1	Tex.
Physalospora wildemanniana Sacc.:				,	
Cypripedium callosum (orchid) leaf  Orchid (leaf)	*British Honduras,			1 2	Hawaii. Fla.
†Physically lead; lead (Market) Community	Guatemala.				
†Physopella lenticularis (Mains) Cumm. & Ramachar:					
Lasiacis sp., possibly ruscifolia (tibisee	Mexico	l			Ariz.
grass). Pratylenchus penetrans (Cobb, 1917) Filipjev					
& Schuurmans Stekhoven, 1941: Dahlia hybrids (roots)	Tanan			1	Wash.
Prospodium pithecoctenii (Paz.) Cumm.:					wasii.
Pithecoctenium sp. (monkeycomb) seed pod †Prospodium transformans (Ell. & Ev.) Cumm.:	Mexico			1	Tex.
Tecoma sp. (?)(trumpetbush)	do	1			Calif.
†Pseudomonas apii Jagger:  Apium graveolens var. dulce (celery)	Italy		1		Tex.
Train graveorens var. durce (cerery)	1 tal y		1		1041

<sup>\*</sup>First from country. †First interception.

		INT	NUMBER ERCEPTI		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
*Pseudomonas lachrymans (E. F. Sm. &					
Bryan) Carsner(?): <u>Cucumis sativus</u> (cucumber)*  *Puccinia angustata Pk.:	Trinidad		1		Pa.
Scirpus sp. (bulrush)	Mexico	1			Ariz.
	*Belgium, Nether- lands, Switzerland				N. Y.
grass) packing.	Mexico		· · · · · ·		Ill., Tex.
†Puccinia bupleuri Rud.:  Bupleurum apiculatum (thorowax) stem  Puccinia buxi DC.:	Greece	1			Mass.
Buxus sempervirens (boxwood) leaf	England, France, Ireland.	2	14	1	Mass., Md., Mich., N.Y.
Puccinia calcitrapae DC:  Cirsium sp. (thistle)	Unknown	1			N. Y.
*Puccinia canaliculata (Schw.) Lagh.:  Cyperus sp. (flatsedge) straw bottle jacket  Puccinia carthami Cda.:	Chile	1			Fla.
Carthamus dentatus (leaf)  †Puccinia cnici Mart.:	Greece		· · · · · ·	1	D. C.
Cirsium sp. (thistle)	Germany	1	• • • • •		111.
Gramineae (hay packing)	India	1			Ohio.
Chrysanthemum leucanthemum (oxeye daisy) C. morifolium (florists chrysanthemum)					Wash. Calif., Hawaii, Wash.
Puccinia kusanoi Diet.:  Bambuseae (dried leaf)	•				
Puccinia lantanae Farl.:  Lantana sp. (flower)	-				
Puccinia longicornis Pat. & Har.:  Bambusa sp. (bamboo) leaf					
†Puccinia macclatchieana Diet. & Holw.:  Scirpus sp. (?)(bulrush) bottle jacket					
Puccinia magnusiana Koern.:  Phragmites sp. (reed) mat		i			
*Puccinia melampodii Diet. & Holw.:  Zinnia sp. (flower petal)					
*Puccinia miscanthi Miura:	Islands.				
Miscanthus sinensis (Chinese silvergrass) Puccinia ornithogali-thyrsoides Diet.:	Philippines			1	Wash.
Ornithogalum thyrsoides (Cape chinkerichee) Puccinia phyllostachydis Kusano:					
Phyllostachys nigra 'Munro' (black bamboo) Puccinia psidii Wint.:					
Pimenta dioica (allspice pimenta) Psidium guajava (guava)	Jamaica	4	1 		Fla. N. Y.
†Puccinia pusilla Syd. (?):  Capillipedium parvifolium	Fiji	1		• • • • •	Hawaii.
†Puccinia rufipes Diet.:  Imperata cylindrica (Cogon satintail grass)  Puccinia scirpi DC.:	Japan		1		Hawaii.
Scirpus sp. (bulrush) culm	1			ì	
Polygonatum multiflorum (Eurasian solomonseal).	Japan	3			Hawaii.

<sup>\*</sup>First from country. †First interception.

		INT	NUMBER ERCEPTI IN		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
Puccinia thaliae Diet.:  Thalia sp. (thalia)	Jamaica			1	Fla.
Puccinia urbaniana P. Henn.: <u>Stachytarpheta jamaicensis</u> (Jamaica false- valerian).	Dominican Republic, Haiti,	4	••••	1	Fla., N.Y.
Stachytarpheta sp  †Puccinia vaga Jacks.:	Jamaica. Puerto Rico	1			P.R.
Verbesina sp. (crownbeard) leaf  Puccinia versicolor Diet. & Holw.:					Ariz.
Heteropogon contortus (tanglehead) hay packing.	do				
botanical specimen.	*Tanzania	1			N. Y.
†Puccinia vexans Farl.:  Bouteloua curtipendula (sideoats grama grass)  herbarium specimen.	Mexico	1			Tex.
*Puccinia violae (Schum.) DC.:  Viola sp. (violet)	Germany			1	N. Y.
al.(?):  Allium sativum (garlic) bulb	Peru	1			Tex.
	Hawaii			2	Hawaii.
Anthurium sp. (potted plant)*  *Rotylenchus robustus (de Man, 1876) Filipjev, 1936:	do		• • • •	1	Hawaii.
Soil with cactus plant	Switzerland		••••	1	Md.
Soil with Musa sp. (banana) root  Soil with Saintpaulia sp. (African-violet)  †Septogloeum fragariae (Briard & Hariot)					Tex. Ariz.
Hoehnel: <u>Fragaria</u> sp. (strawberry) leaf <u>Septoria alliorum</u> West.:					
Allium porrum (leek)					
Passiflora edulis (purple granadilla)  †Septoria gentianae Thuem. (?):					
Gentiana makinoi (Makino gentian) leaf †Septoria hydrocotyles Desm.:					
Hydrocotyle asiatica (pennywort) leaf  Septoria lactucae Pass.:  Lactuca sativa (lettuce)					Calif.
†Septoria lavandulae Desm.:  Lavandula sp. (lavender)					Mass.
*Septoria malvicola Ell. & G. Mart.(?):  Sphaeralcea sp. (globemallow) leaf					
Septoria minimum (Karst. & Har.) Arx: Anthurium sp. (leaf)					Fla.
Septoria oryzae Catt.: Oryza sativa (rice) hull, seed, and straw	Japan	3	68		Calif.
Septoria selenophomoides Cash & Watson:  Dendrobium 'Winifred X Fortescue'(orchid)  Orchid (leaf of plant)					Calif. Calif., Fla.
†Skierka holwayi Arth.:  Thouinia sp. (leaf)					

<sup>\*</sup>First from country. †First interception.

		INT	NUMBER ERCEPTI		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN
Sphaceloma fawcettii Bitanc. & Jenkins var.					
scabiosa (McAlp. & Tryon) Jenkins: Citrus limon (lemon)	Australia		1		Tex.
Sphaceloma punicae Bitanc. & Jenkins:  Punica granatum (pomegranate)	*Jamaica, Mexico.	8			N.Y., Tex.
Sphaceloma punicae Bitanc. & Jenkins(?):  Punica granatum (pomegranate)	*Greece, Italy	2			N. Y.
Sphaerophragmium acaciae (Cke.) P. Magn.:  Albizzia lebbek (leaf)	*American Virgin Islands, Bahamas.	2			Bahamas, Fla.
†Sphaeropsis eriobotryae Speg.(?): Eriobotrya japonica (loquat) leaf					N. Y.
†Sphaeropsis henriquesii Thuem.:  Citrus aurantifolia (sweet lime) leaf					
C. sinensis (sweet orange)		1	1	i	Calif., Tex.
Spilocaea eriobotryae (Cav.) Hughes: Eriobotrya japonica (loquat)	Italy, Portugal	3	1		Mass., N.Y.
*Stemphylium ilicis Tengwall:  Brassica oleracea var. capitata (cabbage)	France		1		Pa.
Stereostratum corticioides (Berk. & Br.)  Magn.:  Bamboo (pole in tube mat)	Japan	1			N. C.
Thecaphora solani Barrus:  Solanum stoloniferum (tuber)					Tex.
†Tilletia ayresii Berk. (?):  Panicum maximum (guineagrass) seed					D. C.
*Trematosphaerella oryzae (Miyake) Padw.: Oryza sativa (rice) hull		1			
Uredo anthurii (Har.) Sacc.:  Anthurium sp. (leaf)					Fla.
† <u>Uredo coccolobae</u> P. Henn.: <u>Coccoloba uvifera</u> (common seagrape) leaf					Fla.
† <u>Uredo fuchsiae</u> Arth. & Holw.: <u>Fuchsia</u> sp. (leaf of plant)					N. Y.
Uredo nidularii P. Henn.: Tillandsia sp			1		Tex.
<u>Uredo oncidii</u> P. Henn.: <u>Oncidium cavendishianum</u> (orchid) leaf	do			1	Tex.
Oncidium sp  †Uredo (Hemileia) phaji Racib.:		1			Fla., Tex.
Dendrobium chrysotoxum (orchid) leaf  Phalaenopsis violacea (mothorchid)	Philippines			1 1	Fla. Calif.
<u>Uredo scabies</u> Cke.: <u>Vanilla</u> sp. (leaf cutting)	Mexico			1	Tex.
Tillandsia sp Urocystis tritici Koern.:	Guatemala			1	Fla.
<u>Triticum aestivum</u> (wheat) straw bottle jacket.	Italy	1			111.
<u>Uromyces alyxiae</u> Arth.: <u>Alyxia olivaeformis</u> (maile alyxia) lei	Hawaii	1			Calif.
†Uromyces americanus Speg.: Scirpus sp. (bulrush)	Chile	1	1		Fla.
† <u>Uromyces ciceris-arietini</u> (Grogn.) Jacz. & Boy.:	Marrias				Toy
Cicer arietinum (chickpea) leaf  Uromyces commelinae Cke.:  Zebrina pendula (wandering-jew zebrina)			1		
<u>Lebrina pendula</u> (wandering-jew zebrina)	Jamarca	1	1	1	1 14.

<sup>\*</sup>First from country. †First interception.

		INT	NUMBER ERCEPTI IN		
PEST AND HOST	COUNTRY OF ORIGIN	CONSUMPTION	NONENTRY	PROPAGATION	COLLECTED IN—
†Uromyces eragrostidis Tracy(?):				:	
Eragrostis racemosa (lovegrass)  †Uromyces minor Schroet.:	Kenya	1	• • • • •		Mich.
Trifolium repens cv. (shamrock) *Uromyces pisi (DC.) Otth:	Ireland	1		• • • •	N. J.
Pisum sp. (?)(pea) stem	Italy		1	• • • •	P. R.
Lens culinaris (lentil)	Argentina, Brazil, Chile, Ecuador, Germany, Peru, unknown.	3	20	• • • • •	Ala., Fla., La., N.Y., S.C., Tex.
Vicia faba (broadbean)	Italy, Mexico	2			N.Y., Tex.
*Ustilaginoidea virens (Cke.) Tak.:		1		• • • •	
Zizania sp. (wildrice) stem  †Ustilago bromivora (Tul.) Fisch. v. Waldh.:	_			• • • • •	
Bromus sp. (bromegrass) seed panicle  Xanthomonas citri (Hasse) Dowson:		• • • • •	••••	1	D. C.
Citrus aurantifolia (lime)	Hong Kong, India, Japan, unknown, Viet-Nam.	2	14	• • • •	Ga., Hawaii, Mass., N.Y., Oreg.
C. <u>aurantium</u> (sour orange)	Japan	2	17		Calif., Fla., Hawaii, Wash.
C. aurantium hybrid		1	1 6		N.Y. Wash.
C. grandis (pummelo)		1	1		Calif., Ga.
C. limon (lemon)	Formosa(?), India(?), Japan, unknown.	1	11	••••	Calif., Hawaii, N. Y., Oreg., Wash.
<ul><li>C. paradisi (grapefruit)</li><li>C. reticulata (mandarin orange)</li></ul>	India, Japan China, Hong Kong, Japan, unknown.	31	5 14		Calif., Ga., Hawaii. Ariz., Calif., Hawaii, Ill., Mass., Mich., N.Y., Oreg., Tex.
C. reticulata 'Satsuma' (Satsuma orange)	_	1	4		Oreg., Wash.
C. sinensis (sweet orange)	I .	21	90		
Citrus sp. (dried peel, fruit, and leaf)	Hong Kong, Indo- nesia, Japan, Thailand, unknown	17	4		Calif., Hawaii, Tex., Wash.
Xanthomonas sp. (Cancrosis B): Citrus limon (lemon)	America [coun-		9		Fla., La., N.Y., S.C.
C. sinensis (sweet orange) †Xiphinema brevicolle Lordello & Da Costa,	Argentina		2		La., N.Y.
Liliaceae (bulb)	Japan			1	Hawaii.
Soil with Ficus sp. (fig) plant	Yugoslavia	••••		1	Pa.

<sup>\*</sup>First from country. †First interception.

#### Hosts and Diseases

CAMELLIA:
\*Helicotylenchus erythrinae (Nematoda) ACACIA: (Coryneum acaciae(?)(Deuteromycetes) †Phyllosticta acaciicola (Deuteromycetes) Phyllosticta camelliae (Deuteromycetes) ACER: †Cercospora acericola (Deuteromycetes) CAMPANULA: \*Coleosporium campanulae (Promycetes) ACONITUM: CAPILLIPEDIUM:

†Puccinia pusilla(?)(Promycetes) Meloidogyne hapla (Nematoda) ACORUS: CARTHAMUS: Puccinia carthami (Promycetes) Meloidogyne arenaria (Nematoda) CASSIA:

\*Phyllachora canafistulae (Ascomycetes) ALBIZZIA: †Coniothyrium incrustans(?)(Deuteromycetes) \*Sphaerophragmium acaciae (Promycetes) CATTLEYA: Mycosphaerella cattleyae (Ascomycetes) ALLIUM: Meloidogyne incognita incognita (Nematoda) Ophiodothella orchidearum (Ascomycetes) Mycosphaerella schoenoprasi (Ascomycetes)
\*Pyrenochaeta terrestris(?)(Deuteromycetes) \*Phyllosticta cymbidii (Deuteromycetes) CENTAUREA: Septoria alliorum (Deuteromycetes) Meloidogyne hapla (Nematoda) CERCIS: ALOCASIA: †Ascochyta siliquastri (Deuteromycetes) Meloidogyne incognita acrita (Nematoda) CHAMAEDOREA: M. incognita incognita (Nematoda) \*Didymium squamulosum (Myxomycetes) ALOE: Meloidogyne incognita incognita (Nematoda) CHRYSANTHEMUM: Meloidogyne hapla (Nematoda) /ALPINIA: Meloidogyne arenaria (Nematoda) Puccinia horiana (Promycetes) ALYXIA: Uromyces alyxiae (Promycetes) CHYSIS: Cercospora angraeci (Deuteromycetes) AMORPHOPHALLUS: CICER: Meloidogyne arenaria (Nematoda) <u>†Uromyces ciceris-arietini</u> (Promycetes) M. javanica javanica (Nematoda) CICHORIUM:

\*Meloidogyne incognita acrita (Nematoda) ANGULOA: \*Cercospora odontoglossi (Deuteromycetes) CIRSIUM: ANTHURIUM: Puccinia calcitrapae (Promycetes) \*Phyllachora engleri (Ascomycetes) †<u>P</u>. <u>cnici</u> (Promycetes) Radopholus similis (Nematoda) CITRUS AURANTIFOLIA: Septoria minimum (Deuteromycetes) Elsinoe australis (Ascomycetes) <u>- Uredo anthurii</u> (Promycetes) Guignardia citricarpa (Ascomycetes) APIUM: †Sphaeropsis henriquesii (Deuteromycetes) †Pseudomonas apii (Schizomycetes) Xanthomonas citri (Schizomycetes) ARAUCARIA: CITRUS AURANTIUM: Cryptospora longispora (Ascomycetes) Ascochyta citri (Deuteromycetes) Macrophoma araucariae (Deuteromycetes) Xanthomonas citri (Schizomycetes) ARCTOSTAPHYLOS: CITRUS AURANTIUM HYBRID: Xanthomonas citri (Schizomycetes) †Gloeosporium arctostaphyli(?)(Deuteromycetes) BAMBOO: CITRUS AURANTIUM X C. SINENSIS: Xanthomonas citri (Schizomycetes) Dasturella divina (Promycetes) Stereostratum corticioides (Promycetes) CITRUS GRANDIS: BAMBUSA: Guignardia citricarpa (Ascomycetes) Puccinia longicornis (Promycetes) Xanthomonas citri (Schizomycetes) BAMBUSEAE: CITRUS LIMON:
Ascochyta citri (Deuteromycetes) Puccinia kusanoi (Promycetes) BEGONIA: Elsinoe australis (Ascomycetes) Meloidogyne incognita incognita (Nematoda) Erwinia citrimaculans (Schizomycetes) BETA: Guignardia citricarpa (Ascomycetes) Meloidogyne incognita acrita (Nematoda) Sphaceloma fawcettii var. scabiosa M. incognita incognita (Nematoda) BORASSUS:
Graphiola borassi (Promycetes) (Deuteromycetes) Xanthomonas citri (Schizomycetes) BOUGAINVILLEA:

\*Cercospora bougainvilleae (Deuteromycetes) Xanthomonas sp. (Cancrosis B) (Schizomycetes) BOUTELOUA: CITRUS PARADISI: Puccinia boutelouae (Promycetes) Ascochyta citri (Deuteromy cetes) †P. vexans (Promycetes) Elsinoe australis (Ascomycetes) BRASSICA: Guignardia citricarpa (Ascomycetes) \*Stemphylium ilicis (Deuteromycetes) Xanthomonas citri (Schizomycetes) BROMUS: †Ustilago bromivora (Promycetes) CITRUS PARADISI X C. RÉTICULATA: Guignardia citricarpa (Ascomycetes) BULBOPHYLLUM:

\*Phomopsis orchidophila (Deuteromycetes) CITRUS PARADISI X C. SINENSIS:

<u>Guignardia citricarpa</u> (Ascomycetes) BUPLEURUM: †Puccinia bupleuri (Promycetes) CITRUS RETICULATA: BUXUS: Elsinoe australis (Ascomycetes) Puccinia buxi (Promycetes) Guignardia citricarpa (Ascomycetes) CAJANUS: †Cercospora cajani (Deuteromycetes) Xanthomonas citri (Schizomycetes) CITRUS RETICULATA 'SATSUMA': \*Phyllosticta cajani (Deuteromycetes) Elsinoe australis (Ascomycetes) CALADIUM: Guignardia citricarpa (Ascomycetes) Meloidogyne arenaria (Nematoda) Xanthomonas citri (Schizomycetes) \*M. incognita incognita (Nematoda) CITRUS RETICULATA X C. SINENSIS: Xanthomonas citri (Schizomycetes) CALOCARPUM: Elsinoe lepagei(?)(Ascomycetes)

<sup>\*</sup>First from country of origin. †First interception.

#### Hosts and Diseases -- Continued

CITRUS SINENSIS:

Ascochyta citri (Deuteromycetes) \*Cercospora gerberae (Deuteromycctes) Elsinoe australis (Ascomycetes) GLIRICIDIA: Guignardia citricarpa (Ascomycetes) †Cercospora lonchocarpi (Deuteromycetes) GOSSYPIUM: †Sphaeropsis henriquesii (Deuteromycetes) \*Phakopsora gossypii (Promycetes) Xanthomonas citri (Schizomycetes) GRAMINEAE: †Hadrotrichum phragmites (Phycomycetes) Xanthomonas sp. (Cancrosis B)(Schizomycetes) CITRUS SP.: †Periconia hispidula(?)(Deuteromycetes) Guignardia citricarpa (Ascomycetes) \*Puccinia cynodontis(?)(Promycetes) Xanthomonas citri (Schizomycetes) HEDERA: CLEMATIS: Phyllosticta hedericola (Deuteromycetes) Meloidogyne hapla (Nematoda) HETEROPOGON: CLIDEMIA:

\*Meloidogyne incognita incognita (Nematoda) \*Puccinia versicolor (Promycetes) HIBISCUS: COCCOLOBA:

†Uredo coccolobae (Promycetes) \*Cercospora malayensis (Deuteromycetes) HOSTA:
Aecidium hostae (Promycetes) COCOS: Macrophoma cocos (Deuteromycetes) HYDROCOTYLE: Mycosphaerella palmae (Ascomycetes) Meloidogyne incognita incognita (Nematoda) \*Phomopsis cocoes (Deuteromycetes) †Septoria hydrocotyles (Deuteromycetes) CODIAEUM: IMPERATA: †Cercospora stevensonii (Deuteromycetes) †Puccinia rufipes (Promycetes) CRASSULA:

Meloidogyne incognita acrita (Nematoda) INGA:
\*Chaconia ingae (Promycetes) CUCUMIS: IRIS:

<u>Meloidogyne</u> <u>hapla</u> (Nematoda) \*Curvularia geniculata (Deuteromycetes) \*Pseudomonas lachrymans(?)(Schizomycetes) JATROPHA: Phakopsora jatrophicola (Promycetes) CUCURBITA: †Choanephora cucurbitarum (Phycomycetes) JUGLANS: CYDONIA: Marssonina juglandis (Deuteromycetes) †Monilinia cydoniae (Ascomycetes) JUNIPERUS: M. fructigena (Ascomycetes) Criconemoides xenoplax (Nematoda) CYNARA: \*Gymnosporangium haraeanum (Promycetes) Ascochyta cynarae (Deuteromycetes) CYPERUS: \*Puccinia canaliculata (Promycetes) KALMIA: Mycosphaerella colorata (Ascomycetes) LACTUCA: CYPRIPEDIUM: Physalospora wildemanniana (Ascomycetes) \*Cercospora longissima (Deuteromycetes) DAHLIA: †Marssonina panattoniana (Deuteromycetes) Meloidogyne hapla (Nematoda) Septoria lactucae (Deuteromycetes) Pratylenchus penetrans (Nematoda) LAELIA: DASYLIRION: \*Coniothyrium stanhopeae (Deuteromycetes) †Botryosphaeria dasylirii (Ascomycetes) LANTANA: DENDROBIUM: Puccinia lantanae (Promycetes) \*Cercospora angraeci (Deuteromycetes) LASIACIS: Phyllostictina pyriformis (Deuteromycetes) †Physopella lenticularis (Promycetes) Septoria selenophomoides (Deuteromycetes) LAVANDULA: †Septoria lavandulae (Deuteromycetes) †Uredo phaji (Promycetes) LENS: Uromyces viciae-fabae (Promycetes) DIANTHUS: \*Puccinia arenariae (Promycetes) LEPIDIUM: DIOSPYROS: †Cercospora bizzozeriana (Deuteromycetes) Cercospora kaki (Deuteromycetes) LILACEAE: DRACAENA: †Xiphinema brevicolle (Nematoda) \*Phyllostictina cordylines (Deuteromycetes) LILIUM: EPIDENDRUM: Meloidogyne arenaria (Nematoda) Mycosphaerella cattleyae (Ascomycetes) MAGNOLIA: †Phycopsis treubii (Ascomycetes) \*Diplodia magnoliae (Deuteromycetes) ERAGROSTIS: MALUS: †<u>Uromyces eragrostidis(?)(Promycetes)</u> Elsinoe piri (Ascomycetes) ERIOBOTRYA: Monilinia fructigena (Ascomycetes) †Sphaeropsis eriobotryae(?)(Deuteromycetes) MANGIFERA: Spilocaea eriobotryae (Deuteromycetes) \*Elsinoe mangiferae (Ascomycetes) ERYTHROXYLUM: Phyllostictina mangiferae (Deuteromycetes) Bubakia erythroxylonis (Promycetes) MANIHOT: FERN: \*Cercospora caribaea (Deuteromycetes) \* Mycosphaerella filicum (Ascomycetes) \*C. henningsii (Deuteromycetes) FICUS: MESEMBRYANTHEMUM: †Macrophoma fici (Deuteromycetes) Meloidogyne incognita incognita (Nematoda) \*Meloidogyne incognita incognita (Nematoda) MISCANTHUS: FRAGARIA:

Meloidogyne hapla (Nematoda) \*Puccinia miscanthi (Promycetes) †Septogloeum fragariae (Deuteromycetes) MUSA: FUCHSIA: †Uredo fuchsiae (Promycetes) Macrophoma musae (Deuteromycetes) \*Meloidogyne incognita incognita (Nematoda) GARDENIA: \*Phyllostictina musarum (Deuteromycetes) Meloidogyne incognita incognita (Nematoda) NARCISSUS: Ditylenchus dipsaci (Nematoda) †Phycopsis treubii (Ascomycetes) GENTIANA: ODONTOGLOSSUM: Cercospora angraeci (Deuteromycetes) †Septoria gentianae(?)(Deuteromycetes)

<sup>\*</sup>First from country of origin. | †First interception.

#### Hosts and Diseases -- Continued

PSIDIUM: OLEARIA: Puccinia psidii (Promycetes) Meloidogyne hapla (Nematoda) ONCIDIUM: PUNICA: <u>Uredo</u> <u>oncidii</u> (Promycetes) †Melanconium fructicolum(?)(Deuteromycetes) \*Sphaceloma punicae (Deuteromycetes) ORCHID: Meloidogyne javanica javanica (Nematoda) PYRUS: Mycosphaerella cattleyae (Ascomycetes) Monilinia fructigena (Ascomycetes) \*Ophiodothella orchidearum (Ascomycetes) RAPHANUS: Meloidogyne incognita incognita (Nematoda) \*Phyllosticta cymbidii (Deuteromycetes) RHIPSALIS: P. nigro-maculans (Deuteromycetes) \*Mycosphaerella opuntiae (Ascomycetes) Phyllostictina pyriformis (Deuteromycetes) RHODODENDRON: Physalospora camptospora (Ascomycetes) Chrysomyxa ledi var. rhododendri (Promycetes) \*P. wildemanniana (Ascomycetes) Septoria selenophomoides (Deuteromycetes) Diaporthe strumella (Ascomycetes) ORNITHOGALUM:
Didymellina ornithogali (Ascomycetes) †Phomatospora ribesia(?)(Ascomycetes) ROSA: \*Cercospora hyalina (Deuteromycetes) Puccinia ornithogali-thyrsoides (Promycetes) ORYZA:
\*Alternaria oryzae (Deuteromycetes) Kuehneola japonica (Promycetes) SACCOLABIUM:
Phyllostictina pyriformis (Deuteromycetes) \*Curvularia geniculata (Deuteromycetes) SALVIA: Leptosphaeria oryzina (Ascomycetes) \*Diaporthe arctii (Ascomycetes) \*Neovossia horrida (Promycetes) SANSEVIERIA: Phaeoseptoria oryzae (Deuteromycetes) Meloidogyne incognita acrita (Nematoda) \*Phyllosticta japonica(?)(Deuteromycetes) SCIRPUS: Septoria oryzae (Deuteromycetes) \*Puccinia angustata (Promycetes) P. scirpi (Promycetes) \*Trematosphaerella oryzae (Ascomycetes) PACHYRHIZUS: †Phakopsora pachyrhizi (Promycetes) †Uromyces americanus (Promycetes) SCIRPUS(?): PAEONIA:
Aphelenchoides fragariae (Nematoda) †Puccinia macclatchieana (Promycetes) SCOPOLIA: Meloidogyne hapla (Nematoda) Meloidogyne hapla (Nematoda) PANICUM: †Tilletia ayresii(?)(Promycetes) SECALE: †Mycosphaerella basicola (Ascomycetes) PASSIFLORA: SOBRALIA: Cercospora angraeci (Deuteromycetes) Ascochyta passiflorae (Deuteromycetes) Septoria fructigena (Deuteromycetes) Mycosphaerella cattleyae (Ascomycetes) SOIL: Coleosporium bletiae (Promycetes) \*Heterodera avenae (Nematoda) PHALAENOPSIS: \*H. cruciferae (Nematoda) Uredo phaji (Promycetes) H. fici (Nematoda) PHASEOLUS:

\*Phyllosticta phaseolina (Deuteromycetes) H. punctata (Nematoda) \*H. rostochiensis (Nematoda) PHRAGMITES: \*H. trifolii (Nematoda) \*Puccinia magnusiana (Promycetes) PHYLLOSTACHYS: \*Rotylenchus robustus (Nematoda) Puccinia phyllostachydis (Promycetes) Scutellonema brachyurum (Nematoda) PIERIS: \*Phyllosticta andromedae(?)(Deuteromycetes) †Xiphinema index (Nematoda) SOLANUM:
Meloidogyne arenaria (Nematoda) Puccinia psidii (Promycetes) M. hapla (Nematoda) PINUS: M. incognita acrita (Nematoda) Bulgaria inquinans (Ascomycetes) Thecaphora solani (Promycetes) PIPER: SPHAERALCEA:

\*Septoria malvicola(?)(Deuteromycetes) Meloidogyne arenaria (Nematoda) PISUM(?):
\*Uromyces pisi (Promycetes) STACHYTARPHETA:

\*Cercospora stachytarphetae (Deuteromycetes) PITHECOCTENIUM: Prospodium pithecoctenii (Promycetes) Puccinia urbaniana (Promycetes) STEVENSONIA:

\*Diaporthe arctii (Ascomycetes) PLUMERIA: \*Coleosporium plumierae (Promycetes) STRONGY LODON:
Meloidogyne incognita acrita (Nematoda) PODOCARPUS: †Corynelia oreophila (Ascomycetes) SUCCULENT:
Meloidogyne incognita incognita (Nematoda) POLIANTHES: Meloidogyne hapla (Nematoda) POLIANTHES(?):
Meloidogyne javanica javanica (Nematoda) SYRINGA: †Coccomyces triangularis(?)(Ascomycetes) TECOMA(?): †Prospodium transformans (Promycetes) POLYGONATUM: Puccinia sessilis (Promycetes) POLYSCIAS: †Phyllosticta everhartii (Deuteromycetes) THALIA: Puccinia thaliae (Promycetes) PORTULACA:

\*Meloidogyne incognita incognita (Nematoda) THELOCACTUS:
 Mycosphaerella opuntiae (Ascomycetes) PROTEA: THOUINIA: Aphysa senniana (Ascomycetes) †Skierka holwayi (Promycetes) Leptosphaeria protearum (Ascomycetes) TILIA: Meloidogyne arenaria (Nematoda) †Coniothyrium tiliae (Deuteromycetes) TILLANDSIA:
<u>Uredo nidularii</u> (Promycetes) Oligostroma proteae (Ascomycetes) PRUNUS: Monilinia fructigena (Ascomycetes) U. tillandsiae (Promycetes)

<sup>\*</sup>First from country of origin. | †First interception.

#### Hosts and Diseases -- Continued

VICIA: Uromyces viciae-fabae (Promycetes) TRIFOLIUM: †Uromyces minor (Promycetes) VIOLA: TRITICUM: \*Puccinia violae (Promycetes) \*Heterosporium avenae (Deuteromycetes) VITIS: Leptosphaeria eustomoides (Ascomycetes) Diplodia viticola (Deuteromycetes) YUCCA:

Meloidogyne incognita incognita (Nematoda)
ZANTEDESCHIA:

Meloidogyne arenaria (Nematoda) Urocystis tritici (Promycetes) TROLLIUS: Meloidogyne hapla (Nematoda) ULLUCUS: M. javanica javanica (Nematoda) † Cladosporium cladosporioides (Deuteromycetes) ZEBRINA: Uromyces commelinae (Promycetes) \*Coniothyrium stanhopeae (Deuteromycetes) ZINGIBER: \*Phyllostictina pyriformis (Deuteromycetes) \*Meloidogyne javanica javanica (Nematoda) VANILLA: ZINNIA: <u>Uredo scabies</u> (Promycetes) VERBESINA: \*Puccinia melampodii (Promycetes) ZIZANIA: †Puccinia vaga (Promycetes) \*Ustilaginoidea virens (Deuteromycetes)

#### Countries of Origin and Diseases

AMERICAN SAMOA: †Marssonina panattoniana Mycosphaerella palmae Meloidogyne javanica javanica \*Phomopsis cocoes Uromyces viciae-fabae Phyllostictina pyriformis BRITISH HONDURAS: AMERICAN VIRGIN ISLANDS: \*Puccinia melampodii Elsinoe mangiferae \*Physalospora wildemanniana \*Sphaerophragmium acaciae BRITISH WEST INDIES [island(?)]: ARGENTINA: <u>Phakopsora gossypii</u> Elsinoe australis CANAL ZONE: †Sphaeropsis eriobotryae(?) Mycosphaerella cattleyae CAYMAN ISLANDS: \*Cercospora gerberae Uromyces viciae-fabae †Ustilago bromivora CHILE:
Meloidogyne arenaria Xanthomonas sp. (Cancrosis B) AUSTRALIA: M. hapla Ascochyta citri \*Puccinia canaliculata †Coryneum acaciae(?) †Uromyces americanus Guignardia citricarpa U. viciae-fabae CHINA: Macrophoma araucariae M. cocos Guignardia citricarpa \*Phyllosticta andromedae(?) Xanthomonas citri Phyllostictina pyriformis COLOMBIA: Septoria selenophomoides Ascochyta passiflorae Sphaceloma fawcettii var. scabiosa \*Cercospora odontoglossi AUSTRIA:
Chrysomyxa ledi var. rhododendri Elsinoe mangiferae Mycosphaerella cattleyae †Coniothyrium tiliae Ophiodothella orchidearum \*Puccinia magnusiana \*Phakopsora gossypii AZORES: Septoria fructigena Uredo anthurii COOK ISLANDS: BAHAMAS: Macrophoma cocos †Cercospora stevensonii COSTA RICA: \*Coleosporium plumierae †Cercospora cajani Mycosphaerella cattleyae Elsinoe mangiferae Phakopsora gossypii Meloidogyne incognita acrita Sphaerophragmium acaciae CUBA: Meloidogyne arenaria †Uredo coccolobae BELGIUM: DENMARK: Heterodera avenae Heterodera avenae H. punctata H. punctata Meloidogyne arenaria Monilinia fructigena Monilinia fructigena DOMINICAN REPUBLIC: \*Puccinia arenariae \*Ascochyta passiflorae †Cercospora bizzozeriana Septoria minimum \*C. caribaea BERMUDA: †Coniothyrium incrustans(?) †Macrophoma fici Phakopsora gossypii Puccinia lantanae BOLIVIA: Bubakia erythroxylonis P. jatrophicola Puccinia urbaniana BRAZIL:

\*Cercospora longissima \*Ustilaginoidea virens ECUADOR: \*Chaconia ingae Elsinoe australis E. mangiferae \*Elsinoe mangiferae Guignardia citricarpa Uromyces viciae-fabae

\*First from country. †First interception.

# Countries of Origin and Diseases--Continued

DI CALVADOR.	CITA DEL OUDE
EL SALVADOR:  *Coniothyrium stanhopeae	GUADELOUPE: *Cercospora longissima
*Curvularia geniculata	GUATEMALA:
Elsinoe mangiferae	Cercospora angraeci
Mycosphaerella cattleyae	*Cercospora henningsii
*Ophiodothella orchidearum	*C. malayensis
ENGLAND:	*Didymium squamulosum
Heterodera avenae	*Elsinoe mangiferae
*H. cruciferae	Leptosphaeria eustomoides
H. punctata	Meloidogyne arenaria
H. rostochiensis	*M. incognita incognita
H. trifolii	Mycosphaerella cattleyae
Meloidogyne hapla	†Phycopsis treubii
Monilinia fructigena	*Phyllosticta cymbidii
Mycosphaerella colorata	P. nigro-maculans
Phyllosticta hedericola	Physalospora wildemanniana
Puccinia buxi	Septoria selenophomoides
†Septoria lavandulae	Skierka holwayi
Uredo fuchsiae	Uredo oncidii
EUROPE [country(?)]:	U. tillandsiae
Chrysomyxa lédi var. rhododendri	HAITI:
Heterodera avenae	Elsinoe mangiferae
H. punctata	Phakopsora gossypii
H. trifolii	P. jatrophicola
Monilinia fructigena	Puccinia urbaniana
Mycosphaerella colorata	HAWAII:
FIJI:	Macrophoma cocos
Macrophoma cocos	Meloidogyne arenaria
† <u>Puccinia</u> <u>pusilla</u> (?)	*M. incognita incognita
FINLAND:	Phomopsis cocoes
*Heterodera avenae	†Phycopsis treubii
H. rostochiensis	Phyllostictina pyriformis
FORMOSA: Dasturella divina	Radopholus similis
Guignardia citricarpa	Uromyces alyxiae
*Meloidogyne javanica javanica	HONDURAS:
*Trematosphaerella oryzae	*Cercospora stachytarphetae
Xanthomonas citri	Elsinoe mangiferae
FRANCE:	Phyllachora engleri
Ascochyta cynarae	*Phyllosticta cymbidii
†Cercospora acericola	HONG KONG:
C. angraeci	<u>Guignardia citricarpa</u> Leptosphaeria oryzina
Heterodera rostochiensis	
*Heterosporium avenae	*Meloidogyne incognita incognita
Meloidogyne hapla	* <u>Neovossia horrida</u> †Septoria hydrocotyles
Monilinia fructigena	Xanthomonas citri
†Mycosphaerella basicola	INDIA:
Puccinia buxi	*Cercospora angraeci
†Septogloeum fragariae	Coleosporium bletiae
Septoria alliorum	Graphiola borassi
*Stemphylium ilicis	Meloidogyne arenaria
FRANCE(?):	M. incognita acrita
Leptosphaeria eustomoides	M. javanica javanica
GERMANY: Chrysomyxa ledi var. rhododendri	*Phyllosticta japonica(?)
Heterodera avenae	Phyllostictina pyriformis
	*Puccinia cynodontis(?)
H. fici	Turedo phaji
H. punctata	Xanthomonas citri
H. rostochiensis *H. trifolii	INDONESIA:
<del></del>	Cercospora angraeci
Leptosphaeria eustomoides	*Meloidogyne incognita incognita
Monilinia fructigena	Xanthomonas citri
†Phomatospora ribesia(?)	IRELAND:
Puccinia cnici	Ditylenchus dipsaci
P. magnusiana	Heterodera punctata
*Puccinia violae	H. rostochiensis
<u>Uromyces viciae-fabae</u> GREECE:	Phyllosticta hedericola
Marssonina juglandis	Puccinia buxi
Meloidogyne javanica javanica	†Uromyces minor
Monilinia fructigena	ISRAEL: <u>Het</u> erodera avenae
†Puccinia bupleuri	ITALY:
Puccinia carthami	Acochyta citri
*Sphaceloma punicae(?)	†Ascochyta siliquastri
· · · · · · · · · · · · · · · · · · ·	Chrysomyxa ledi var. rhododendri
*First from country   †First intercention	

<sup>\*</sup>First from country. †First interception.

#### Countries of Origin and Diseases -- Continued

ITALY - - Continued Diplodia viticola MADAGASCAR:
\*Phomopsis orchidophila Erwinia citrimaculans MALAYSIA: Guignardia citricarpa Heterodera avenae Macrophoma cocos H. fici \*Phyllostictina pyriformis \*H. rostochiensis MEXICO: Ascochyta citri \*Heterosporium avenae Leptosphaeria eustomoides †Botryosphaeria dasylirii Meloidogyne incognita acrita Cercospora angraeci M. javanica javanica †Corynelia oreophila Monilinia fructigena Elsinoe lepagei(?) †Pseudomonas apii E. mangiferae Puccinia scirpi †Gloeosporium arctostaphyli(?) Sphaceloma punicae(?) Heterodera punctata Spilocaea eriobotryae Macrophoma cocos Urocystis tritici †Melanconium fructicolum(?) \*Uromyces pisi Meloidogyne arenaria Uromyces viciae-fabae M. hapla JAMAICA: M. incognita acrita Cercospora bougainvilleae M. incognita incognita Elsinoe mangiferae M. javanica javanica \*Mycosphaerella opuntiae Mycosphaerella cattleyae \*Phyllachora canafistulae \*M. filicum †Phyllosticta everhartii M. opuntiae Puccinia psidii †Periconia hispidula(?) P. thaliae P. urbaniana \*Phyllostictina cordylines P. mangiferae \*Sphaceloma punicae P. pyriformis Uromyces commelinae Physalospora camptospora JAPAN: Aecidium hostae †Physopella lenticularis \*Alternaria oryzae Prospodium pithecoctenii Aphelenchoides fragariae P. transformans Ascochyta citri \*Puccinia angustata A. oryzae P. boutelouae \*Cercospora hyalina †P. macclatchieana P. vaga
P. versicolor
P. vexans C. kaki †Choanephora cucurbitarum †Coccomyces triangularis(?) Criconemoides xenoplax Scutellonema brachyurum \*Curvularia geniculata Septoria lactucae \*Diplodia magnoliae \*S. malvicola(?) Guignardia citricarpa Sphaceloma punicae Gymnosporangium haraeanum †Sphaeropsis henriquesii \*Helicotylenchus erythrinae Thecaphora solani Kuehneola japonica Uredo nidularii Leptosphaeria eustomoides U. oncidii L. oryzina U. scabies Meloidogyne hapla †Uromyces ciceris-arietini M. incognita incognita U. viciae-fabae Mycosphaerella schoenoprasi MOROCCO: Meloidogyne incognita acrita Neovossia horrida MOZAMBIQUE:
Guignardia citricarpa Phaeoseptoria oryzae Phyllosticta camelliae NETHERLANDS: \*P. phaseolina †Bulgaria inquinans Pratylenchus penetrans \*Diaporthe arctii Puccinia horiana †D. strumella P. kusanoi Heterodera cruciferae P. longicornis H. rostochiensis P. phyllostachydis Meloidogyne hapla †P. rufipes Monilinia fructigena P. sessilis Puccinia arenariae †Septoria gentianae(?) NEW ZEALAND: Cryptospora longispora S. oryzae S. selenophomoides \*Diaporthe arctii Guignardia citricarpa Stereostratum corticioides Xanthomonas citri Macrophoma araucariae Xiphinema brevicolle NICARAGUA: \*Elsinoe mangiferae KENYA: †<u>Uromyces eragrostidis(?)</u> Macrophoma cocos \*Phyllachora engleri KOREA: \*Gymnosporangium haraeanum

<sup>\*</sup>First from country. †First interception.

## Countries of Origin and Diseases -- Continued

NORFOLK ISLAND: SOUTH AMERICA [country(?)]: Elsinoe australis Cryptospora longispora OKINAWA: Xanthomonas sp. (Cancrosis B) Guignardia citricarpa SPAIN: \*Phyllostictina musarum \*Ascochyta citri PANAMA: †Cercospora lonchocarpi Elsinoe piri Monilinia fructigena Elsinoe mangiferae SWEDEN: \*Phyllosticta cajani \*Coleosporium campanulae PARAGUAY: Heterodera punctata Elsinoe australis PERU:

†Cladosporium cladosporioides

\*Elsinoe mangiferae H. rostochiensis Monilinia fructigena SWITZERLAND: Heterodera rostochiensis Chrysomyxa ledi var. rhododendri \*Pyrenochaeta terrestris(?)

Uromyces viciae-fabae

PHILIPPINES:

Guignardia citricarpa

Leptosphaeria oryzina Puccinia arenariae \*Rotylenchus robustus TAHITI(?):
Guignardia citricarpa TANZANIA:
\*Puccinia versicolor Macrophoma musae †Phakopsora pachyrhizi THAILAND: Guignardia citricarpa Phyllostictina musarum Physalospora wildemanniana Meloidogyne arenaria \*Puccinia miscanthi Phyllostictina pyriformis Xanthomonas citri †Uredo phaji Xanthomonas citri POLAND: Heterodera rostochiensis TRINIDAD: \*Pseudomonas lachrymans(?) TURKEY: †Hadrotrichum phragmites PORTUGAL: Heterodera punctata UNKNOWN: H. rostochiensis Elsinoe australis Spilocaea eriobotryae
PUERTO RICO:
Puccinia urbaniana
SCOTLAND: E. mangiferae Guignardia citricarpa Heterodera rostochiensis †Monilinia cydoniae Heterodera punctata Puccinia calcitrapae H. rostochiensis P. horiana SINGAPORE: \*Coniothyrium stanhopeae
SINGAPORE(?):
Guignardia citricarpa
SOUTH AFRICA:
Aphysa senniana Uromyces viciae-fabae Xanthomonas citri URUGUAY:
Elsinoe australis
VENEZUELA: Ascochyta citri \*Cercospora bougainvilleae Didymellina ornithogali \*Elsinoe mangiferae VIET-NAM:

Guignardia citricarpa
Xanthomonas citri
WEST AFRICA:

\*Meloidogyne incognita acrita Guignardia citricarpa Leptosphaeria protearum Meloidogyne arenaria M. incognita incognita Oligostroma proteae WEST PACIFIC: Phyllostictina musarum Phyllosticta acaciicola Puccinia ornithogali-thyrsoides Xanthomonas citri Sphaeropsis henriquesii YUGOSLAVIA: †Tilletia ayresii(?) Xiphinema index



This hitchhiking bug symbol is used by the Plant Quarantine Division on publications, posters, and television to remind travelers that innocent-looking fruits, plants, and souvenirs can carry plant pests into the United States.